


- **BANDED “UNIMATCH” V BELTS**
 - DEEP WEDGE: R3V, R5V, R8V 32
 - MULTIPLE / CLASSICAL: RB, RC, RD 31
- **COGGED RAW EDGE “UNIMATCH” V BELTS**
 - DEEP WEDGE: 3VX, 5VX 30
 - MULTIPLE / CLASSICAL: AX, BX, CX 24
- **FLAT TRANSMISSION BELTS**
 - TYPE 400 41
 - OTHER TYPES 41
- **METRIC “UNIMATCH” V BELTS**
 - SP - SERIES: SPZ, SPA, SPB, SPC 26
- **MULTI-RIB V BELTS**
 - J, L, M 39
- **OPEN END V BELTS**
 - ACCU-LINK ADJUSTABLE LINK: 3L, A, B, C, D, CC 23
 - PERFORATED: 0/3L, A, B, C 23
 - FASTENERS: 0/3L, A, B, C 23
 - SOLID: 0/3L A, B, C 23
 - STUD-LINK: 0/3L, A, B 23
- **SYNCHRONOUS NEOPRENE TIMING BELTS & BELTINGS**
 - DUAL HTB: D5M, D8M, D14M 4
 - DUAL ROLL OPEN END HTB: DL8M 9
 - DUAL ROLL OPEN END STANDARD: DLL, DLH 9
 - DUAL STANDARD: DXL, DL, DH 12
 - HTB: 3M, 5M, 8M, 14M 2
 - OPEN-END HTB: L8M, L14M 9
 - OPEN-END STANDARD: LXL, LL, LH, LXH 9
 - “S” TYPE PROFILE: S8M 5
 - STANDARD: XL, L, H, XH, XXH 6
- **SYNCHRONOUS URETHANE TIMING BELTS & BELTINGS**
 - DUAL METRIC: T5DL, T10DL 14
 - METRIC: T5, T10, AT5, AT10 13
 - OPEN-END HTB: L5M, L8M, L14M 10
 - OPEN-END METRIC: LT5, LT10, LT20, LAT5, LAT10, LAT20 10
 - OPEN-END STANDARD: LXL, LL, LH, LXH 10
 - STANDARD: XL, L, H 15
 - “UNIFLEX” DUAL TRULY ENDLESS WOUND:
 - STANDARD: LDL, HDL, XHDL 11
 - METRIC: T5DL, T10DL, T20DL, AT5DL, AT10DL, AT20DL 11
 - “UNIFLEX” TRULY ENDLESS WOUND HTB: 8M 11
 - “UNIFLEX” TRULY ENDLESS WOUND:
 - STANDARD: L, H, XH 11
 - METRIC: T5, T10, T20, AT5, AT10, AT20 11
- **V BELTS “UNIMATCH”**
 - DEEP WEDGE: 3V, 5V, 8V 29
 - DOUBLE (HEX) MULTIPLE/CLASSICAL: AA, BB, CC 40
 - FRACTIONAL HORSEPOWER (FHP): 3L, 4L, 5L 17
 - “NEOFLEX” WIDE ANGLE: 7MR 41
 - MULTIPLE/CLASSICAL: Z, A, B, C, D, E 19
 - “MXV” SUPER DUTY (LAWN & GARDEN): MXV3, 4, 5 42
- **VARIABLE SPEED V BELTS**
 - AMERICAN STANDARD 33
 - EUROPEAN METRIC 37
 - “ISO” METRIC (R1604) 36
 - SPECIALTIES METRIC 38
- **VEE & ROUND (VAR) URETHANE BELTING**
 - DUAL VEE (BANDED) 16
 - RIDGETOP 16
 - ROUND 16
 - SPLICING KIT 16
 - SUPER GRIP BACKING 16
 - VEE 16
- **SERVICES**
 - AFTER HOUR TELEPHONE NUMBERS 45
 - BELT TENSIONING GUIDE 43
 - EASY PITCH IDENTIFICATION 45
 - JASON BELTS DIMENSIONS CHART 44



HTB[®] timing belts

Oil, heat and abrasion-resistant.

INQUIRE FOR OTHER SIZES
AVAILABLE FROM STOCK





The standard trapezoidal tooth timing belt design performs poorly in high torque applications and high power drives at lower speeds. To overcome this disadvantage the High Torque Belt (HTB) was developed using a more efficient tooth profile.

Stock 3mm, 5mm, 8mm and 14mm HTB timing belts are listed below. Non-standard lengths in these pitches are also available.

HTB timing belts are specified by tooth profile and belt pitch length, tooth pitch and belt width in millimeters. For example:

720 - **8M** - **30**
(Belt Pitch Length) (Tooth Pitch) (Belt Width)
(mm) (mm) (mm)



Among the advantages are:

- Higher torque transmission at low speeds
- High power transmission over a wide speed range
- Improved meshing to reduce tooth jump
- Higher resistance to tooth shear
- Less tooth wear due to friction

3mm HTB Timing Belts

3mm HTB Timing Belts

Belt Profile, Length & Pitch Code	No. of Teeth	Width(mm)					
		-06		-09		-15	
		\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)
111-3M	37	\$4.64	.005	\$6.10	.007	\$10.44	.012
117-3M	39	4.64	.005	6.10	.007	10.44	.012
129-3M	43	4.64	.005	6.10	.007	10.44	.012
141-3M	47	*	.005	*	.007	*	.012
144-3M	48	4.64	.005	6.10	.007	10.44	.012
150-3M	50	4.64	.005	6.10	.007	10.44	.012
156-3M	52	*	.005	*	.008	*	.013
159-3M	53	4.74	.005	6.24	.008	10.66	.013
168-3M	56	4.74	.005	6.24	.008	10.66	.013
171-3M	57	4.74	.005	6.24	.008	10.66	.013
174-3M	58	4.74	.005	6.24	.008	10.66	.013
177-3M	59	4.74	.005	6.24	.008	10.66	.013
180-3M	60	*	.006	*	.009	*	.015
186-3M	62	*	.006	*	.009	*	.015
192-3M	64	*	.006	*	.009	*	.015
201-3M	67	4.88	.006	6.50	.009	10.98	.015
204-3M	68	4.88	.006	6.50	.009	10.98	.015
210-3M	70	4.92	.006	6.56	.009	11.08	.016
213-3M	71	4.94	.006	6.60	.009	11.14	.016
216-3M	72	4.98	.007	6.62	.010	11.18	.017
225-3M	75	5.04	.007	6.72	.010	11.34	.017
240-3M	80	5.16	.007	6.88	.011	11.60	.018
246-3M	82	5.20	.008	6.92	.011	11.72	.019
252-3M	84	5.26	.008	7.00	.012	11.82	.019
255-3M	85	5.28	.008	7.02	.012	11.88	.019
261-3M	87	5.32	.008	7.08	.012	11.98	.020
264-3M	88	5.32	.008	7.08	.012	11.98	.020
267-3M	89	5.34	.008	7.10	.012	12.02	.020
285-3M	95	5.46	.008	7.28	.013	12.28	.022
294-3M	98	*	.009	*	.014	*	.023
300-3M	100	5.54	.009	7.40	.014	12.48	.023
306-3M	102	5.58	.009	7.46	.014	12.56	.024
312-3M	104	5.58	.009	7.46	.014	12.56	.024
318-3M	106	5.58	.010	7.46	.014	12.56	.024
336-3M	112	5.70	.011	7.62	.015	12.82	.025

* Price on Request

Belt Profile, Length & Pitch Code	No. of Teeth	Width(mm)					
		-06		-09		-15	
		\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)
339-3M	113	\$5.72	.011	\$7.66	.015	\$12.86	.026
363-3M	121	5.86	.011	7.86	.016	13.20	.027
384-3M	128	6.00	.012	8.06	.017	13.50	.029
390-3M	130	6.04	.012	8.12	.017	13.58	.029
420-3M	140	6.10	.012	8.20	.018	13.72	.030
447-3M	149	6.40	.014	8.64	.020	14.40	.033
474-3M	158	6.56	.015	8.88	.021	14.78	.035
480-3M	160	6.56	.015	8.88	.021	14.78	.035
483-3M	161	6.62	.015	8.96	.021	14.90	.036
486-3M	162	*	.015	*	.021	*	.037
489-3M	163	6.62	.015	8.96	.021	14.90	.037
495-3M	165	6.62	.016	8.96	.022	14.90	.037
501-3M	167	6.62	.016	8.96	.022	14.90	.038
513-3M	171	6.68	.016	9.06	.023	15.04	.039
522-3M	174	6.74	.017	9.12	.023	15.16	.040
525-3M	175	6.76	.017	9.14	.023	15.20	.040
531-3M	177	*	.017	*	.024	*	.041
537-3M	179	6.82	.017	9.24	.024	15.34	.041
564-3M	188	6.96	.018	9.46	.025	15.68	.043
570-3M	190	7.00	.018	9.50	.025	15.74	.043
597-3M	199	*	.019	*	.027	*	.046
600-3M	200	*	.019	*	.027	*	.046
606-3M	202	7.20	.019	9.78	.027	16.18	.046
612-3M	204	7.22	.019	9.84	.027	16.26	.046
633-3M	211	7.34	.020	10.00	.028	16.52	.048
669-3M	223	7.76	.021	10.58	.030	17.46	.051
708-3M	236	8.20	.022	11.18	.031	18.46	.054
711-3M	237	8.24	.022	11.24	.031	18.56	.054
738-3M	246	*	.024	*	.033	*	.057
753-3M	251	8.74	.024	11.90	.033	19.66	.057
822-3M	274	*	.027	*	.037	*	.064
843-3M	281	9.78	.027	13.32	.037	22.00	.064
882-3M	294	10.22	.028	13.94	.039	23.02	.067
945-3M	315	10.96	.030	14.94	.042	24.66	.072
960-3M	320	11.14	.030	15.18	.042	25.06	.073
1041-3M	347	12.08	.033	16.46	.046	27.18	.079
1068-3M	356	12.38	.034	16.88	.047	27.86	.081
1071-3M	357	12.42	.034	16.92	.047	27.96	.081
1125-3M	375	13.04	.036	17.78	.050	29.36	.085
1176-3M	392	13.64	.037	18.58	.052	30.70	.089
1245-3M	415	*	.039	*	.055	*	.094
1263-3M	421	*	.040	*	.056	*	.096
1500-3M	500	*	.047	*	.066	*	.114
1530-3M	510	*	.048	*	.068	*	.116
1569-3M	523	18.20	.050	24.80	.069	40.96	.119

* Price on Request

HTB[®] timing belts (cont) 8mm HTB Timing Belts

INQUIRE FOR OTHER SIZES
AVAILABLE FROM STOCK

5mm HTB Timing Belts

Belt Profile, Length & Pitch Code	No of Teeth	Width(mm)					
		-09		-15		-25	
		\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)
215-5M	43	\$8.96	.024	\$13.60	.040	\$22.44	.066
225-5M	45	8.96	.024	13.60	.040	22.44	.066
265-5M	53	8.96	.024	13.60	.040	22.44	.066
270-5M	54	9.26	.025	14.12	.043	23.32	.071
275-5M	55	*	.026	*	.044	*	.073
295-5M	59	9.44	.026	14.42	.044	23.80	.073
300-5M	60	9.44	.026	14.42	.044	23.80	.073
325-5M	65	*	.029	*	.048	*	.080
330-5M	66	9.88	.029	15.06	.048	24.86	.080
345-5M	69	10.10	.031	15.40	.050	25.40	.084
350-5M	70	10.18	.031	15.50	.051	25.58	.085
360-5M	72	*	.032	*	.054	*	.090
370-5M	74	10.42	.032	15.92	.054	26.26	.090
375-5M	75	10.50	.033	16.04	.055	26.46	.091
400-5M	80	10.82	.035	16.56	.059	27.32	.098
420-5M	84	*	.036	*	.060	*	.100
425-5M	85	11.08	.037	17.08	.061	28.18	.101
450-5M	90	11.40	.039	17.62	.066	29.18	.110
460-5M	92	11.52	.040	17.78	.068	29.50	.112
465-5M	93	*	.041	*	.068	*	.113
475-5M	95	11.70	.042	18.00	.070	30.00	.116
500-5M	100	12.06	.044	18.72	.073	30.88	.121
525-5M	105	*	.048	*	.077	*	.127
535-5M	107	12.64	.050	19.78	.078	32.64	.130
540-5M	108	12.80	.050	20.00	.080	33.00	.133
550-5M	110	*	.051	*	.083	*	.138
565-5M	113	12.98	.051	20.30	.083	33.50	.138
575-5M	115	13.04	.051	20.46	.084	33.76	.140
580-5M	116	*	.051	*	.085	*	.141
600-5M	120	13.22	.053	20.84	.088	34.38	.146
610-5M	122	13.40	.054	20.94	.090	34.56	.149
615-5M	123	13.48	.055	21.28	.091	35.12	.151
620-5M	124	13.56	.055	21.44	.091	35.36	.151
630-5M	126	13.74	.056	21.74	.092	35.86	.153
635-5M	127	13.82	.056	21.88	.093	36.10	.154
640-5M	128	*	.056	*	.093	*	.154
665-5M	133	14.08	.058	22.30	.097	36.80	.161
670-5M	134	*	.059	*	.098	*	.162
675-5M	135	*	.059	*	.099	*	.164
700-5M	140	*	.061	*	.102	*	.169
705-5M	141	14.44	.062	22.86	.102	37.74	.170
710-5M	142	14.48	.062	22.94	.103	37.86	.171
725-5M	145	*	.064	*	.106	*	.176
740-5M	148	15.06	.065	24.06	.108	39.70	.179
755-5M	151	15.22	.066	24.32	.110	40.14	.183
800-5M	160	15.70	.070	25.10	.117	41.42	.194
835-5M	167	16.10	.073	25.72	.121	42.44	.201
850-5M	170	16.32	.074	26.12	.123	43.10	.205
860-5M	172	16.48	.075	26.40	.125	43.56	.208
890-5M	178	16.94	.078	27.20	.130	44.88	.216
900-5M	180	17.02	.079	27.30	.131	45.02	.218
925-5M	185	17.22	.081	27.52	.135	45.40	.224
935-5M	187	17.34	.082	27.76	.136	45.80	.226
940-5M	188	17.42	.082	27.90	.137	46.00	.227
950-5M	190	17.52	.083	28.26	.138	46.62	.229
980-5M	196	17.88	.085	28.58	.142	47.16	.236
1000-5M	200	18.18	.087	29.38	.145	48.48	.241
1050-5M	210	18.78	.092	30.42	.153	50.20	.254
1100-5M	220	19.38	.096	31.48	.160	51.94	.266
1125-5M	225	19.68	.098	32.00	.164	52.80	.272
1270-5M	254	21.58	.111	35.22	.185	58.12	.307
1420-5M	284	22.76	.124	37.32	.206	61.58	.342
1500-5M	300	23.96	.130	39.28	.217	64.80	.361
1595-5M	319	25.38	.138	41.60	.231	68.64	.384
1790-5M	358	30.28	.155	45.86	.260	75.66	.432
1800-5M	360	*	.169	*	.281	*	.467
1870-5M	374	*	.169	*	.281	*	.467
2000-5M	400	32.06	.169	49.88	.281	82.30	.467
2525-5M	505	*	.212	*	.354	*	.588



Belt Profile, Length & Pitch Code	No of Teeth	Width(mm)							
		-20		-30		-50		-85	
		\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)
376-8M	47	\$25.56	.10	\$36.00	.16	\$57.40	.27	\$95.40	.45
424-8M	53	25.56	.11	36.00	.18	57.40	.30	95.40	.50
472-8M	59	*	.12	*	.20	*	.33	*	.55
480-8M	60	25.56	.13	36.00	.20	57.40	.34	95.40	.57
536-8M	67	26.40	.14	37.60	.23	60.20	.38	100.40	.63
560-8M	70	27.60	.16	39.40	.23	63.00	.39	104.80	.66
600-8M	75	29.00	.17	41.60	.25	66.60	.42	111.00	.71
624-8M	78	29.30	.18	41.90	.26	67.36	.43	112.36	.74
632-8M	79	29.40	.18	42.00	.27	67.60	.44	112.80	.75
640-8M	80	29.80	.18	42.60	.27	68.40	.45	114.20	.76
656-8M	82	30.24	.18	43.24	.28	69.52	.46	116.08	.78
720-8M	90	32.00	.20	45.80	.30	74.00	.50	123.60	.85
776-8M	97	34.10	.21	49.02	.32	79.18	.54	132.42	.93
784-8M	98	34.40	.21	49.48	.32	79.92	.55	133.68	.94
800-8M	100	35.00	.22	50.40	.33	81.40	.56	136.20	.96
840-8M	105	36.10	.24	52.00	.35	84.20	.58	140.90	.99
880-8M	110	37.20	.25	53.60	.37	87.00	.61	145.60	1.05
912-8M	114	38.08	.26	54.88	.38	89.24	.63	149.36	1.09
920-8M	115	38.30	.26	55.20	.38	89.80	.64	150.30	1.10
960-8M	120	39.40	.27	56.80	.40	92.60	.67	155.00	1.14
1040-8M	130	41.60	.29	60.20	.43	98.00	.74	164.40	1.24
1120-8M	140	43.80	.31	63.40	.47	103.60	.78	173.80	1.33
1152-8M	144	46.20	.34	66.80	.50	109.20	.84	183.20	1.37
1200-8M	150	46.20	.34	66.80	.50	109.20	.84	183.20	1.42
1224-8M	153	47.30	.35	68.40	.51	112.00	.85	187.90	1.45
1280-8M	160	48.40	.36	70.00	.53	114.80	.89	192.60	1.51
1304-8M	163	49.06	.37	71.00	.54	116.46	.91	195.52	1.54
1328-8M	166	49.72	.37	71.98	.55	118.10	.93	198.24	1.57
1360-8M	170	50.60	.38	73.30	.57	120.30	.95	202.00	1.61
1424-8M	178	52.36	.40	75.94	.59	124.70	1.00	209.52	1.69
1440-8M	180	52.80	.40	76.60	.60	125.80	1.01	211.40	1.71
1600-8M	200	57.40	.45	83.20	.67	137.00	1.11	230.40	1.90
1760-8M	220	61.80	.49	89.80	.73	148.00	1.23	249.00	2.07
1800-8M	225	63.20	.50	91.80	.75	151.80	1.25	255.40	2.12
2000-8M	250	69.20	.56	100.60	.83	166.60	1.39	280.40	2.36
2104-8M	263	72.20	.60	112.80	.88	174.00	1.50	292.60	2.45
2248-8M	281	76.48	.64	115.42	.94	184.78	1.58	311.06	2.63
2400-8M	300	81.00	.68	118.20	1.00	196.20	1.66	330.60	2.82
2600-8M	325	87.60	.74	127.20	1.08	213.40	1.80	356.80	3.06
2800-8M	350	93.00	.80	135.60	1.16	225.80	1.92	380.92	3.29
3600-8M	450	*	1.03	*	1.24	*	2.47	*	4.23
4400-8M	550	141.60	1.25	201.60	1.32	343.20	3.01	590.60	5.16

* Price on Request

14mm HTB Timing Belts

ANY WIDTH AVAILABLE FROM STOCK
CONSULT JASON FOR PRICING

Belt Profile, Length & Pitch Code	No. of Teeth	Width(mm)									
		-40		-55		-85		-115		-170	
		\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)
966-14M	69	\$187.00	.84	\$250.20	1.15	\$364.20	1.78	\$484.20	2.40	\$700.40	3.55
1190-14M	85	209.60	1.02	276.40	1.42	404.20	2.20	539.20	2.98	780.40	4.39
1400-14M	100	228.00	1.20	302.00	1.67	443.60	2.57	592.40	3.50	859.00	5.15
1610-14M	115	246.80	1.40	329.00	1.92	484.00	2.95	647.20	4.02	939.20	5.95
1778-14M	127	263.40	1.52	350.60	2.13	516.20	3.25	691.20	4.45	1,003.20	6.55
1890-14M	135	276.60	1.62	368.80	2.25	544.00	3.49	728.80	4.73	1,058.20	6.95
2100-14M	150	301.40	1.80	403.00	2.50	596.20	3.88	799.40	5.25	1,161.60	7.75
2310-14M	165	321.00	2.00	429.20	2.75	636.00	4.26	852.80	5.75	1,239.80	8.50
2450-14M	175	334.20	2.12	446.80	2.93	662.40	4.52	888.40	6.10	1,292.00	9.00
2590-14M	185	350.40	2.25	469.40	3.10	696.20	4.78	934.00	6.45	1,358.80	9.55
2800-14M	200	374.80	2.43	503.20	3.34	747.00	5.15	1,002.40	7.00	1,459.20	10.30
3150-14M	225	411.40	2.73	553.60	3.77	824.20	5.80	1,107.20	7.85	1,614.40	11.60
3360-14M	240	430.80	2.90	581.40	4.02	865.40	6.20	1,163.40	8.35	1,696.80	12.35
3500-14M	250	444.20	3.00	599.60	4.19	893.00	6.45	1,201.60	8.75	1,751.40	12.90
3850-14M	275	489.00	3.30	666.20	4.60	989.40	7.10	1,331.60	9.62	1,937.00	14.20
4326-14M	309	543.20	3.70	734.40	5.17	1,098.80	8.00	1,480.00	10.80	2,161.60	15.95
4578-14M	327	574.00	3.92	778.80	5.48	1,159.60	8.45	1,566.00	11.40	2,245.00	16.90


* Price on Request

</

Dual 5mm HTB Timing Belts

Belt Profile, Length & Pitch Code	No. of Teeth	Width(mm)					
		09		15		25	
		\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)
D400-5M	80	\$27.06	.037	\$41.40	.063	\$68.30	.105
D450-5M	90	28.50	.042	44.06	.071	72.96	.118
D475-5M	95	29.26	.045	45.00	.075	75.00	.124
D500-5M	100	30.16	.047	46.80	.078	77.20	.128
D540-5M	108	32.00	.054	50.00	.086	82.50	.142
D635-5M	127	34.56	.060	54.70	.100	90.26	.165
D710-5M	142	36.20	.066	57.36	.110	94.66	.183
D835-5M	167	40.26	.078	64.30	.129	106.10	.215
D925-5M	185	43.06	.087	68.80	.144	113.50	.240
D1420-5M	284	56.90	.133	93.30	.220	153.96	.366
D1595-5M	319	63.46	.148	104.00	.247	171.60	.411

INQUIRE FOR OTHER SIZES
AVAILABLE FROM STOCK



Dual 8mm HTB Timing Belts

Belt Profile, Length & Pitch Code	No. of Teeth	Width(mm)								Belt Profile, Length & Pitch Code	No. of Teeth	Width(mm)								
		-20		-30		-50		-85				-20		-30		-50		-85		
		\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)			\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)	
D480-8M	60	\$58.80	.14	\$90.00	.22	\$143.50	.36	\$238.50	.61	D1200-8M	150	\$106.30	.35	\$167.00	.53	\$273.00	.90	\$458.00	1.50	
D536-8M	67	60.80	.15	94.00	.25	150.50	.41	251.00	.67	D1224-8M	153	111.30	.37	175.00	.55	287.00	.93	481.50	1.58	
D560-8M	70	63.50	.17	98.50	.26	157.50	.42	262.00	.70	D1280-8M	160	111.30	.39	175.00	.58	287.00	.95	481.50	1.61	
D600-8M	75	66.70	.18	104.00	.27	166.50	.45	277.50	.76	D1440-8M	180	114.10	.43	191.50	.64	314.50	1.08	528.50	1.82	
D632-8M	79	67.60	.19	105.00	.29	169.00	.47	282.00	.80	D1600-8M	200	132.00	.48	208.00	.71	342.50	1.19	576.00	2.03	
D640-8M	80	68.60	.20	106.50	.30	171.00	.48	285.50	.82	D1760-8M	220	142.20	.52	224.50	.77	370.00	1.31	622.50	2.20	
D720-8M	90	73.60	.21	114.50	.32	185.00	.54	309.00	.91	D1800-8M	225	145.40	.54	229.50	.80	379.50	1.34	638.50	2.29	
D800-8M	100	80.50	.23	126.00	.35	203.50	.60	340.50	1.03	D2000-8M	250	159.20	.60	251.50	.88	416.50	1.49	701.00	2.52	
D840-8M	105	83.00	.25	130.00	.37	210.50	.62	352.30	1.06	D2104-8M	263	166.06	.63	282.00	.93	435.00	1.56	731.50	2.65	
D880-8M	110	85.60	.27	134.00	.39	217.50	.65	364.00	1.12	D2400-8M	300	186.30	.72	295.50	1.07	490.50	1.76	829.50	3.02	
D920-8M	115	88.10	.28	138.00	.40	222.50	.68	375.80	1.17	D2600-8M	325	201.50	.79	318.00	1.15	533.50	1.92	892.00	3.27	
D960-8M	120	90.62	.29	142.00	.43	231.50	.71	387.50	1.22	D2800-8M	350	214.40	.85	339.00	1.22	564.50	2.06	952.00	3.52	
D1040-8M	130	95.70	.31	150.50	.46	245.00	.79	411.00	1.32	D4400-8M	550	325.60	1.35	504.00	1.39	858.00	3.22	1,476.50	5.52	
D1120-8M	140	100.70	.33	158.50	.50	259.00	.83	434.50	1.41											
D1152-8M	144	106.30	.34	167.00	.52	273.00	.87	458.00	1.47											

Dual 14mm HTB Timing Belts

Dual HTB® timing belts

Dual HTB belts are often used in reversing or serpentine applications. Special widths are available: use price for next width stock belt. Materials are same as standard belts except that teeth on one side are ground from fiber reinforced neoprene stock. Power takeoff from ground side is limited to 50% of total belt rating. Teeth with nylon facing should always be on driver pulley.



Belt Profile, Length & Pitch Code	No. of Teeth	Width(mm)									
		-40		-55		-85		-115		-170	
		\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Weight (lbs.)
D1190-14M	85	\$482.08	1.12	\$635.72	1.56	\$929.66	2.42	\$1,240.16	3.28	\$1,794.92	4.83
D1400-14M	100	524.40	1.32	694.60	1.84	1,020.28	2.83	1,362.52	3.85	1,975.70	5.67
D1610-14M	115	567.64	1.54	756.70	2.11	1,113.20	3.25	1,488.56	4.42	2,160.16	6.55
D1778-14M	127	605.82	1.67	806.38	2.34	1,187.26	3.58	1,589.76	4.90	2,307.36	7.21
D1890-14M	135	636.18	1.78	848.24	2.48	1,251.20	3.84	1,676.24	5.20	2,433.86	7.65
D2100-14M	150	693.22	1.98	926.90	2.75	1,371.26	4.27	1,838.62	5.78	2,671.68	8.53
D2310-14M	165	738.30	2.20	987.16	3.03	1,462.80	4.69	1,961.44	6.33	2,851.54	9.35
D2450-14M	175	768.66	2.33	1,027.64	3.22	1,523.52	4.97	2,043.32	6.71	2,971.60	9.90
D2590-14M	185	805.92	2.48	1,079.62	3.41	1,601.26	5.26	2,148.20	7.10	3,125.24	10.51
D2800-14M	200	862.04	2.67	1,157.36	3.67	1,718.10	5.67	2,305.52	7.70	3,356.16	11.33
D3150-14M	225	946.22	3.00	1,273.28	4.15	1,895.66	6.38	2,546.56	8.64	3,713.12	12.76
D3360-14M	240	990.84	3.19	1,337.22	4.42	1,990.42	6.82	2,675.82	9.19	3,902.64	13.59
D3500-14M	250	1,021.66	3.30	1,379.08	4.61	2,053.90	7.10	2,763.68	9.63	4,028.22	14.19
D3850-14M	275	1,124.70	3.63	1,532.26	5.06	2,275.62	7.81	3,062.68	10.58	4,455.10	15.62
D4326-14M	309	1,249.36	4.07	1,689.12	5.69	2,527.24	8.80	3,404.00	11.88	4,971.68	17.55
D4578-14M	327	1,320.20	4.31	1,791.24	6.03	2,667.08	9.30	3,601.80	12.54	5,163.50	18.59

* Price on Request

Standard timing belts

Oil, heat and abrasion-resistant.

Stock timing belts are listed below. They have fiberglass tension members, neoprene body with nylon covered teeth, all bonded together for maximum strength.

For non-stock widths, Jason cuts specified widths from our large supply of timing belt sleeves on special order.

Mini-pitch MXL (.080-inch pitch) timing belts are also available.

Jason timing belts are specified by belt length in inches times 10, belt pitch code and a three-digit belt width code which is the decimal inch-width divided by 10. A sample specification is shown below.

240 - **L** - **075**
 Length Pitch Width
 (24.0-inches) (3/8-inch) (.75 inches)

INQUIRE FOR OTHER SIZES
 AVAILABLE FROM STOCK



Extra Light 1/5-inch (XL) Pitch Timing Belts

Belt Length & Pitch Code	No. of Teeth	Width					
		025(1/4")		031(5/16")		037(3/8")	
		\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)
54XL	27	*	.005	*	.007	*	.008
60XL	30	\$5.84	.006	\$6.80	.008	\$7.68	.009
70XL	35	6.00	.007	6.96	.009	8.00	.011
76XL	38	6.10	.008	7.10	.010	8.14	.012
80XL	40	6.16	.008	7.20	.010	8.24	.012
86XL	43	6.26	.009	7.36	.011	8.36	.014
88XL	44	6.28	.009	7.40	.011	8.40	.014
90XL	45	6.32	.009	7.44	.011	8.48	.014
92XL	46	6.36	.010	7.46	.012	8.52	.015
94XL	47	6.40	.010	7.48	.012	8.56	.015
96XL	48	6.46	.010	7.52	.013	8.62	.015
98XL	49	*	.010	*	.013	*	.015
100XL	50	6.56	.010	7.60	.013	8.72	.015
102XL	51	6.68	.010	7.76	.013	8.96	.015
106XL	53	6.68	.011	7.76	.013	8.96	.016
108XL	54	6.70	.011	7.80	.014	9.00	.017
110XL	55	6.72	.011	7.84	.014	9.04	.017
112XL	56	6.76	.012	7.88	.015	9.08	.019
116XL	58	6.82	.012	7.98	.015	9.14	.019
118XL	59	6.84	.012	8.04	.015	9.16	.019
120XL	60	6.88	.012	8.08	.015	9.20	.019
124XL	62	6.94	.013	8.18	.016	9.30	.020
126XL	63	6.98	.013	8.24	.016	9.36	.020
128XL	64	7.00	.013	8.28	.016	9.40	.020
130XL	65	7.04	.013	8.32	.016	9.52	.020
134XL	67	*	.013	*	.017	*	.020
136XL	68	7.18	.014	8.42	.018	9.66	.022
138XL	69	7.24	.014	8.44	.018	9.72	.022
140XL	70	7.28	.014	8.48	.018	9.76	.022
142XL	71	7.32	.015	8.52	.019	9.80	.023
148XL	74	7.40	.015	8.68	.019	9.96	.023
150XL	75	7.44	.015	8.72	.019	10.00	.023
154XL	77	7.54	.016	8.88	.020	10.22	.024
156XL	78	7.60	.016	8.96	.020	10.32	.024
160XL	80	7.60	.016	8.96	.020	10.32	.025
166XL	83	7.70	.017	9.06	.022	10.42	.026
168XL	84	7.72	.017	9.08	.022	10.44	.026
170XL	85	7.76	.017	9.12	.022	10.48	.026
174XL	87	7.82	.018	9.22	.023	10.60	.028
176XL	88	7.86	.018	9.26	.023	10.64	.028
178XL	89	7.88	.018	9.32	.023	10.74	.028
180XL	90	7.92	.018	9.36	.023	10.80	.028
182XL	91	8.00	.018	9.40	.023	10.84	.028
184XL	92	8.04	.019	9.46	.024	10.90	.029
190XL	95	8.16	.019	9.60	.024	11.04	.029
192XL	96	*	.020	*	.025	*	.030
194XL	97	8.32	.020	9.76	.025	11.28	.030
196XL	98	8.32	.020	9.76	.025	11.28	.031
198XL	99	8.32	.020	9.76	.025	11.28	.031
200XL	100	8.32	.020	9.76	.025	11.28	.031
202XL	101	*	.021	*	.026	*	.032
210XL	105	8.48	.021	10.00	.026	11.52	.032
212XL	106	*	.021	*	.027	*	.033
214XL	107	*	.021	*	.027	*	.033


Extra Light 1/5-inch (XL) Pitch Timing Belts

Belt Length & Pitch Code	No. of Teeth	Width					
		025(1/4")		031(5/16")		037(3/8")	
		\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)
220XL	110	\$8.64	.022	\$10.24	.028	\$11.84	.034
228XL	114	*	.023	*	.029	*	.035
230XL	115	8.88	.023	10.48	.029	12.00	.035
232XL	116	8.92	.023	10.52	.030	12.06	.036
234XL	117	*	.023	*	.030	*	.036
236XL	118	*	.024	*	.031	*	.037
240XL	120	9.16	.024	10.64	.031	12.52	.037
244XL	122	9.16	.025	10.74	.032	12.52	.039
248XL	124	9.16	.025	10.84	.032	12.52	.039
250XL	125	9.20	.025	10.88	.032	12.56	.039
260XL	130	9.36	.026	11.04	.033	12.80	.040
270XL	135	9.44	.029	11.40	.034	13.16	.041
272XL	136	9.50	.029	11.46	.035	13.20	.042
274XL	137	9.54	.029	11.52	.035	13.24	.042
276XL	138	*	.029	*	.035	*	.042
280XL	140	9.76	.029	11.68	.036	13.36	.043
286XL	143	9.80	.029	11.72	.038	13.50	.045
290XL	145	9.84	.029	11.76	.038	13.60	.045
296XL	148	9.98	.029	11.88	.038	13.72	.045
300XL	150	10.08	.031	11.94	.039	13.82	.047
306XL	153	10.24	.031	12.06	.039	13.94	.047
310XL	155	*	.031	*	.039	*	.047
316XL	158	10.48	.032	12.24	.040	14.16	.048
320XL	160	*	.032	*	.041	*	.049
322XL	161	10.52	.033	12.42	.042	14.36	.050
330XL	165	10.56	.033	12.64	.042	14.64	.050
340XL	170	10.74	.034	12.84	.043	14.86	.051
344XL	172	10.80	.034	12.92	.043	14.96	.051
350XL	175	10.92	.035	13.02	.044	15.12	.053
352XL	176	*	.035	*	.044	*	.053
364XL	182	*	.036	*	.046	*	.055
380XL	190	11.52	.038	13.76	.048	15.96	.058
382XL	191	11.56	.039	13.80	.049	16.00	.059
384XL	192	*	.039	*	.049	*	.059
388XL	194	11.66	.039	13.90	.049	16.12	.059
390XL	195	*	.039	*	.049	*	.059
392XL	196	11.72	.039	13.96	.049	16.20	.059
412XL	206	12.04	.043	14.36	.054	16.64	.064
414XL	207	12.08	.043	14.40	.054	16.68	.064
434XL	217	*	.043	*	.054	*	.064
438XL	219	12.46	.043	14.90	.054	17.24	.064
460XL	230	12.84	.046	15.40	.057	17.86	.068
490XL	245	*	.049	*	.061	*	.073
498XL	249	13.58	.050	16.34	.062	19.02	.074
506XL	253	13.80	.051	16.60	.063	19.34	.075
514XL	257	14.02	.051	16.86	.064	19.64	.077
530XL	265	*	.055	*	.068	*	.081
580XL	290	15.82	.058	19.04	.072	22.16	.086
600XL	300	*	.060	*	.075	*	.090
630XL	315	17.18	.063	20.68	.078	24.06	.094
710XL	355	*	.071	*	.088	*	.106
1280XL	640	34.00	.128	40.56	.159	46.38	.191

Standard timing belts (cont)

Oil, heat and abrasion-resistant.

INQUIRE FOR OTHER SIZES
AVAILABLE FROM STOCK



Light 3/8-inch (L) Pitch Timing Belts

Belt Length & Pitch Code	No. of Teeth	Width					
		050(1/2")		075(3/4")		100(1")	
		\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)
124L	33	\$15.36	.02	\$21.84	.05	\$28.00	.07
135L	36	*	.02	*	.05	*	.07
150L	40	16.96	.03	24.24	.05	31.20	.07
165L	44	17.44	.03	25.04	.06	32.28	.08
173L	46	18.00	.03	25.84	.06	33.40	.08
187L	50	18.48	.04	26.64	.07	34.48	.09
202L	54	19.60	.04	28.24	.08	36.68	.09
210L	56	20.08	.04	29.04	.08	37.68	.09
225L	60	20.64	.05	29.84	.08	38.76	.10
236L	63	21.42	.06	31.04	.08	40.42	.10
240L	64	21.68	.06	31.44	.08	40.96	.12
244L	65	21.80	.06	31.64	.08	41.24	.12
255L	68	22.16	.06	32.24	.09	42.04	.12
270L	72	23.20	.06	33.84	.10	44.16	.13
285L	76	23.76	.07	34.72	.10	45.24	.14
300L	80	24.80	.07	36.24	.11	47.44	.14
320L	85	25.80	.07	37.80	.12	49.40	.15
322L	86	25.84	.07	37.92	.12	49.60	.15
345L	92	26.88	.08	39.52	.13	51.72	.16
367L	98	27.84	.08	41.12	.13	53.88	.17
390L	104	29.44	.09	43.52	.14	57.08	.18
405L	108	*	.09	*	.14	*	.19
412L	110	*	.10	*	.15	*	.20
420L	112	30.96	.10	45.92	.15	60.36	.20
424L	113	31.16	.11	46.24	.16	60.76	.22
450L	120	32.56	.11	48.40	.16	63.56	.22
454L	121	32.76	.11	48.70	.16	63.98	.22
480L	128	34.16	.12	50.80	.17	66.84	.23
510L	136	35.20	.12	52.40	.18	69.04	.24
525L	140	*	.12	*	.19	*	.25
540L	144	37.28	.13	55.60	.20	73.32	.26
600L	160	40.40	.13	60.48	.21	79.80	.28
660L	176	43.52	.14	66.52	.23	87.78	.29
728L	194	*	.15	*	.25	*	.30
817L	218	53.60	.18	80.40	.29	107.20	.36
915L	244	*	.20	*	.32	*	.40

ANY WIDTH
AVAILABLE FROM STOCK
CONSULT JASON
FOR PRICING

Cotton Cleaner Belts


Size	\$ Can. List Price	No. of Teeth
61CCB142	\$368.06	60
63CCB165	375.62	63
64CCB170	375.62	64
65CCB175	383.14	65

* Price on Request

Standard timing belts (cont)

Oil, heat and abrasion-resistant.

Heavy 1/2-inch (H) Pitch Timing Belts



Belt Length & Pitch Code	No. of Teeth	Width									
		075(3/4")		100(1")		150(1-1/2")		200(2")		300(3")	
		\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)
240H	48	\$32.56	.13	\$42.00	.20	\$60.72	.28	\$79.52	.41	\$117.04	.56
255H	51	33.80	.14	43.64	.21	63.24	.30	82.80	.42	122.00	.60
270H	54	35.04	.15	45.28	.21	65.76	.31	86.08	.43	126.96	.63
300H	60	37.52	.17	48.64	.23	70.72	.35	92.72	.47	136.88	.70
330H	66	40.08	.19	51.92	.25	75.68	.38	99.36	.51	146.80	.77
335H	67	40.50	.19	52.48	.25	76.50	.38	100.46	.52	148.44	.78
350H	70	41.76	.20	54.16	.27	78.96	.40	103.76	.55	153.36	.82
360H	72	42.56	.20	55.28	.28	80.64	.42	106.00	.56	156.72	.84
370H	74	43.42	.21	56.38	.29	82.30	.43	108.20	.57	159.18	.87
375H	75	43.84	.21	56.92	.29	83.12	.43	109.28	.58	161.64	.88
390H	78	45.04	.22	58.56	.30	85.60	.45	112.56	.61	166.64	.91
400H	80	45.92	.23	59.68	.31	87.28	.47	114.80	.63	169.92	.93
420H	84	47.52	.24	61.92	.32	90.56	.49	119.20	.65	176.56	.98
450H	90	50.08	.25	65.20	.35	95.52	.52	125.84	.70	186.40	1.05
480H	96	52.56	.27	68.56	.37	100.48	.56	132.40	.72	196.32	1.12
490H	98	53.36	.27	69.68	.37	102.16	.56	134.64	.72	199.68	1.12
510H	102	54.24	.28	70.80	.39	103.84	.59	136.88	.79	202.96	1.18
540H	108	57.52	.30	75.20	.41	110.48	.63	145.68	.84	216.16	1.25
560H	112	*	.32	*	.44	*	.66	*	.89	*	1.32
570H	114	59.20	.32	77.44	.44	113.76	.66	150.08	.89	222.80	1.32
585H	117	*	.34	*	.46	*	.70	*	.93	*	1.40
600H	120	62.56	.34	81.84	.46	120.40	.70	158.88	.93	236.00	1.40
630H	126	64.24	.35	84.08	.48	123.68	.73	163.28	.98	242.64	1.47
660H	132	67.52	.37	88.48	.51	130.32	.77	172.12	1.02	255.84	1.54
700H	140	70.88	.39	92.88	.54	136.96	.81	180.96	1.09	269.04	1.64
725H	145	72.56	.41	95.12	.56	140.24	.84	185.36	1.12	275.68	1.75
730H	146	72.90	.41	95.56	.57	140.92	.85	186.24	1.13	277.00	1.77
750H	150	74.24	.42	97.36	.58	143.60	.87	189.76	1.16	282.24	1.87
800H	160	79.20	.45	104.00	.61	150.24	.93	203.04	1.24	302.08	1.93
850H	170	82.56	.48	108.40	.65	160.16	.99	211.84	1.32	315.28	1.99
900H	180	87.52	.51	115.04	.69	170.08	1.04	225.04	1.40	335.12	2.10
1000H	200	95.92	.56	126.08	.77	186.64	1.16	247.12	1.55	368.16	2.32
1100H	220	104.24	.59	137.12	.84	203.20	1.27	269.20	1.71	401.20	2.57
1120H	224	*	.60	*	.86	*	1.30	*	1.74	*	2.62
1140H	228	*	.62	*	.87	*	1.32	*	1.77	*	2.66
1150H	230	*	.63	*	.88	*	1.33	*	1.79	*	2.69
1250H	250	116.80	.70	153.76	.96	228.08	1.46	302.24	1.94	450.80	2.92
1400H	280	129.28	.79	170.32	1.07	252.88	1.62	335.36	2.17	500.32	3.24
1700H	340	154.32	.95	203.52	1.30	302.56	1.95	401.52	2.63	599.44	3.95
2010H	402	*	1.12	*	1.54	*	2.31	*	3.11	*	4.67
2360H	472	*	1.32	*	1.80	*	2.71	*	3.65	*	5.48

* Price on Request

Extra Heavy 7/8-inch (XH) Pitch Timing Belts

Belt Length & Pitch Code	No. of Teeth	Width					
		200(2")		300(3")		400(4")	
		\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)
507XH	58	\$327.60	2.11	\$461.04	3.16	\$594.56	4.22
534XH	61	339.04	2.22	477.68	3.33	616.40	4.44
560XH	64	350.48	2.33	494.32	3.49	638.24	4.66
630XH	72	373.36	2.62	527.60	3.93	681.92	5.24
700XH	80	403.84	2.91	572.00	4.37	740.16	5.82
770XH	88	426.72	3.20	605.28	4.81	783.84	6.41
840XH	96	457.28	3.49	649.60	5.25	842.08	6.99
980XH	112	510.64	4.08	725.28	6.12	944.00	8.15
1120XH	128	556.40	4.66	793.84	6.99	1,031.36	9.32
1260XH	144	613.60	5.24	877.04	7.86	1,140.56	10.48
1400XH	160	670.80	5.82	960.24	8.74	1,249.76	11.65
1540XH	176	708.96	6.41	1,015.68	9.61	1,322.56	12.81
1750XH	200	804.24	7.28	1,154.40	10.92	1,504.56	14.56

• Double Extra Heavy 1-1/4-inch (XXH) Pitch Timing Belts •

Belt Length & Pitch Code	No. of Teeth	Width							
		200(2")		300(3")		400(4")		500(5")	
		\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)
700XXH	56	\$484.84	4.09	\$686.28	6.13	\$887.44	8.18	\$1,089.92	10.22
800XXH	64	530.72	4.67	752.84	7.01	974.16	9.34	1,198.08	11.68
900XXH	72	576.68	5.26	819.40	7.88	1,006.80	10.51	1,306.24	13.14
1000XXH	80	622.64	5.84	885.96	8.76	1,147.44	11.68	1,414.40	14.50
1200XXH	96	704.08	7.01	1,019.08	10.51	1,320.80	14.60	1,630.72	17.52
1400XXH	112	796.00	8.18	1,152.20	12.26	1,494.08	16.35	1,847.04	20.44
1600XXH	128	887.84	9.34	1,285.32	14.02	1,667.44	18.69	2,063.36	23.36
1800XXH	144	988.00	10.57	1,418.44	15.77	1,849.12	21.02	2,279.68	26.28

• Call Jason for "XXH" Special Discount •



Special Constructions - Consult Jason for prices
 Kevlar® Tensile Member Non-Standard Widths
 Non-Marking Extra Backing
 Red Latex Backings S or Z Tensile Member
 Special Compounds

INQUIRE FOR OTHER SIZES AVAILABLE FROM STOCK

Open-end belting

Neoprene, fiberglass reinforced



For positioning, metering, and open-close applications. Open end timing belting is specified by an "L" for long length, the belt pitch letters and the width code. i.e. L8M-20 Length is specified in feet. Spliced belts available on special order. Special constructions and backings also available.

Open-End HTB Belting

Pitch Code	Width Code	\$ Can. List Price/Ft	Pounds per Ft
L8M	15	\$9.04	.06
L8M	20	12.04	.09
L8M	25	15.06	.11
L8M	30	16.24	.12
L8M	50	27.28	.21
L8M	85	46.16	.36
L14M	40	47.64	.26
L14M	55	62.80	.36
L14M	85	105.62	.55
L14M	115	140.88	.75

Other widths available upon request.
Width code is metric.

Open-End Timing Belting

Pitch Code	Width Code	\$ Can. List Price/Ft	Pounds per Ft
LXL (1/5-inch)	025	\$ 2.56	.015
LXL (1/5-inch)	031	3.20	.018
LXL (1/5-inch)	037	3.84	.020
LL (3/8-inch)	050	6.04	.030
LL (3/8-inch)	075	9.20	.045
LL (3/8-inch)	100	12.26	.060
LH (1/2-inch)	050	6.44	.050
LH (1/2-inch)	075	9.52	.075
LH (1/2-inch)	100	12.52	.100
LH (1/2-inch)	150	20.04	.150
LH (1/2-inch)	200	26.72	.200
LH (1/2-inch)	300	36.44	.300
LXH (7/8-inch)	075	*	.187
LXH (7/8-inch)	100	*	.250
LXH (7/8-inch)	200	*	.500
LXH (7/8-inch)	300	*	.750
LXH (7/8-inch)	400	*	1.00

Other widths available upon request.

* Price on Request

Dual Roll Neoprene Belting


Dual Sided
Fiberglass Reinforced
Available up to 350' in Length

Until now chain was the only design option for drives requiring long spans **and** the capability to drive from either side. Now the advantages of timing belts (non corrosive, no lubrication, no retensioning, high speed capabilities) can make such drives more versatile than ever.

Dual Roll Belting is specified DL followed by pitch code & width code e.g. DLH075 is Dual Roll 1/2" pitch, 3/4" wide. Length is specified in feet. Consult Jason for roll lengths.

Other widths available on request.

Dual Roll \$ Can. List Prices							
Per Foot							
	Pitch	050	075	100	150	200	
DLH	3/8"	\$15.10	\$22.30	\$30.64			
DLH	1/2"	\$16.10	\$23.80	\$31.30	\$50.10	\$66.80	
	Pitch	15	20	25	30	50	85
DL8M	8MM	\$22.60	\$30.10	\$37.66	\$40.60	\$68.20	\$115.40



IMPORTANT:

For all bulk orders, we will ship the full requirement in one continuous piece if possible. If our stock does not permit this, shorter lengths will be used with no length being less than 50 feet.

CUTTING CHARGE:

Open-end timing belt products have a 10% cutting charge for lengths under 100 ft.

Urethane, Steel or Kevlar reinforced belting

Resistant to moisture, oils, ozone, UV light and hydrolysis.

Available in FDA Construction.

Other widths available upon request.



\$ Can. List Prices Per Foot, Steel or Kevlar reinforced.


Width (mm)											
	6	8	10	12	16	20	25	32	50	75	100
T5	\$3.50	\$4.50	\$5.80	\$6.30	\$8.80	\$11.50	\$13.50	\$18.00	\$22.50	\$38.60	\$51.50
	12	16	20	25	32	40	50	75	100	150	
T10	\$8.80	\$12.00	\$12.60	\$14.00	\$18.00	\$20.00	\$22.00	\$32.00	\$44.00	\$76.00	
	25	32	50	75	100	125	150				
T20	\$18.00	\$24.00	\$38.00	\$60.00	\$84.00	\$122.00	\$146.00				
	6	10	16	20	25	32	50	75	100		
AT5	\$5.00	\$7.00	\$10.60	\$14.80	\$16.20	\$21.60	\$32.30	\$51.60	\$68.80		
	16	20	25	32	40	50	75	100	120	150	
AT10	\$14.00	\$16.20	\$19.00	\$24.00	\$26.40	\$28.00	\$40.00	\$54.00	\$68.00	\$84.00	
	25	32	50	75	100	120	150	200			
AT20	\$23.00	\$30.00	\$48.00	\$78.00	\$108.00	\$144.00	\$172.00	\$220.00			

Width (mm)											
	10	15	25	50							
5mm	\$9.00	\$12.20	\$21.00	\$34.00							
	10	15	20	30	50	85	100				
8mm	\$10.40	\$16.50	\$18.90	\$25.60	\$32.00	\$54.00	\$64.00				
	25	40	55	85	100	115					
14mm	\$29.90	\$47.80	\$65.40	\$101.00	\$124.00	\$150.00					

Width-Inches											
	025	031	037	050	075	100	150	200			
XL(1/5")	\$2.90	\$3.50	\$4.00	\$5.40	\$8.00	\$10.80	\$16.00	\$21.40			
	037	050	075	100	150	200	300	400			
L(3/8")	\$5.70	\$6.20	\$9.50	\$11.40	\$15.60	\$18.30	\$28.70	\$38.20			
	050	075	100	150	200	300	400	500	600	700 KNFT	800 KNFT
H(1/2")	\$6.98	\$10.80	\$12.40	\$17.00	\$20.20	\$30.00	\$51.20	\$66.00	\$78.00	\$132.00	\$158.00
	100	150	200	300	400	600					
XH(7/8")	\$20.00	\$30.00	\$40.00	\$64.00	\$90.00	\$138.00					

IMPORTANT:
For all bulk orders, we will ship the full requirement in one continuous piece if possible. If our stock does not permit this, shorter lengths will be used with no length being less than 50 feet.

CUTTING CHARGE:
Open-end timing belt products have a 10% cutting charge for lengths under 100 ft.



BELTS

- Endless belts can be spliced to order.
- Minimum Pitch length is 20", except T20 & 14mm where the minimum is 36" length.
- Note: Splicing belts reduces horsepower rating.
- Consult Jason for pricing of spliced belts.
- Always specify whether steel or Kevlar reinforcement.
- Consult Jason for pricing and availability on special shapes of Welded Profiles and extra backings.

FDA construction add 10% to above prices.
Fabric covering toothside add 15% to above prices. • Fabric covering backside add 15% to above prices.

For complete specifications on Urethane Belts and Belting, see catalog UB-3.

Uniflex: Truly endless belts



Single & Dual Sided

Urethane Timing belts constructed with Steel Cable cords produced to any length without requiring a mold. Helically wound steel tension members provide ideal performance in continuous operation where maximum working loads and speeds to 10,000 rpm's are called for. Produced in single and dual sided.

Now available (X)

Single Timing Belts

Belt Width

(inch)	037	050	075	100	150	200	300	400	600				
L	X	X	X	X	X	X	X	X	X				
H		X	X	X	X	X	X	X	X				
XH			X	X	X	X	X	X	X				
(mm)	10	20	30	40	50	85	100	125	150				
8M	X	X	X	X	X	X	X	X	X				
(mm)	10	12	16	20	25	32	40	50	60	75	100	125	150
T5	X	X	X	X	X	X		X		X	X	X	X
T10		X	X	X	X	X		X	X	X	X	X	X
T20			X	X	X	X	X	X	X	X	X	X	X
AT5	X	X	X	X	X	X		X		X	X	X	X
AT10		X	X	X	X	X		X	X	X	X	X	X
AT20			X	X	X	X	X	X	X	X	X	X	X

Available Length - Min. 1500mm (59"). Max. 19800mm (779.5")

Maximum Width - 150mm (5.9")

Dual Timing Belts

Belt Width

(inch)	050	075	100	150	200	300	600		
LDL	X	X	X	X	X	X	X		
HDL	X	X	X	X	X	X	X		
XHDL		X	X	X	X	X	X		
(mm)	10	12	16	20	25	32	50	75	150
T5DL	X	X	X		X	X	X	X	X
T10DL		X	X	X	X	X	X	X	X
T20DL			X	X	X	X	X	X	X
AT5DL	X	X	X		X	X	X	X	X
AT10DL		X	X	X	X	X	X	X	X
AT20DL				X	X	X	X	X	X

Available Length - Min. 1500mm (59"). Max. 19800mm (779.5")

Minimum quantity = 1 sleeve 150mm total width.

Dual timing belts

Neoprene fiberglass reinforced.

Dual belts afford power transmission from either side of the belt and are often used in reversing and serpentine applications.

They are specified the same way as timing belts except with a "D" prefix. For example: D240H100. Special widths are cut to order from our sleeve stock for fast delivery.

INQUIRE FOR OTHER SIZES
AVAILABLE FROM STOCK



Dual timing belts are produced using the same materials as single sided belts, except that the backside is ground from a fiber reinforced special rubber compound. There is no nylon facing on the backside. Power take off on the backside is limited to 50% of the total catalog rating.

Total belt rating is the same as for single sided belts. **Teeth with nylon facing should always be against driver pulley.**

1/5-inch (XL) Pitch Dual Timing Belts

Belt Length & Pitch Code	No. of Teeth	Width			
		025(1/4")		037(3/8")	
		\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)
D60XL	30	*	.005	*	.01
D70XL	35	\$15.00	.005	\$20.00	.01
D80XL	40	15.40	.005	20.60	.01
D88XL	44	15.70	.005	21.00	.01
D90XL	45	15.80	.005	21.50	.01
D94XL	47	16.00	.005	21.60	.01
D100XL	50	16.40	.005	21.80	.01
D110XL	55	16.80	.01	22.60	.01
D120XL	60	17.20	.01	23.00	.01
D128XL	64	17.50	.01	23.50	.02
D130XL	65	17.60	.01	23.80	.02
D140XL	70	18.20	.01	24.40	.02
D142XL	71	18.28	.01	24.52	.02
D150XL	75	18.60	.01	25.00	.02
D156XL	78	19.00	.01	25.80	.02
D160XL	80	19.00	.01	25.80	.02
D170XL	85	19.40	.01	26.20	.02
D180XL	90	19.80	.02	27.00	.02
D190XL	95	20.40	.02	27.60	.02
D194XL	97	20.60	.02	27.90	.02
D200XL	100	20.80	.02	28.20	.02
D210XL	105	21.20	.02	28.80	.03
D220XL	110	21.60	.02	29.60	.03
D230XL	115	22.20	.02	30.00	.03
D240XL	120	22.60	.02	30.80	.03
D250XL	125	23.00	.02	31.40	.03
D260XL	130	23.40	.02	32.00	.03
D270XL	135	*	.02	*	.03
D280XL	140	24.40	.03	33.40	.04
D290XL	145	24.60	.03	34.00	.04
D300XL	150	*	.03	*	.04
D310XL	155	*	.03	*	.04
D330XL	165	*	.03	*	.04
D350XL	175	27.30	.03	37.80	.05
D356XL	178	*	.03	*	.05
D362XL	181	*	.03	*	.05
D392XL	196	*	.04	*	.05
D432XL	216	*	.04	*	.05
D450XL	225	*	.04	*	.05
D1280XL	640	85.00	.10	115.96	.13

3/8-inch (L) Pitch Dual Timing Belts

Belt Length & Pitch Code	No. of Teeth	Width					
		050(1/2")		075(3/4")		100(1")	
		\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)
D124L	33	\$38.40	.03	\$54.60	.05	\$69.90	.06
D150L	40	42.40	.04	60.60	.06	78.00	.08
D165L	44	43.60	.04	62.60	.06	80.70	.09
D173L	46	45.00	.05	64.60	.07	83.50	.10
D187L	50	46.20	.05	66.60	.07	86.20	.10
D202L	54	49.00	.05	70.60	.08	91.70	.10
D210L	56	50.20	.05	72.60	.08	94.20	.10
D225L	60	51.60	.05	74.60	.08	96.92	.10
D240L	64	54.20	.06	78.60	.09	102.40	.12
D255L	68	55.40	.06	80.60	.09	105.12	.12
D270L	72	58.00	.07	84.60	.10	110.40	.14
D285L	76	59.40	.07	86.80	.11	113.12	.14
D300L	80	62.00	.07	90.60	.11	118.60	.14
D320L	85	64.50	.07	94.50	.11	123.50	.15
D322L	86	64.60	.08	94.80	.12	124.00	.16
D345L	92	67.20	.08	98.80	.12	129.32	.16
D367L	98	69.60	.08	102.80	.13	134.72	.16
D390L	104	73.60	.09	108.80	.14	142.72	.18
D420L	112	77.40	.10	114.80	.15	150.92	.20
D424L	113	77.90	.10	115.58	.15	151.92	.20
D450L	120	81.40	.10	121.00	.15	158.92	.20
D480L	128	85.40	.11	127.00	.16	167.12	.22
D510L	136	88.00	.12	131.00	.18	172.60	.24
D540L	144	93.20	.13	139.00	.19	183.32	.26
D600L	160	101.00	.14	151.20	.21	199.52	.28
D660L	176	108.80	.16	163.20	.24	215.72	.32
D817L	218	134.00	.20	201.00	.30	268.00	.40

1/2-inch (H) Pitch Dual Timing Belts

Belt Length & Pitch Code	No. of Teeth	Width									
		075(3/4")		100(1")		150(1-1/2")		200(2")		300(3")	
		\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)	\$ Can. List Price	Approx. Weight (lbs.)
D240H	48	\$81.40	.17	\$105.00	.22	\$151.80	.34	\$198.80	.44	\$292.60	.68
D270H	54	87.60	.19	113.20	.25	164.40	.38	215.20	.50	317.40	.76
D300H	60	93.80	.21	121.60	.28	176.80	.42	231.80	.56	342.20	.82
D330H	66	100.20	.23	129.80	.30	189.20	.44	248.40	.60	367.00	.92
D350H	70	104.40	.24	135.40	.32	187.40	.46	259.40	.64	383.40	.96
D360H	72	106.40	.25	138.20	.33	201.60	.50	265.00	.66	391.80	1.00
D375H	75	109.60	.26	142.30	.35	207.80	.52	273.20	.69	404.10	1.06
D390H	78	112.60	.27	146.40	.36	214.00	.54	281.40	.72	416.60	1.08
D400H	80	114.80	.29	149.20	.38	218.20	.56	287.00	.76	424.80	1.15
D420H	84	118.80	.30	154.80	.40	226.40	.60	298.00	.80	441.40	1.20
D450H	90	125.20	.32	163.00	.43	238.80	.64	314.60	.86	446.00	1.28
D480H	96	131.40	.34	171.40	.45	251.20	.68	331.00	.90	490.80	1.36
D490H	98	133.40	.35	174.20	.46	255.40	.70	336.60	.93	499.20	1.39
D510H	102	135.60	.36	177.00	.48	259.60	.72	342.20	.96	507.40	1.42
D540H	108	143.80	.38	188.00	.51	276.20	.76	364.20	1.02	540.40	1.52
D570H	114	148.00	.40	193.60	.53	284.40	.80	375.20	1.06	557.00	1.60
D600H	120	156.40	.42	204.60	.56	301.00	.84	397.20	1.12	590.00	1.68
D630H	126	160.60	.44	210.20	.59	309.20	.88	408.20	1.18	606.60	1.76
D660H	132	168.80	.47	221.20	.63	325.80	.94	430.40	1.26	639.60	1.86
D700H	140	177.20	.49	232.20	.65	342.40	.98	452.40	1.30	672.60	1.96
D725H	145	181.40	.51	237.80	.68	350.60	1.02	463.40	1.36	689.20	2.05
D750H	150	185.60	.53	243.40	.71	359.00	1.06	474.40	1.42	705.60	2.12
D800H	160	198.00	.56	260.00	.75	375.60	1.12	507.60	1.50	755.20	2.24
D850H	170	206.40	.60	271.00	.80	400.40	1.20	529.60	1.60	788.20	2.40
D900H	180	218.80	.64	287.60	.85	425.20	1.28	562.60	1.70	837.80	2.56
D1000H	200	239.80	.71	315.20	.95	466.60	1.41	617.80	1.90	920.40	2.82
D1100H	220	260.60	.77	342.80	1.03	508.00	1.54	673.00	2.06	1,003.00	3.08
D1250H	250	292.00	.89	384.40	1.19	570.20	1.78	755.60	2.38	1,127.00	3.56
D1400H	280	323.20	1.00	425.80	1.33	632.20	2.00	838.40	2.66	1,250.80	4.00
D1700H	340	385.20	1.20	507.80	1.60	755.20	2.40	1,002.20	3.20	1,496.20	4.80

SEE PAGE 4 FOR DUAL HTB BELTS

Urethane timing belts, metric

Urethane steel cable construction.

Oil, heat and abrasion-resistant.

Metric timing belts are available in 5mm and 10mm pitch. They have steel tension members bonded to a urethane body. They are especially useful for chemically resistant operating requirements and for clean environments.



For non-stock widths, Jason can cut specified widths from our supply of metric timing belt sleeves on special order. Maximum width is 300mm. Metric timing belts are specified by belt width in millimeters, belt pitch, letter-number and pitch length in millimeters. For example: 20T10/900.

T5 Metric Pitch Timing Belts

Belt Length & Pitch Code	No. of Teeth	Width (mm)							
		4mm	6mm	8mm	10mm	12mm	16mm	20mm	25mm
		\$ Can. List Price	\$ Can. List Price	\$ Can. List Price	\$ Can. List Price	\$ Can. List Price	\$ Can. List Price	\$ Can. List Price	\$ Can. List Price
T5-120	24	\$3.80	\$6.00	\$6.96	\$8.00	\$10.64	\$12.80	\$15.44	\$19.76
T5-150	30	3.80	6.00	6.96	8.00	10.64	12.80	15.44	19.76
T5-165	33	*	*	*	*	*	*	*	*
T5-185	37	3.80	6.00	6.96	8.00	10.64	12.80	15.44	19.76
T5-200	40	3.80	6.00	6.96	8.00	10.64	12.80	15.44	19.76
T5-210	42	3.88	6.10	7.12	8.16	10.86	13.02	15.82	20.24
T5-215	43	3.92	6.16	7.20	8.24	10.96	13.12	16.00	20.48
T5-220	44	3.92	6.16	7.20	8.24	10.96	13.12	16.00	20.48
T5-225	45	3.92	6.16	7.20	8.24	10.96	13.12	16.00	20.48
T5-245	49	4.00	6.32	7.44	8.48	11.36	13.60	16.48	21.20
T5-250	50	4.04	6.56	7.60	8.72	11.76	14.08	17.04	21.92
T5-255	51	4.04	6.56	7.60	8.72	11.76	14.08	17.04	21.92
T5-260	52	4.04	6.56	7.60	8.72	11.76	14.08	17.04	21.92
T5-270	54	4.04	6.56	7.60	8.72	11.76	14.08	17.04	21.92
T5-275	55	*	*	*	*	*	*	*	*
T5-280	56	4.20	6.72	7.84	9.04	12.08	14.56	17.60	22.64
T5-295	59	4.20	6.72	7.84	9.04	12.08	14.56	17.60	22.64
T5-300	60	*	*	*	*	*	*	*	*
T5-305	61	4.24	6.88	8.08	9.20	12.48	14.96	18.16	23.36
T5-330	66	4.24	6.88	8.08	9.20	12.48	14.96	18.16	23.36
T5-340	68	4.32	7.04	8.32	9.52	12.80	15.36	18.64	24.08
T5-350	70	4.32	7.04	8.32	9.52	12.80	15.36	18.64	24.08
T5-355	71	4.32	7.04	8.32	9.52	12.80	15.36	18.64	24.08
T5-365	73	4.44	7.28	8.48	9.76	13.12	15.84	19.20	24.80
T5-375	75	*	*	*	*	*	*	*	*
T5-390	78	4.60	7.44	8.72	10.00	13.52	16.24	19.76	25.52
T5-400	80	4.60	7.44	8.72	10.00	13.52	16.24	19.76	25.52
T5-410	82	4.72	7.60	8.96	10.32	13.92	16.72	20.32	26.24
T5-420	84	4.72	7.60	8.96	10.32	13.92	16.72	20.32	26.24
T5-425	85	*	*	*	*	*	*	*	*
T5-430	86	*	*	*	*	*	*	*	*
T5-440	88	*	*	*	*	*	*	*	*
T5-450	90	*	*	*	*	*	*	*	*
T5-455	91	4.80	7.76	9.12	10.48	14.24	17.20	20.80	26.88
T5-460	92	4.84	7.92	9.36	10.80	14.64	17.52	21.36	27.60
T5-475	95	4.84	7.92	9.36	10.80	14.64	17.52	21.36	27.60
T5-480	96	4.84	7.92	9.36	10.80	14.64	17.52	21.36	27.60
T5-500	100	5.00	8.16	9.60	11.04	14.96	18.00	22.24	28.32
T5-510	102	5.04	8.32	9.76	11.28	15.28	18.48	22.48	29.04
T5-525	105	5.04	8.32	9.76	11.28	15.28	18.48	22.48	29.04
T5-545	109	5.12	8.48	10.00	11.52	15.68	18.96	22.96	29.76
T5-550	110	5.12	8.48	10.00	11.52	15.68	18.96	22.96	29.76
T5-560	112	5.24	8.64	10.24	11.84	16.00	19.36	23.52	30.48
T5-575	115	5.24	8.64	10.24	11.84	16.00	19.36	23.52	30.48
T5-590	118	5.38	8.86	10.50	12.14	16.42	19.86	24.14	31.28
T5-600	120	*	*	*	*	*	*	*	*
T5-610	122	5.52	9.04	10.64	12.32	16.80	20.24	24.64	31.92
T5-620	124	5.52	9.04	10.64	12.32	16.80	20.24	24.64	31.92
T5-630	126	5.52	9.04	10.64	12.32	16.80	20.24	24.64	31.92
T5-650	130	5.56	9.20	10.88	12.56	17.12	20.64	25.12	32.64
T5-660	132	5.64	9.36	11.04	12.80	17.44	21.12	25.68	33.36
T5-690	138	5.76	9.52	11.28	13.16	17.84	21.60	26.24	34.08
T5-700	140	*	*	*	*	*	*	*	*
T5-720	144	5.84	9.76	11.52	13.36	18.16	22.00	26.80	34.80
T5-725	145	*	*	*	*	*	*	*	*
T5-750	150	5.92	9.84	11.76	13.60	18.56	22.40	27.28	35.52
T5-780	156	6.04	10.08	11.92	13.84	18.96	22.88	27.84	36.24
T5-815	163	6.32	10.48	12.40	14.32	19.68	23.76	28.80	37.68
T5-830	166	6.34	10.52	12.60	14.52	19.88	24.08	29.20	38.08
T5-840	168	6.36	10.56	12.64	14.64	20.00	24.24	29.44	38.40
T5-850	170	*	*	*	*	*	*	*	*
T5-860	172	6.48	10.76	12.88	14.98	20.48	24.82	30.12	39.26
T5-885	177	6.52	10.86	12.96	15.06	20.60	24.94	30.34	39.56
T5-900	180	6.56	10.96	13.04	15.12	20.72	25.04	30.56	39.84
T5-940	188	6.72	11.20	13.36	15.44	21.28	25.76	31.36	40.92
T5-990	198	6.84	11.44	13.68	15.92	21.84	26.40	32.16	42.00
T5-1000	200	*	*	*	*	*	*	*	*
T5-1075	215	7.24	12.16	14.56	16.96	23.20	28.16	34.32	44.80
T5-1100	220	7.36	12.40	14.80	17.12	23.52	28.64	34.88	45.52
T5-1160	232	7.56	12.72	15.20	17.68	24.28	29.52	35.96	46.96
T5-1200	240	7.66	12.88	15.40	18.00	24.74	30.02	36.58	47.80
T5-1215	243	7.76	13.04	15.60	18.24	25.04	30.40	37.04	48.40
T5-1275	255	8.26	13.88	16.62	19.42	26.70	32.38	39.44	51.58
T5-1280	256	8.30	13.94	16.68	19.50	26.80	32.50	39.60	51.76
T5-1315	263	8.52	14.32	17.14	20.04	27.54	33.38	40.68	53.18
T5-1355	271	8.68	14.62	17.44	20.38	28.04	34.02	41.44	54.60
T5-1380	276	8.84	14.88	17.76	20.76	28.56	34.64	42.20	55.60
T5-1440	288	*	*	*	*	*	*	*	*
T5-1955	391	12.52	21.08	25.16	29.40	40.46	49.08	59.78	78.76

T10 Metric Pitch Timing Belts

Belt Length & Pitch Code	No. of Teeth	Width (mm)							
		10mm	14mm	16mm	20mm	25mm	30mm	32mm	50mm
		\$ Can. List Price	\$ Can. List Price	\$ Can. List Price	\$ Can. List Price	\$ Can. List Price	\$ Can. List Price	\$ Can. List Price	\$ Can. List Price
T10-260	26	\$12.88	\$17.16	\$19.52	\$23.44	\$30.20	\$34.64	\$36.68	\$56.00
T10-340	34	12.88	17.16	19.52	23.44	30.20	34.64	36.68	56.00
T10-370	37	12.88	17.16	19.52	23.44	30.20	34.64	36.68	56.00
T10-390	39	13.14	17.56	19.94	23.98	30.86	35.46	37.56	57.46
T10-400	40	13.28	17.76	20.16	24.24	31.20	35.88	38.00	58.20
T10-410	41	13.60	18.32	20.80	25.04	32.28	37.12	39.32	60.28
T10-440	44	14.00	18.88	21.44	25.84	33.40	38.36	40.64	62.48
T10-450	45	*	*	*	*	*	*	*	*
T10-480	48	14.22	19.28	21.88	26.34	34.14	39.28	41.62	64.08
T10-500	50	14.80	20.08	22.80	27.44	35.56	40.92	43.36	66.76
T10-530	53	15.12	20.64	23.44	28.24	36.68	42.16	44.68	68.88
T10-560	56	15.92	21.76	24.72	29.84	38.76	44.80	47.44	73.24
T10-600	60	16.36	22.58	25.66	30.92	40.28	46.50	49.24	76.26
T10-610	61	16.64	22.96	26.08	31.44	40.96	47.28	50.08	77.52
T10-630	63	16.64	22.96	26.08	31.44	40.96	47.28	50.08	77.52
T10-660	66	16.96	23.44	26.64	32.24	42.04	48.60	51.48	79.64
T10-680	68	17.50	24.16	27.50	33.30	43.46	50.26	53.30	82.50
T10-690	69	17.76	24.56	27.92	33.84	44.16	51.08	54.20	83.92
T10-700	70	17.76	24.56	27.92	33.84	44.16	51.08	54.20	83.92
T10-720	72	18.16	25.12	28.56	34.72	45.24	52.32	55.44	86.12
T10-730	73	18.26	25.34	28.80	34.98	45.60	52.78	55.92	86.84
T10-750	75	18.48	25.76	29.28	35.52	46.32	53.68	56.88	88.28
T10-780	78	18.96	26.24	29.84	36.24	47.44	54.96	58.20	90.40
T10-810	81	19.28	26.88	30.56	37.12	48.52	56.20	59.26	92.60
T10-840	84	20.00	28.00	31.84	38.72	50.64	58.76	62.24	96.88
T10-880	88	20.48	28.60	32.48	39.52	51.72	60.00	63.56	99.00
T10-890	89	20.80	29.16	33.12	40.40	52.80	61.24	64.88	101.16
T10-900	90	20.80	29.16	33.12	40.40	52.80	61.24	64.88	101.16
T10-910	91	*	*	*	*	*	*	*	*
T10-920	92	21.20	29.76	33.84	41.12	53.88	62.52	66.24	103.36
T10-950	95	*	*	*	*	*	*	*	*
T10-960	96	21.52	30.28	34.40	41.92	55.00	63.84	67.64	105.44
T10-970	97	22.00	30.92	35.12	42.80	56.08	65.08	68.96	107.64
T10-980	98	22.00	30.92	35.12	42.80	56.08	65.08	68.96	107.64
T10-1010	101	22.32	31.48	35.76	43.52	57.08	66.36	70.28	109.76
T10-1050	105	*	*	*	*	*	*	*	*
T10-1080	108	23.40	33.16	37.68	45.92	60.36	70.16	74.32	116.24
T10-1100	110	*	*	*	*	*	*	*	*
T10-1110	111	23.80	33.70	38.56	46.70	61.40	70.96	75.70	118.36
T10-1140	114	24.16	34.28	38.96	47.60	62.56	72.40	76.68	120.52
T10-1150	115	24.56	34.92	39.68	48.40	63.56	74.00	78.40	122.68
T10-1200	120	*	*	*	*	*	*	*	*
T10-1210	121	25.36	35.96	40.88	50.00	65.76			

Urethane timing belts, metric (cont)

Urethane steel cable construction. Oil, heat and abrasion-resistant.




AT10 Metric Pitch Timing Belts

Belt Length & Pitch Code	No. of Teeth	Width (mm)							
		10mm	14mm	16mm	20mm	25mm	30mm	32mm	50mm
		\$ Can. List Price	\$ Can. List Price	\$ Can. List Price	\$ Can. List Price	\$ Can. List Price	\$ Can. List Price	\$ Can. List Price	\$ Can. List Price
AT10-500	50	\$19.52	\$27.32	\$31.22	\$39.02	\$48.78	\$58.54	\$62.44	\$97.56
AT10-560	56	21.14	29.60	33.82	42.28	52.84	63.40	67.64	105.68
AT10-600	60	21.56	30.18	34.48	43.10	53.88	64.66	68.96	107.76
AT10-610	61	21.76	30.46	34.82	43.52	54.40	65.28	69.64	108.80
AT10-660	66	21.96	30.76	35.14	43.94	54.92	65.90	70.30	109.84
AT10-700	70	22.58	31.62	36.14	45.16	56.46	67.76	72.26	112.92
AT10-730	73	23.38	32.74	37.42	46.76	58.46	70.16	74.82	116.92
AT10-780	78	23.80	33.30	38.06	47.58	59.48	71.38	76.14	118.96
AT10-800	80	24.40	34.18	39.06	48.82	61.02	73.22	78.10	122.04
AT10-840	84	26.34	36.88	42.14	52.68	65.84	79.00	84.28	131.68
AT10-880	88	28.70	40.18	45.92	57.40	71.74	86.08	91.84	143.48
AT10-890	89	29.28	41.00	46.86	58.58	73.22	87.86	93.72	146.44
AT10-920	92	30.50	42.70	48.80	61.00	76.26	91.52	97.62	152.52
AT10-960	96	31.52	44.14	50.44	63.06	78.82	94.58	100.88	157.64
AT10-980	98	33.78	47.28	54.04	67.56	84.44	101.32	108.08	168.88
AT10-1000	100	34.16	47.82	54.66	68.32	85.40	102.48	109.32	170.80
AT10-1010	101	34.78	48.68	55.64	69.56	86.94	104.32	111.28	173.88
AT10-1050	105	35.00	48.98	55.98	69.98	87.48	104.98	111.98	174.96
AT10-1080	108	35.40	49.54	56.62	70.78	88.48	106.18	113.26	176.96
AT10-1100	110	35.92	50.28	57.48	71.84	89.80	107.76	114.94	179.60
AT10-1150	115	36.40	50.98	58.26	72.82	91.02	109.22	116.50	182.04
AT10-1200	120	38.32	53.66	61.32	76.66	95.82	114.98	122.66	191.64
AT10-1210	121	38.64	54.10	61.84	77.30	96.62	115.94	123.68	193.24
AT10-1220	122	38.90	54.46	62.24	77.80	97.26	116.70	124.48	194.50
AT10-1250	125	39.66	55.52	63.44	79.32	99.14	118.96	126.90	198.28
AT10-1280	128	41.08	57.52	65.72	82.16	102.70	123.24	131.46	205.40
AT10-1300	130	42.50	59.52	68.00	85.00	106.26	127.52	136.02	212.52
AT10-1320	132	43.92	61.40	70.28	87.84	109.82	131.80	140.58	219.64
AT10-1350	135	45.34	63.48	72.56	90.68	113.36	136.04	145.10	226.72
AT10-1360	136	45.68	63.96	73.10	91.36	114.20	137.04	146.18	228.40
AT10-1400	140	46.58	65.22	74.54	91.16	116.46	139.76	149.06	232.92
AT10-1420	142	46.90	65.66	75.04	93.80	117.26	140.72	150.10	234.52
AT10-1480	148	48.88	68.44	78.22	97.76	122.22	146.66	156.44	244.42
AT10-1500	150	49.54	69.36	79.26	99.08	123.86	148.64	158.56	247.74
AT10-1600	160	50.82	71.16	81.32	101.64	127.06	152.48	162.64	254.12
AT10-1700	170	54.90	76.88	87.86	109.80	137.26	164.72	175.70	274.52
AT10-1720	172	55.54	77.78	88.90	111.10	138.88	166.66	177.76	277.74
AT10-1800	180	58.98	82.58	94.38	117.96	147.46	176.96	188.74	294.92
AT10-1860	186	60.94	85.34	97.52	121.90	152.38	182.86	195.04	304.76
AT10-1940	194	63.56	89.00	101.72	127.14	158.92	190.72	203.42	317.86

AT5 Metric Pitch Timing Belts

Belt Length & Pitch Code	No. of Teeth	Width (mm)							
		4mm	6mm	8mm	10mm	12mm	16mm	20mm	25mm
		\$ Can. List Price	\$ Can. List Price	\$ Can. List Price	\$ Can. List Price	\$ Can. List Price	\$ Can. List Price	\$ Can. List Price	\$ Can. List Price
AT5-225	45	\$5.20	\$7.80	\$10.42	\$13.02	\$15.62	\$20.82	\$26.04	\$32.54
AT5-255	51	5.28	7.94	10.58	13.22	15.86	21.16	26.44	33.06
AT5-280	56	5.32	7.98	10.64	13.32	15.98	21.30	26.62	33.28
AT5-300	60	5.38	8.06	10.74	13.44	16.12	21.50	26.86	33.58
AT5-330	66	5.62	8.42	11.22	14.04	16.84	22.46	28.06	35.08
AT5-340	68	5.70	8.54	11.38	14.24	17.08	22.78	28.46	35.58
AT5-375	75	5.78	8.66	11.56	14.44	17.32	23.10	28.88	36.10
AT5-390	78	5.90	8.84	11.78	14.74	17.68	23.58	29.48	36.84
AT5-420	84	6.18	9.28	12.38	15.48	18.56	24.76	30.94	38.68
AT5-450	90	6.24	9.36	12.46	15.58	18.72	24.94	31.18	38.96
AT5-455	91	6.30	9.46	12.60	15.76	18.92	25.22	31.52	39.40
AT5-500	100	6.50	9.76	13.02	16.28	19.52	26.04	32.54	40.68
AT5-545	109	6.92	10.38	13.84	17.30	20.76	27.68	34.60	43.26
AT5-600	120	7.56	11.36	15.14	18.92	22.70	30.28	37.84	47.30
AT5-610	122	7.76	11.66	15.54	19.42	23.30	31.08	38.84	48.56
AT5-660	132	8.14	12.20	16.26	20.34	24.40	32.54	40.68	50.84
AT5-710	142	8.46	12.68	16.90	21.14	25.36	33.82	42.28	52.84
AT5-720	144	8.52	12.78	17.02	21.30	25.56	34.08	42.60	53.24
AT5-750	150	8.70	13.06	17.40	21.76	26.12	34.82	43.52	54.40
AT5-780	156	8.78	13.18	17.58	21.96	26.36	35.14	43.94	54.92
AT5-825	165	8.96	13.42	17.90	22.38	26.86	35.80	44.76	55.94
AT5-860	172	9.28	13.90	18.54	23.18	27.82	37.10	46.36	57.96
AT5-975	195	10.34	15.50	20.66	25.84	31.00	41.34	51.66	64.58
AT5-1050	210	11.22	16.84	22.46	28.08	33.68	44.92	56.14	70.18
AT5-1125	225	12.02	18.04	24.06	30.08	36.08	48.12	60.14	75.20
AT5-1500	300	16.02	24.06	32.08	40.12	48.12	64.18	80.20	100.26
AT5-2000	400	21.38	32.08	42.78	53.48	64.16	85.56	106.94	133.68



Urethane timing belts, dual metric

T5-DL Dual-sided

Belt Length & Pitch Code	No. of Teeth	Width (mm)							
		4mm	6mm	8mm	10mm	12mm	16mm	20mm	25mm
		\$ Can. List Price	\$ Can. List Price	\$ Can. List Price	\$ Can. List Price	\$ Can. List Price	\$ Can. List Price	\$ Can. List Price	\$ Can. List Price
T5-410DL	82	\$7.08	\$11.40	\$13.44	\$15.48	\$20.88	\$25.08	\$30.48	\$39.36
T5-460DL	92	7.26	11.88	14.04	16.20	21.96	26.28	32.04	41.40
T5-590DL	118	8.10	13.36	15.66	18.24	24.68	29.68	36.32	47.12
T5-620DL	124	8.28	13.56	15.96	18.48	25.20	30.36	36.96	47.88
T5-750DL	150	8.88	14.76	17.64	20.40	27.84	33.60	40.92	53.28
T5-815DL	163	9.48	15.72	18.60	21.48	29.52	35.64	43.20	57.36
T5-860DL	172	9.68	15.96	19.20	22.24	30.36	36.72	44.72	58.32
T5-940DL	188	10.08	16.80	20.04	23.20	31.80	38.40	46.80	60.92
T5-1100DL	220	11.04	18.60	22.20	25.68	35.28	42.96	52.32	68.28

T10-DL Dual-sided

Belt Length & Pitch Code	No. of Teeth	Width (mm)							
		10mm	14mm	16mm	20mm	25mm	30mm	35mm	50mm
		\$ Can. List Price	\$ Can. List Price	\$ Can. List Price	\$ Can. List Price	\$ Can. List Price	\$ Can. List Price	\$ Can. List Price	\$ Can. List Price
T10-260DL	26	\$22.68	\$30.96	\$35.16	\$42.36	\$55.02	\$63.24	\$67.02	\$103.32
T10-530DL	53	22.68	30.96	35.16	42.36	55.02	63.24	67.02	103.32
T10-630DL	63	24.96	34.44	39.12	47.16	61.44	70.92	75.12	116.28
T10-660DL	66	25.44	35.16	39.96	48.36	63.06	72.88	77.22	119.46
T10-720DL	72	27.24	37.68	42.84	52.08	67.86	78.48	83.16	129.18
T10-840DL	84	30.00	42.00	47.76	58.08	75.96	88.12	93.36	145.32
T10-980DL	98	33.00	46.38	52.68	62.20	84.20	97.62	103.44	161.46
T10-1210DL	121	38.04	53.94	61.32	75.00	98.64	114.78	121.56	190.50
T10-1240DL	124	38.52	54.90	62.40	76.20	100.26	116.76	123.66	193.62
T10-1250DL	125	39.12	55.68	63.24	77.40	101.88	118.62	125.64	196.92
T10-1320DL	132	39.72	56.58	64.32	78.60	103.56	120.48	127.62	200.16
T10-1350DL	135	40.80	58.40	66.36	81.12	106.68	124.38	131.76	206.64
T10-1420DL	142	42.92	61.42	69.80	85.32	112.22	130.82	138.60	217.36
T10-1610DL	161	46.56	66.84	75.96	93.12	122.94	143.46	151.98	238.80
T10-1880DL	188	53.40	73.62	87.72	107.64	142.38	166.38	176.22	277.50

Urethane timing belts, XL, L & H

Urethane steel cable construction. Oil, heat and abrasion-resistant.



These belts have steel tension members bonded to a urethane body. They offer greater tensile strength and are stretch and flake-resistant. They are especially useful for chemically-resistant operating requirements and for clean environments.

For non-stock widths, Jason can cut specified widths from our supply of timing belt sleeves on special order. Maximum width is 12.0"

KEVLAR REINFORCEMENT AVAILABLE, AT SAME LIST PRICES.

1/5-inch (XL) Pitch Belts

Belt Length & Pitch Code	Width(mm)		
	025 (1/4")	031 (5/16")	037 (3/8")
	<i>\$ Can. List Price</i>	<i>\$ Can. List Price</i>	<i>\$ Can. List Price</i>
60XL	\$7.10	\$9.00	\$10.70
70XL	7.30	9.10	11.00
80XL	7.50	9.30	11.20
90XL	7.70	9.60	11.50
96XL	7.76	9.72	11.62
100XL	7.80	9.80	11.70
106XL	7.86	9.86	11.82
110XL	7.90	9.90	11.90
120XL	8.10	10.10	12.16
130XL	8.20	10.30	12.40
134XL	8.32	10.42	12.52
140XL	8.50	10.60	12.72
150XL	8.60	10.80	12.96
160XL	8.80	11.00	13.20
170XL	9.10	11.40	13.70
180XL	9.30	11.60	13.90
190XL	9.40	11.80	14.20
194XL	9.60	12.04	14.48
200XL	9.90	12.40	14.90
210XL	10.10	12.60	15.12
220XL	10.60	13.30	16.00
230XL	11.40	14.30	17.20
240XL	12.00	15.00	18.00
250XL	12.64	15.80	19.00
260XL	13.10	16.40	19.70
270XL	13.16	16.50	19.80
288XL	13.30	16.70	20.00
290XL	13.40	16.80	20.20
300XL	13.50	16.90	20.30
356XL	14.30	17.90	21.50
414XL	17.10	21.40	25.70
450XL	19.20	24.00	28.90
566XL	23.90	29.90	36.00

TO ORDER:

Example: **150** Length (15-inches) **XL** Pitch (1/5-inch) **025** Width (1/4-inch) **US/K**


Urethane — Steel — Kevlar —

3/8-inch (L) Pitch Belts

Belt Length & Pitch Code	Width(mm)		
	050 (1/2")	075 (3/4")	100 (1")
	<i>\$ Can. List Price</i>	<i>\$ Can. List Price</i>	<i>\$ Can. List Price</i>
86L	\$20.00	\$30.00	\$40.00
124L	20.70	31.00	41.40
150L	20.80	31.20	41.60
187L	21.40	32.00	43.00
202L	23.00	34.40	46.00
210L	24.00	36.00	48.00
225L	24.80	37.20	49.60
240L	25.60	38.40	51.20
255L	25.80	38.80	51.60
270L	26.00	39.20	52.00
285L	26.60	40.00	53.20
300L	27.20	40.60	53.80
322L	29.00	43.40	58.40
345L	33.40	50.20	66.80
367L	36.60	54.86	73.10
390L	39.80	59.50	79.40
420L	40.54	60.34	80.54
450L	41.26	61.16	81.66
480L	42.00	62.00	82.80
510L	42.60	63.00	83.80
540L	46.20	68.90	91.70
570L	49.80	74.80	99.60
600L	52.42	78.74	104.84

1/2-inch (H) Pitch Belts


Belt Length & Pitch Code	Width(mm)				
	075 (3/4")	100 (1")	150 (1-1/2")	200 (2")	300 (3")
	<i>\$ Can. List Price</i>	<i>\$ Can. List Price</i>	<i>\$ Can. List Price</i>	<i>\$ Can. List Price</i>	<i>\$ Can. List Price</i>
240H	\$39.82	\$53.10	\$74.34	\$95.58	\$143.36
270H	41.56	55.40	77.56	99.72	149.58
300H	43.42	57.90	81.06	104.22	162.12
330H	48.38	64.50	90.30	116.10	174.16
360H	56.10	74.80	104.72	134.64	209.44
390H	64.12	85.50	119.70	153.90	239.40
420H	64.72	86.30	120.82	155.34	241.64
450H	66.66	88.90	124.46	160.02	248.92
480H	72.06	96.10	134.54	172.98	269.08
510H	78.14	104.20	145.88	187.56	291.76



VAR Urethane Belting

Vee and Round

For a more complete description of this product line ask for catalog JB-V



ALL PRICES \$ CAN. LIST PRICES

Round Belting

Belt Type	RO	ROR	RB	RG	RGR	RR	RW	RC	
Color	orange	orange reinforced	brown	green	green reinforced	red	white	Clear	
*5/64	2mm	•	•	\$130.10	\$242.10	•	\$175.32	•	\$156.12
1/8	3	\$90.46	•	102.58	152.52	•	138.20	•	164.12
5/32	4	•	•	154.04	242.26	•	207.58	•	184.84
3/16	5	197.12	•	222.86	336.88	•	300.46	•	267.44
7/32	6	•	•	•	445.24	•	•	•	•
1/4	6.3	285.50	\$393.32	322.92	•	•	434.90	\$5355.36*+	387.50
9/32	7	•	•	•	639.86	\$799.54	•	•	•
5/16	8	457.62	629.12	516.12	769.22	1130.04	696.94	•	619.34
3/8	9.5	657.56	905.86	714.66	987.34	1234.44	963.04	6936.16*	857.60
7/16	10	•	•	•	1188.58	1489.00	•	•	•
1/2	12.5	1101.00	1516.68	1244.54	1599.24	1998.84	1677.22	5780.88*+	1493.44
9/16	14	1410.36	1938.76	•	•	•	•	•	•
5/8	15	1733.64	2383.14	2216.36	2545.28	3177.32	2639.76	•	2659.64
3/4	18	2606.38	3583.16	2940.32	3504.00	4380.12	3969.06	•	•


* All 5/64 prices per 200 ft.

• Reinforced

*500 ft rolls
+special order



Ridgetop




Belt Type	Ridgetop VB-RT	Ridgetop VR-RT
Color	brown	red
A	\$1670.76	\$1691.52
B	2761.78	2796.10
C	5660.28	5730.60

Vee-Belting

Belt Type	VO	VOR	VOR-GT	VB	VR	VCM
Color	orange	orange reinforced	orange reinforced	brown	red	cream reinforced/cog
3L	\$514.04	\$739.40	•	\$582.30	\$783.44	\$1140.20
A	747.02	1023.02	•	846.04	1138.30	1398.78
B	1185.36	1628.74	\$1622.68	1341.10	1803.52	2219.82
C	2153.28	•	2947.36	2434.20	3280.82	4920.06
D	•	•	6623.72	5470.32	7339.02	•
E	•	•	•	8140.42	11467.48	•

• Reinforced


Dual



Belt Type	Dual VO
Color	orange
D3L	\$1770.78
AA	2192.40

Vee-Belting

Super Grip Backing



Belt Type	VO-SG	VOR-SG	VB-SG	VR-SG	VCM-SG	VBL-SG
Color	orange	orange reinforced	brown	red	cream reinforced/cog	blue reinforced
3L	\$3121.88	•	\$3121.88	\$3121.88	•	•
A	3197.30	\$3495.74	3197.30	3197.30	\$3357.16	\$3357.16
B	3423.72	3900.88	3423.72	3423.72	3731.86	3731.86
C	3826.72	5986.78	3826.72	3826.72	4477.26	4477.26
D	•	•	6520.06	6520.06	•	•
E	•	•	8106.28	8106.28	•	•

• Reinforced

Product Nomenclature

Profiles/Construction	Material
	BL blue
	C clear
R round	B brown
V V	O orange
RT ridgetop	G green
R reinforced	R red
SG Super Grip backing	VCM cream
GT Groove Top	W white

ex. VOR-A V profile, orange, reinforced, A section

Splicing Kit

Tool Kit	\$ Can. List Price
VAR-T100	\$3465.00

Replacement parts are available, contact Customer Service.

Unless indicated prices are list per 100 ft. roll.

10% cutting charge for lengths under 100 ft.

Part numbers are as follows; Belt Type-size, example: VO-A-SG

Belting prices listed in **Bold** type are available from stock.

• indicates belting type is not available in this size.

Pricing and specifications are subject to change without notice.


Material Color	Durometer	FDA Approved
blue	80 Shore A	yes
clear	80 Shore A	yes
brown	80 Shore A	yes
orange	83 Shore A	yes
green	88 Shore A	no
red	90 Shore A	yes
cream	95 Shore A	yes
white	100 Shore A	yes
super grip green	60 Shore A	no

Fractional horsepower (FHP) V-belts



Oil and heat-resistant with
cotton-polyester outer cover
Static dissipating

Our high cord line design places the entire body of the belt under compression for cooler, vibration-free performance.
Stock replacement 3L, 4L, and 5L section FHP V-belts are listed below. 2L section belts are available on special order.
These belts conform to RMA Engineering Standard IP-23.



The industry belt number indicates belt section and the **outside length** in inches multiplied by ten, for example: **3L450**

3L FHP V-Belts (3/8-inch Top Width, 7/32-inch Thick)

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)	Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)	Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)	Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
3L110	*	.04	3L280	\$ 9.92	.09	3L420	\$12.56	.14	3L580	\$15.44	.20
3L120	*	.04	3L290	10.08	.10	3LS420	*	.14	3L590	15.44	.20
3L130	*	.04	3L300	10.24	.10	3L430	12.72	.15	3L595	*	.20
3L140	*	.04	3L310	10.32	.11	3L440	12.88	.15	3L600	15.60	.20
3L150	*	.04	3L320	10.48	.11	3L450	13.12	.15	3L610	15.84	.20
3L160	\$9.44	.05	3L330	10.64	.11	3L460	13.28	.15	3L620	16.00	.20
3L170	9.44	.06	3L340	10.80	.11	3L470	13.52	.16	3L630	16.24	.20
3L180	9.44	.06	3L350	11.04	.12	3L480	13.68	.16	3L640	16.32	.21
3L190	9.44	.06	3L360	11.20	.12	3L490	13.84	.16	3L650	16.64	.21
3L200	9.44	.07	3LS360	*	.12	3L500	14.00	.17	3L660	16.80	.21
3L210	9.44	.07	3L370	11.44	.12	3L510	14.16	.17	3L670	17.04	.22
3L220	9.44	.07	3LS370	*	.12	3L520	14.32	.17	3L680	17.20	.22
3L230	9.44	.08	3L380	11.68	.13	3L530	14.48	.18	3L690	17.44	.22
3L240	9.44	.08	3LS380	*	.13	3L540	14.64	.18	3L700	17.60	.22
3L250	9.44	.08	3L390	11.92	.13	3L550	14.80	.19	3L710	17.84	.22
3L260	9.60	.09	3L400	12.16	.13	3L560	14.96	.19	3L720	18.00	.23
3L270	9.76	.09	3L410	12.40	.14	3L565	*	.19	3L730	18.16	.23
3L276	*	.09	3L415	*	.14	3L570	15.12	.19	3L740	18.40	.23
									3L750	18.64	.23

Outside length minus 1-1/2 inches equals inside length.

* Price on Request

Fractional horsepower (FHP) V-belts (cont)



4L FHP V-Belts (1/2-inch Top Width, 5/16-inch Thick)

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)	Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)	Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)	Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
4L170	\$9.92	.10	4L360	\$11.84	.22	4L560	\$15.76	.34	4L790	\$20.64	.48
4L180	9.92	.11	4L370	12.00	.22	4L570	15.92	.34	4L800	20.96	.48
4L190	9.92	.11	4L380	12.24	.23	4L580	16.08	.35	4L810	21.28	.49
4L200	9.92	.12	4L390	12.56	.23	4L590	16.24	.36	4L820	21.60	.49
4L210	9.92	.13	4L400	12.80	.24	4L600	16.48	.36	4L830	21.92	.50
4L220	9.92	.14	4L405	*	.24	4L610	16.64	.37	4L840	22.24	.51
4L230	9.92	.14	4L410	13.04	.25	4L620	16.80	.37	4L850	22.56	.51
4L240	9.92	.14	4L420	13.20	.25	4L630	17.04	.38	4L860	22.88	.52
4L250	9.92	.15	4L430	13.44	.26	4L640	17.20	.39	4L870	23.20	.52
4L260	10.08	.16	4L440	13.76	.26	4L650	17.44	.39	4L880	23.52	.53
4L270	10.24	.16	4L450	14.00	.27	4L660	17.60	.40	4L890	23.84	.54
4L275	*	.16	4L460	14.16	.28	4L670	17.60	.40	4L900	24.16	.54
4L280	10.40	.17	4L470	14.32	.28	4L680	18.00	.41	4L910	24.48	.55
4L285	*	.17	4L475	*	.28	4L690	18.24	.42	4L920	24.80	.55
4L290	10.56	.17	4L480	14.40	.29	4L700	18.40	.42	4L930	25.12	.56
4L295	*	.17	4L490	14.56	.29	4L710	18.80	.43	4L940	25.36	.57
4L300	10.72	.18	4L500	14.72	.30	4L720	19.20	.43	4L950	25.60	.57
4L310	10.88	.19	4L510	14.88	.31	4L730	19.36	.44	4L960	25.92	.58
4L315	*	.19	4L520	15.04	.31	4L740	19.44	.45	4L970	26.16	.58
4L320	11.04	.19	4L530	15.20	.32	4L750	19.60	.45	4L980	26.60	.59
4L330	11.20	.20	4L540	15.36	.33	4L760	19.76	.46	4L990	26.72	.59
4L340	11.44	.20	4L550	15.52	.33	4L770	20.00	.46	4L1000	26.96	.60
4L350	11.60	.21	4L555	*	.33	4L780	20.32	.47			

Outside length minus 2 inches equals inside length.

* Price on Request



5L FHP V-Belts (21/32-inch Top Width, 3/8-inch Thick)

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)	Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)	Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)	Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
5L220	\$11.84	.25	5L415	*	.40	5L610	\$23.68	.60	5L810	\$30.00	.80
5L230	12.16	.25	5L420	\$18.00	.41	5L620	23.84	.61	5L820	30.40	.81
5L240	12.16	.25	5L430	18.40	.42	5L630	24.00	.62	5L830	30.80	.82
5L250	12.16	.25	5L440	18.80	.43	5L640	24.32	.62	5L840	31.20	.83
5L260	12.48	.25	5L450	19.20	.44	5L650	24.64	.65	5L850	32.00	.84
5L270	12.80	.28	5L460	19.60	.45	5L660	24.96	.65	5L860	32.24	.85
5L280	13.04	.28	5L470	20.00	.46	5L670	25.28	.65	5L870	32.56	.86
5L290	13.36	.29	5L480	20.40	.47	5L680	25.60	.67	5L880	32.80	.87
5L300	13.60	.30	5L490	20.80	.48	5L690	25.92	.67	5L890	33.12	.88
5L310	13.92	.31	5L500	21.12	.49	5L700	26.16	.69	5L900	33.44	.89
5L320	14.24	.31	5L510	21.44	.50	5L710	26.40	.70	5L910	33.76	.90
5L330	14.56	.32	5L520	21.76	.51	5L720	26.72	.71	5L920	34.08	.91
5L340	14.88	.33	5L530	22.08	.52	5L730	27.12	.71	5L930	34.40	.92
5L350	15.12	.34	5L540	22.40	.53	5L740	27.44	.73	5L940	34.88	.93
5L360	15.44	.35	5L550	22.64	.54	5L750	27.76	.74	5L950	35.44	.94
5L370	15.68	.36	5L560	22.80	.55	5L760	28.08	.75	5L960	36.00	.94
5L380	16.00	.37	5L570	23.04	.56	5L770	28.48	.75	5L970	36.40	.95
5L390	16.48	.39	5L580	23.20	.56	5L780	28.80	.76	5L980	36.80	.97
5L400	17.12	.39	5L590	23.36	.59	5L790	29.20	.78	5L990	37.20	.97
5L410	17.60	.40	5L600	23.52	.59	5L800	29.60	.78	5L1000	37.60	.98

Outside length minus 3 inches equals inside length.

* Price on Request

For lawn and garden applications we recommend Jason's MXV V-belts. See Catalogue LG

UniMatch™ multiple V-belts



Oil and heat-resistant.
Static dissipating.

The UniMatch construction eliminates belt set matching with its multiple stocking problems.
Stock multiple V-belts are available in the six standard sections listed below.
Consult the main office for other sizes not listed below.
These belts conform to RMA Engineering Standard IP-20.




Z Section Multiple V-Belts (3/8-inch Top Width, 7/32-inch Thick)

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
Z15	\$9.44	.06
Z16	9.44	.06
Z17	9.44	.06
Z18	9.44	.07
Z19	9.44	.07
Z20	9.44	.07
Z21	9.44	.08
Z22	9.44	.08
Z23	9.44	.08
Z24	9.60	.09
Z25	9.76	.09
Z26	9.92	.09
Z26.5	10.08	.10
Z27	10.08	.10
Z28	10.24	.10
Z28.5	10.32	.11
Z29	10.32	.11
Z29.5	10.48	.11
Z30	10.48	.11
Z30.5	10.64	.11
Z31	10.64	.11
Z32	10.80	.11
Z33	11.04	.12
Z34	11.20	.12
Z35	11.44	.12

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
Z36	\$11.68	.13
Z36.5	11.92	.13
Z37	11.92	.13
Z38	12.16	.13
Z38.5	12.40	.14
Z39	12.40	.14
Z39.5	12.56	.14
Z40	12.56	.14
Z41	12.72	.15
Z41.5	12.88	.15
Z42	12.88	.15
Z43	13.12	.15
Z44	13.28	.15
Z45	13.52	.16
Z46	13.68	.16
Z46.5	13.84	.16
Z47	13.84	.16
Z48	14.00	.17
Z49	14.16	.17
Z50	14.32	.17
Z51	14.48	.18
Z52	14.64	.18
Z53	14.80	.19

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
Z54	\$14.96	.19
Z55	15.12	.19
Z56	15.44	.20
Z57	15.44	.20
Z59	15.84	.20
Z60	16.00	.20
Z61	16.24	.20
Z62	16.32	.21
Z63	16.64	.21
Z64	16.80	.21
Z67	17.44	.22
Z78	19.90	.25
Z82	20.40	.26



Multiple V-belts are listed by an industry number where the letter indicates the belt section and the number is the belt **inside length** in inches.

Inside length plus 1 1/2 inches equals outside length.



A Section Multiple V-Belts (1/2-inch Top Width, 5/16-inch Thick)

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
A18	\$10.00	.10
A19	10.00	.10
A20	10.00	.10
A21	10.16	.10
A22	10.16	.15
A23	10.24	.20
A24	10.32	.20
A25	10.40	.20
A26	10.40	.20
A27	10.56	.20
A28	10.80	.20
A29	10.96	.20
A30	11.20	.20
A31	11.20	.20
A32	11.36	.20
A33	11.60	.20
A34	11.76	.20
A35	12.00	.20
A36	12.00	.20
A37	12.00	.20
A38	12.80	.20
A39	13.28	.20
A40	13.36	.20
A41	13.44	.20
A42	13.60	.20
A43	14.00	.30
A44	14.08	.30
A45	14.24	.30
A46	14.40	.30
A47	14.64	.30
A48	14.80	.30
A49	14.96	.30
A50	15.04	.30

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
A51	\$15.20	.30
A52	15.28	.30
A53	15.60	.30
A54	16.00	.30
A55	16.00	.30
A56	16.40	.30
A57	16.48	.30
A58	16.56	.30
A59	16.64	.30
A60	16.80	.30
A61	17.04	.30
A62	17.20	.30
A63	17.60	.30
A64	17.84	.30
A65	18.00	.30
A66	18.00	.40
A67	18.24	.40
A68	18.40	.40
A69	19.20	.40
A70	19.20	.40
A71	19.28	.40
A72	19.44	.40
A73	19.60	.40
A74	19.76	.40
A75	20.00	.40
A76	20.32	.40
A77	20.48	.40
A78	20.80	.40
A79	21.20	.40
A80	21.60	.40
A81	22.00	.40
A82	22.24	.40
A83	22.56	.40

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
A84	\$22.80	.40
A85	23.20	.40
A86	23.52	.40
A87	23.84	.40
A88	24.16	.40
A89	24.24	.40
A90	24.80	.40
A91	25.12	.50
A92	25.36	.50
A93	25.60	.50
A94	25.92	.50
A95	26.16	.50
A96	26.40	.50
A97	26.72	.50
A98	27.04	.50
A99	27.28	.50
A100	27.52	.50
A101	27.76	.50
A102	28.00	.50
A103	28.28	.50
A104	28.56	.50
A105	28.80	.50
A106	29.60	.55
A107	30.00	.60
A108	30.40	.60
A109	30.80	.65
A110	31.20	.70
A111	31.60	.75
A112	32.00	.80
A113	32.32	.80
A114	32.64	.80
A115	32.96	.80
A116	33.28	.80

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
A118	\$33.92	.80
A119	34.16	.80
A120	34.40	.80
A124	35.60	.80
A125	35.90	.80
A128	36.80	.80
A130	37.36	.80
A132	37.88	.80
A133	38.14	.80
A134	38.40	.80
A135	38.62	.90
A136	38.88	.90
A137	39.16	.90
A140	40.00	.95
A144	41.12	1.00
A148	42.30	1.02
A152	43.46	1.05
A156	44.62	1.10
A157	44.90	1.10
A158	45.20	1.10
A160	45.60	1.10
A162	46.00	1.10
A167	46.90	1.13
A173	48.00	1.15
A180	49.20	1.15
A187	50.00	1.22
A196	51.00	1.31
A197	53.00	1.31
A210	53.80	1.32
A221	59.46	1.40
A256	68.88	1.60
A258	69.42	1.60

UniMatch™ multiple V-belts (cont)



B Section Multiple V-Belts (21/32-inch Top Width, 13/32-inch Thick)

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)	Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)	Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)	Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
B20	\$14.00	.40	B71	\$28.16	.70	B124	\$47.20	1.20	B190	\$72.54	1.90
B21	14.00	.40	B72	28.40	.70	B125	47.60	1.20	B192	73.28	2.00
B22	14.00	.40	B73	28.56	.70	B126	48.00	1.20	B193	73.66	2.00
B23	14.00	.40	B74	28.72	.70	B127	48.40	1.20	B195	74.40	2.00
B24	14.40	.40	B75	28.80	.70	B128	48.80	1.30	B197	75.14	2.00
B25	14.80	.40	B76	29.44	.70	B130	49.28	1.30	B199	75.88	2.00
B26	15.04	.40	B77	29.92	.80	B131	49.52	1.30	B201	76.64	2.00
B27	15.12	.40	B78	30.00	.80	B132	49.76	1.30	B204	77.76	2.00
B28	15.20	.40	B79	30.48	.80	B133	50.00	1.30	B205	78.14	2.00
B29	15.36	.40	B80	30.96	.80	B134	50.16	1.30	B210	80.00	2.00
B30	15.44	.40	B81	31.20	.80	B135	50.40	1.30	B212	80.36	2.25
B31	15.60	.40	B82	31.60	.80	B136	51.20	1.30	B215	80.90	2.25
B32	15.68	.40	B83	32.24	.80	B138	52.20	1.30	B216	81.08	2.25
B33	15.92	.40	B84	32.40	.80	B140	53.20	1.40	B217	81.28	2.25
B34	15.92	.40	B85	32.80	.80	B141	53.70	1.40	B218	81.46	2.25
B35	16.00	.40	B86	33.12	.80	B142	54.20	1.40	B221	82.00	2.25
B36	16.40	.40	B87	33.44	.80	B143	54.70	1.40	B223	84.48	2.25
B37	17.20	.40	B88	33.76	.80	B144	55.20	1.40	B224	84.80	2.30
B38	17.60	.40	B89	34.08	.80	B146	56.00	1.40	B225	85.20	2.30
B39	18.16	.40	B90	34.40	.90	B147	56.40	1.40	B228	86.16	2.30
B40	18.32	.40	B91	34.72	.90	B148	56.80	1.40	B229	86.56	2.30
B41	18.40	.40	B92	35.04	.90	B149	57.04	1.50	B230	86.90	2.30
B42	19.20	.40	B93	35.36	.90	B150	57.28	1.50	B234	88.30	2.30
B43	19.44	.40	B94	35.76	.90	B151	57.64	1.50	B235	88.66	2.30
B44	19.44	.40	B95	36.08	.90	B152	58.00	1.50	B236	89.00	2.30
B45	20.00	.40	B96	36.40	.90	B153	58.32	1.50	B237	89.36	2.30
B46	20.80	.50	B97	37.60	.90	B154	58.64	1.50	B239	90.06	2.30
B47	20.92	.50	B98	37.84	.90	B155	59.00	1.50	B240	90.40	2.30
B48	21.60	.50	B99	38.32	1.00	B156	59.34	1.50	B248	94.40	2.30
B49	21.76	.50	B100	38.32	1.00	B157	59.68	1.50	B253	96.72	2.30
B50	22.00	.50	B101	38.56	1.00	B158	60.00	1.50	B255	97.60	2.30
B51	22.40	.50	B102	38.80	1.00	B160	60.80	1.50	B259	98.88	2.30
B52	22.48	.50	B103	38.96	1.00	B161	61.20	1.50	B265	100.80	2.30
B53	22.80	.50	B104	39.20	1.00	B162	61.60	1.50	B270	102.40	2.30
B54	23.04	.50	B105	40.00	1.00	B163	62.00	1.50	B276	104.00	2.70
B55	23.20	.60	B106	40.80	1.00	B164	62.50	1.50	B279	104.80	2.70
B56	23.36	.60	B107	41.20	1.00	B165	63.00	1.50	B285	106.40	2.70
B57	23.44	.60	B108	41.36	1.00	B166	63.34	1.50	B290	109.40	2.70
B58	23.52	.60	B109	41.84	1.10	B168	63.98	1.50	B292	110.58	2.70
B59	23.92	.60	B110	42.32	1.10	B169	64.30	1.50	B293	110.96	2.70
B60	24.00	.60	B111	42.76	1.10	B170	64.62	1.50	B300	113.60	2.70
B61	24.40	.70	B112	43.20	1.10	B173	65.60	1.50	B315	119.20	2.90
B62	24.80	.70	B113	43.60	1.20	B175	66.56	1.50	B330	124.80	2.90
B63	24.96	.70	B114	44.00	1.20	B177	67.46	1.50	B333	126.00	2.90
B64	25.12	.70	B115	44.16	1.20	B178	67.90	1.50	B345	130.80	3.00
B65	25.28	.70	B116	44.40	1.20	B180	68.80	1.50	B355	150.30	3.10
B66	25.92	.70	B117	44.72	1.20	B182	69.56	1.50	B360	160.00	3.20
B67	26.16	.70	B118	45.04	1.20	B184	70.32	1.50	B394	175.10	3.50
B68	26.40	.70	B119	45.32	1.20	B185	70.70	1.90	B433	192.40	3.90
B69	27.52	.70	B120	45.60	1.20	B187	71.44	1.90	B472	209.80	4.20
B70	28.00	.70	B122	46.40	1.20	B188	71.80	1.90			

UniMatch™ multiple V-belts (cont)




C Section Classical V-Belts (7/8-inch Top Width, 17/32-inch Thick)

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)	Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)	Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)	Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
C34	\$30.40	.80	C97	\$69.20	1.80	C142	\$101.00	2.40	C200	\$142.10	3.60
C43	30.40	.80	C98	70.00	1.80	C143	101.70	2.40	C202	143.60	3.60
C45	31.68	.80	C99	70.00	1.80	C144	102.40	2.40	C204	145.12	3.60
C46	32.32	.80	C100	70.40	1.90	C146	103.52	2.60	C207	148.12	3.65
C47	32.96	.80	C101	70.80	1.90	C147	104.08	2.60	C208	148.12	3.65
C48	33.60	.80	C102	71.20	1.90	C148	104.64	2.60	C210	149.60	3.70
C50	35.74	.90	C103	72.50	1.90	C149	105.52	2.60	C212	150.80	3.75
C51	36.80	.90	C104	73.86	1.90	C150	106.40	2.60	C214	152.00	3.80
C52	37.60	.90	C105	75.20	1.90	C151	107.00	2.60	C217	153.88	3.90
C53	38.40	.90	C106	75.92	1.90	C152	107.60	2.60	C218	154.50	3.90
C54	39.40	1.00	C107	76.20	1.90	C153	108.00	2.60	C220	155.80	4.10
C55	40.40	1.00	C108	76.50	1.90	C154	110.00	2.70	C221	158.20	4.20
C56	41.00	1.05	C109	76.80	1.90	C155	110.50	2.70	C225	158.80	4.40
C57	41.60	1.10	C110	78.80	1.90	C156	111.00	2.70	C228	160.64	4.40
C59	42.66	1.10	C111	79.40	1.95	C158	112.00	2.70	C229	161.26	4.50
C60	43.20	1.10	C112	80.00	2.00	C159	112.60	2.70	C235	165.00	4.80
C61	43.90	1.10	C114	81.06	2.00	C160	113.20	2.70	C238	166.80	4.80
C62	44.60	1.10	C115	81.60	2.00	C162	114.40	2.70	C240	168.00	4.80
C63	45.30	1.10	C116	82.08	2.00	C164	115.80	2.70	C245	170.80	5.00
C64	46.00	1.10	C117	82.16	2.00	C165	116.50	2.70	C246	171.30	5.00
C65	46.70	1.10	C118	82.24	2.00	C166	117.20	2.70	C248	172.40	5.00
C66	47.40	1.10	C120	85.60	2.10	C168	118.72	2.70	C253	178.40	5.00
C67	48.10	1.10	C122	87.00	2.20	C169	119.60	2.80	C255	180.80	5.00
C68	48.80	1.10	C124	88.40	2.20	C170	120.20	2.80	C265	186.66	5.30
C69	49.80	1.15	C126	89.80	2.30	C172	121.66	2.90	C270	189.60	5.40
C70	50.80	1.20	C128	91.20	2.30	C173	122.40	3.00	C276	193.44	5.40
C72	51.52	1.20	C130	92.64	2.40	C175	124.00	3.10	C280	196.00	5.50
C73	52.22	1.20	C131	93.34	2.40	C176	124.80	3.20	C285	199.20	5.60
C74	52.90	1.20	C132	94.04	2.40	C177	125.60	3.20	C290	202.94	5.60
C75	53.60	1.20	C134	95.44	2.40	C180	128.00	3.20	C295	207.86	5.60
C76	54.40	1.20	C136	96.80	2.40	C181	128.74	3.20	C297	208.16	5.60
C78	56.00	1.20	C138	98.20	2.40	C183	130.20	3.20	C300	210.40	5.60
C79	56.80	1.20	C139	98.90	2.40	C185	131.60	3.20	C303	212.72	5.60
C80	57.60	1.20	C140	99.60	2.40	C188	133.80	3.20	C314	220.00	5.60
C81	58.40	1.30	C141	100.30	2.40	C190	135.20	3.20	C315	222.00	5.60
C82	58.80	1.30				C194	137.76	3.30	C330	231.20	5.70
C83	59.20	1.30				C195	138.40	3.40	C345	242.80	6.60
C84	59.60	1.35				C197	139.88	3.50	C360	252.00	7.00
C85	60.00	1.40							C390	273.60	7.40
C86	60.96	1.40							C394	276.36	7.45
C87	61.94	1.40							C420	294.40	7.80
C88	62.90	1.40							C452	316.80	8.40
C90	64.80	1.40							C480	336.40	8.90
C92	66.10	1.40									
C93	66.80	1.40									
C94	67.50	1.40									
C96	68.80	1.50									

Up to 210". Inside length plus 4 inches equals outside length.

UniMatch™ multiple V-belts (cont)



D Section Classical V-Belts (1-1/4-inch Top Width, 3/4-inch Thick)

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
D90	\$119.36	3.40
D96	127.16	3.60
D98	129.76	3.70
D105	138.88	4.00
D107	141.50	4.10
D110	145.40	4.20
D112	148.00	4.30
D115	151.90	4.40
D120	158.40	4.50
D128	168.80	4.80
D132	174.00	5.00
D134	176.60	5.00
D135	177.90	5.05
D136	179.20	5.10

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
D144	\$189.60	5.40
D152	200.10	5.70
D155	204.06	5.85
D158	208.00	6.00
D159	209.60	6.00
D162	214.40	6.10
D165	218.26	6.20
D171	226.00	6.40
D173	227.20	6.50
D180	236.00	6.80
D190	249.40	7.20
D193	253.40	7.30
D195	256.00	7.30
D205	272.00	7.90
D207	275.20	8.10

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
D210	\$280.00	8.40
D215	291.10	8.40
D225	293.20	8.40
D230	299.00	8.60
D240	310.40	9.00
D244	312.40	9.00
D248	314.40	9.00
D255	324.00	9.50
D265	341.10	9.90
D270	349.60	10.00
D285	368.00	10.70
D300	388.00	11.20
D315	400.00	11.80
D330	427.20	12.40

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
D345	\$448.00	12.60
D355	459.70	13.00
D360	465.60	13.50
D390	504.40	14.60
D394	509.90	14.70
D420	545.60	15.80
D441	572.80	16.60
D450	584.40	16.95
D480	625.60	18.10
D540	705.60	20.20
D600	785.60	22.40
D660	864.20	24.60

Up to 210". Inside length plus 5 inches equals outside length.



E Section Multiple V-Belts (1-1/2-inch Top Width, 1-inch Thick)

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
E144	\$272.80	9.30
E170	321.40	9.30
E180	340.00	9.30
E195	368.00	10.00
E210	396.80	12.00

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
E225	\$421.20	13.00
E240	445.60	13.50
E255	473.20	14.30
E270	500.80	15.30

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
E300	\$556.80	17.00
E310	575.44	17.60
E330	612.80	18.80
E360	668.00	20.40
E378	701.40	21.40

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
E390	\$723.60	22.10
E420	788.00	23.80
E441	832.00	25.00
E460	871.94	26.50
E480	914.00	28.00

Up to 210". Inside length plus 6 inches equals outside length.

NEW



HIGHER TENACITY FABRIC & IMPROVED PENETRATION OF URETHANE ELASTOMER

Accu-Link[®] Adjustable Link V-Belts


Solve V-Belt Drive Problems Quickly, Accurately & Permanently. The ideal temporary replacement or permanent substitute for conventional rubber V-belts.

Jason Industrial Accu-Link V-belts combine superior strength, durability and quick, easy assembly to keep equipment up and running — at the same horse power ratings as rubber belts. Constructed of urethane elastomer reinforced with a rugged, woven polyester fabric, Accu-Link belts are manufactured by a revolutionary new process which creates smooth, precise side profiles on each link. This smooth profile creates less vibration and requires lower drive tensions, for increased belt life.

Detachable tab type link belting made endless with a simple twist, no tools required.

Choose Accu-Link For:

- Durability
- Easy Assembly
- Fast Installation
- Maximum Horsepower
- Dependability



List Price per 100 ft.

Standard length 100 ft. No surcharge for cut lengths.

3L	A	B	C	D	CC
<i>\$ Can. List Price</i>	<i>\$ Can. List Price</i>	<i>\$ Can. List Price</i>	<i>\$ Can. List Price</i>	<i>\$ Can. List Price</i>	<i>\$ Can. List Price</i>
\$2904.00	\$2960.00	\$3448.00	\$5208.00	\$7866.00	\$6860.00

* For detailed information ask for Jason Accu-Link Catalog AL-2

*Open-End V-Belting

Perforated or solid, has an oil and heat-resistant neoprene cover. Available in four sections as shown below, in 164 foot rolls.

O/3L (3/8" top width) A (1/2" top width)

<i>\$ Can. List Price</i>	Fastener	<i>\$ Can. List Price</i>	Fastener
\$840.00/C	P.O.A.	\$840.00/C	P.O.A.

B (21/32" top width) C (7/8" top width)

<i>\$ Can. List Price</i>	Fastener	<i>\$ Can. List Price</i>	Fastener
\$1082.00/C	P.O.A.	\$1960.00/C	P.O.A.

Standard Lengths — 164 ft.

Add 10% to price for cut lengths under 100 ft.

*Stud-Link V-Belting

Available in V-Belt sections as shown below. Supreme is now the standard construction. It is recommended for extra-heavy duty drives. Has a polyester fabric impregnated with oil, heat and water-resistant urethane. A Stud-Link attachment tool is also available.

O/3L	A	B
P.O.A.	P.O.A.	P.O.A.

Standard Lengths — 100 ft.


No surcharge for specified cut lengths.

UniMatch® cogged raw edge multiple V-belts

Oil and heat resistant. Static dissipating.

RMA spec multiple V-belts in a raw edge, cogged construction are especially useful for high speed, compact drives. These belts all have the UniMatch feature (see introduction).

Raw edge, cogged multiple V-belts are listed by industry number in which the first letter indicates belt section, the X is a cogged construction and the number is belt **inside length** in inches.



AX Section Cogged multiple V-Belts (1/2-inch Top Width, 5/16-inch Thick)

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)	Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)	Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)	Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
AX22	\$20.80	.17	AX39	\$26.08	.26	AX56	\$32.16	.37	AX77	\$41.28	.50
AX23	20.80	.17	AX40	26.56	.26	AX58	32.88	.40	AX78	41.92	.51
AX24	20.80	.17	AX41	27.04	.27	AX59	33.24	.40	AX80	43.20	.52
AX25	20.80	.18	AX42	27.52	.28	AX60	33.60	.40	AX84	45.76	.55
AX26	20.80	.18	AX43	28.00	.29	AX61	34.00	.41			
						AX62	34.40	.41	AX85	46.40	.55
AX27	20.80	.19	AX44	28.40	.30				AX86	47.04	.56
AX28	20.80	.19	AX45	28.60	.31	AX63	34.80	.42	AX90	49.60	.59
AX29	20.80	.20	AX46	28.80	.31	AX64	35.20	.42	AX96	52.80	.62
AX30	22.08	.20	AX47	29.12	.32	AX65	35.60	.43	AX99	54.40	.64
AX31	22.40	.21	AX48	29.44	.32	AX66	36.00	.43			
						AX67	36.40	.44	AX100	54.94	.65
AX32	22.80	.21	AX49	29.76	.33				AX105	57.60	.68
AX33	23.20	.22	AX50	30.08	.33	AX68	36.80	.45	AX108	60.28	.70
AX34	23.68	.23	AX51	30.40	.34	AX69	38.28	.46	AX110	62.08	.71
AX35	24.00	.24	AX52	30.72	.35	AX70	38.40	.46	AX112	64.00	.73
AX36	24.48	.24	AX53	31.04	.35	AX71	38.72	.47			
						AX72	39.04	.47	AX120	68.80	.74
AX37	25.12	.25	AX54	31.52	.36				AX128	73.60	.78
AX38	25.60	.26	AX55	31.84	.36	AX75	40.00	.49	AX136	78.20	.83
						AX76	40.64	.50			

Inside length plus 2 inches equals outside length. Other sizes available, consult Jason.



BX Section Cogged Multiple V-Belts (21/32-inch Top Width, 13/32-inch Thick)

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)	Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)	Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)	Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
BX31	\$32.00	.36	BX42	\$38.40	.48	BX53	\$45.60	.59	BX64	\$50.56	.71
BX32	32.00	.37	BX43	39.20	.49	BX54	46.08	.60	BX65	51.20	.72
BX33	32.00	.39	BX44	40.00	.50	BX55	46.40	.61	BX66	51.84	.73
BX34	32.00	.39	BX45	40.80	.51	BX56	46.72	.62	BX67	52.32	.74
BX35	32.00	.40				BX57	47.04	.63			
			BX46	41.60	.52				BX68	52.80	.75
BX36	32.96	.42	BX47	42.24	.53	BX58	47.36	.64	BX69	53.52	.76
BX37	34.28	.43	BX48	42.88	.54	BX59	47.68	.66	BX70	54.24	.77
BX38	35.20	.43	BX49	43.52	.55	BX60	48.00	.67	BX71	54.88	.78
BX39	35.20	.45	BX50	44.16	.56	BX61	48.64	.68	BX73	57.60	.80
BX40	36.80	.46				BX62	49.28	.69			
			BX51	44.80	.57				BX74	57.60	.81
BX41	37.60	.47	BX52	45.28	.58	BX63	49.92	.70	BX75	57.60	.82

Up to 210" Inside length plus 3 inches equals outside length. Other sizes available, consult Jason.

UniMatch® cogged raw edge multiple V-belts (cont)

Oil and heat resistant. Static dissipating.



BX Section Cogged Multiple V-Belts (21/32-inch Top Width, 13/32-inch Thick)

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)	Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)	Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)	Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
BX76	\$58.40	.84	BX91	\$69.90	.99	BX112	\$86.40	1.22	BX150	\$114.56	1.51
BX77	59.20	.85	BX92	71.00	1.00	BX113	87.04	1.22	BX158	120.00	1.59
BX78	60.00	.86	BX93	72.00	1.01	BX115	88.20	1.25	BX162	124.84	1.63
BX79	60.80	.87	BX95	73.60	1.03	BX116	88.80	1.26	BX173	131.20	1.74
BX80	61.60	.88				BX120	91.20	1.30	BX180	137.60	1.81
			BX96	74.40	1.05				BX195	148.80	1.96
BX81	62.40	.89	BX97	75.20	1.06	BX124	94.40	1.30	BX210	*	2.10
BX82	64.00	.90	BX99	76.32	1.08	BX128	97.60	1.30	BX225	*	2.25
BX83	64.48	.91	BX100	76.80	1.09	BX133	102.40	1.34	BX240	*	2.36
BX84	65.60	.92	BX103	78.40	1.12	BX136	104.32	1.37	BX270	*	2.66
BX85	65.60	.93				BX144	110.40	1.45			
			BX105	80.00	1.14				BX300	*	2.95
BX90	68.80	.98	BX108	83.04	1.17						

Up to 210" Inside length plus 3 inches equals outside length. Other sizes available, consult Jason.

* Price on request

CX Section Cogged Multiple V-Belts (7/8-inch Top Width, 17/32-inch Thick)

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)	Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)	Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)	Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
CX51	\$73.60	1.07	CX88	\$125.76	1.77	CX112	\$160.00	2.24	CX180	\$256.00	3.27
CX60	86.40	1.24	CX90	129.60	1.81	CX115	164.16	2.29	CX187	266.64	3.40
CX67	96.20	1.37	CX92	132.26	1.85	CX120	171.20	2.39	CX190	271.20	3.46
CX68	97.60	1.39	CX94	134.94	1.89	CX123	176.64	2.40	CX195	276.80	3.55
CX72	103.10	1.47	CX95	136.26	1.91	CX128	182.40	2.42	CX210	*	3.77
									CX225	*	4.04
CX75	107.20	1.53	CX96	137.60	1.93	CX133	188.80	2.47	CX240	*	4.30
CX76	108.80	1.55	CX98	140.44	1.97	CX136	192.64	2.49	CX255	*	4.58
CX78	112.00	1.59	CX100	143.28	2.01	CX144	204.80	2.63	CX270	*	4.85
CX80	115.20	1.62	CX103	147.54	2.06	CX150	212.16	2.75	CX300	*	5.39
CX81	116.80	1.64	CX105	150.40	2.10	CX158	224.00	2.90			
									CX330	*	5.93
CX82	117.60	1.66	CX107	153.12	2.14	CX162	228.80	2.95	CX360	*	6.47
CX83	118.40	1.68	CX109	155.84	2.18	CX173	244.80	3.15			
CX85	120.00	1.72	CX110	157.20	2.20						

Up to 210" Inside length plus 4 inches equals outside length. Other sizes available, consult Jason.

* Price on request

UniMatch® SP series metric V-belts


Oil and heat-resistant. Static dissipating.

Built to European standards DIN 7753, AFNOR T47-117, BS 3790 and ISO R460. SP series V-belts were the forerunners of the RMA deep wedge, high capacity V-belt sections. These deep-wedge belts (38°) allow for more power, high speed ratios, smaller center distances and more compact drives. They are replacement belts for many imported machines and for machinery built for export.

These V-belts also have the UniMatch feature. This eliminates belt set matching with its multiple stocking problems.

Stock metric V-belts are listed below. Non-standard lengths are available on special order.

Metric V-belts are specified by letters showing the SP section and numbers giving the **pitch length** in millimeters. For example: **SPA 850**.



NOTE: Also available in raw edge construction. These belts are designated by an X prefix rather than S. For example: **XPB1400**. Inquire for price and delivery.

Although metric V-belts are ordered by section and pitch length, they are sometimes labeled with the section letters, belt length in millimeters and the letters LA (outside length), LI (inside length) or LW (pitch length).

SPZ Section Metric V-Belts (9.7mm Top Width, 8mm Thick) ALSO AVAILABLE AS XPZ TO XPZ2500

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)	Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)	Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)	Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
SPZ482	\$15.30	.1	SPZ962	\$22.26	.2	SPZ1400	\$31.08	.3	SPZ1937	\$47.70	.4
SPZ487	15.30	.1	SPZ987	22.26	.2	SPZ1412	32.88	.3	SPZ1962	47.70	.4
SPZ512	15.30	.1	SPZ1000	22.26	.2	SPZ1420	32.88	.3	SPZ1987	47.70	.4
SPZ537	15.30	.1	SPZ1010	22.26	.2	SPZ1437	32.88	.3	SPZ2000	47.70	.4
SPZ562	15.30	.1	SPZ1012	23.40	.2	SPZ1462	32.88	.3	SPZ2012	47.70	.4
SPZ577	15.30	.1				SPZ1466	32.88	.3	SPZ2037	50.40	.4
SPZ587	15.30	.1	SPZ1024	23.40	.2				SPZ2062	50.40	.4
SPZ602	15.30	.1	SPZ1037	23.40	.2	SPZ1470	32.88	.3			
SPZ607	15.30	.1	SPZ1047	23.40	.2	SPZ1487	32.88	.3	SPZ2087	50.40	.4
			SPZ1052	23.40	.2	SPZ1500	32.88	.3	SPZ2120	50.40	.4
SPZ612	15.30	.1	SPZ1060	23.40	.2	SPZ1512	35.10	.3	SPZ2132	52.00	.4
SPZ622	15.30	.1	SPZ1077	24.78	.2	SPZ1520	35.10	.3	SPZ2137	54.00	.4
SPZ630	15.30	.1							SPZ2160	54.00	.4
SPZ637	15.54	.1	SPZ1080	24.78	.2	SPZ1537	35.10	.3	SPZ2187	54.00	.4
SPZ662	15.54	.1	SPZ1087	24.78	.2	SPZ1560	35.10	.3			
SPZ670	15.54	.1	SPZ1112	24.78	.2	SPZ1562	35.10	.3	SPZ2240	54.00	.5
			SPZ1120	24.78	.2	SPZ1582	35.10	.3	SPZ2262	57.18	.5
SPZ677	15.54	.1	SPZ1137	26.58	.2	SPZ1587	35.10	.3	SPZ2280	57.18	.5
SPZ687	15.64	.1							SPZ2287	57.18	.5
SPZ697	16.44	.1	SPZ1140	26.58	.2	SPZ1600	35.10	.3	SPZ2337	57.18	.5
SPZ710	16.44	.1	SPZ1147	26.58	.2	SPZ1612	38.70	.3	SPZ2360	57.18	.5
SPZ712	16.44	.1	SPZ1150	26.58	.2	SPZ1632	38.70	.3	SPZ2387	57.18	.5
SPZ722	17.10	.1	SPZ1162	26.58	.2	SPZ1637	38.70	.3			
SPZ732	17.10	.1	SPZ1171	26.58	.2	SPZ1650	38.70	.3	SPZ2410	57.18	.5
SPZ737	17.10	.1	SPZ1180	26.58	.2	SPZ1662	38.70	.3	SPZ2432	57.18	.5
			SPZ1187	27.90	.2				SPZ2437	57.18	.5
SPZ750	17.10	.2	SPZ1200	27.90	.2	SPZ1682	38.70	.3	SPZ2487	63.00	.5
SPZ758	17.10	.2				SPZ1687	38.70	.3	SPZ2500	63.00	.5
SPZ760	17.58	.2	SPZ1202	27.90	.2	SPZ1700	38.70	.3	SPZ2540	63.00	.5
SPZ762	17.58	.2	SPZ1212	27.90	.2	SPZ1709	38.70	.3	SPZ2585	63.00	.5
SPZ772	17.58	.2	SPZ1220	27.90	.2	SPZ1712	38.70	.3	SPZ2650	65.70	.5
			SPZ1222	27.90	.2				SPZ2690	65.70	.5
SPZ787	17.58	.2	SPZ1237	27.90	.2	SPZ1737	42.78	.3			
SPZ800	17.58	.2	SPZ1250	27.90	.3	SPZ1750	42.78	.4	SPZ2743	70.20	.6
SPZ812	18.90	.2	SPZ1262	28.80	.3	SPZ1762	42.78	.4	SPZ2782	70.20	.6
SPZ825	18.90	.2				SPZ1782	42.78	.4	SPZ2800	70.20	.6
SPZ837	18.90	.2	SPZ1270	28.80	.3	SPZ1787	42.78	.4	SPZ2837	70.20	.6
			SPZ1287	28.80	.3	SPZ1800	42.78	.4	SPZ2840	70.20	.6
SPZ850	18.90	.2	SPZ1312	28.80	.3	SPZ1812	44.58	.4	SPZ2900	74.70	.6
SPZ862	19.56	.2	SPZ1320	28.80	.3				SPZ2990	74.70	.6
SPZ875	19.56	.2	SPZ1329	31.08	.3	SPZ1837	44.58	.4	SPZ3000	74.70	.6
SPZ887	19.56	.2	SPZ1337	31.08	.3	SPZ1850	44.58	.4			
SPZ892	19.56	.2				SPZ1862	44.58	.4	SPZ3150	76.50	.6
SPZ900	19.56	.2	SPZ1340	31.08	.3	SPZ1887	44.58	.4	SPZ3170	76.50	.6
			SPZ1347	31.08	.3	SPZ1900	44.58	.4	SPZ3350	81.48	.6
SPZ912	20.70	.2	SPZ1352	31.08	.3	SPZ1912	44.58	.4	SPZ3550	86.40	.7
SPZ922	20.70	.2	SPZ1362	31.08	.3						
SPZ925	20.70	.2	SPZ1387	31.08	.3						
SPZ937	20.70	.2									
SPZ940	20.70	.2									
SPZ950	20.70	.2									

UniMatch® SP series metric V-belts (cont)



SPA Section Metric V-Belts (12.7mm Top Width, 10mm Thick) ALSO AVAILABLE AS XPA TO XPA2500

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)	Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)	Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)	Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
SPA707	\$ 24.78	.2	SPA1250	\$39.60	.4	SPA1807	\$64.38	.5	SPA2500	\$78.30	.7
SPA732	24.78	.2	SPA1252	39.60	.4	SPA1832	64.38	.5	SPA2532	81.48	.7
SPA757	24.78	.2	SPA1257	40.98	.4	SPA1850	64.38	.5	SPA2582	81.48	.7
SPA767	24.78	.2	SPA1262	40.98	.4	SPA1857	64.38	.5	SPA2607	81.48	.7
SPA782	24.78	.2	SPA1272	40.98	.4	SPA1882	64.38	.5	SPA2632	81.48	.7
SPA800	24.78	.2	SPA1282	40.98	.4	SPA1900	64.38	.6			
SPA807	25.68	.2	SPA1307	40.98	.4	SPA1907	67.08	.6	SPA2650	81.48	.7
			SPA1320	40.98	.4				SPA2682	85.50	.7
SPA832	25.68	.2	SPA1332	46.38	.4	SPA1932	67.08	.6	SPA2720	85.50	.7
SPA850	25.68	.2				SPA1950	67.08	.6	SPA2732	85.50	.7
SPA857	27.48	.2	SPA1357	46.38	.4	SPA1957	67.08	.6	SPA2782	85.50	.8
SPA882	27.48	.2	SPA1382	46.38	.4	SPA1962	67.08	.6	SPA2800	85.50	.8
SPA900	27.48	.2	SPA1400	46.38	.4	SPA1982	67.08	.6			
			SPA1407	46.38	.4				SPA2832	90.00	.8
SPA907	29.28	.3	SPA1423	53.10	.4	SPA2000	67.08	.6	SPA2882	90.00	.8
SPA932	29.28	.3	SPA1425	53.10	.4	SPA2032	70.68	.6	SPA2900	102.18	.8
SPA950	29.28	.3				SPA2057	70.68	.6	SPA2932	102.18	.8
SPA957	30.60	.3	SPA1432	53.10	.4	SPA2060	70.68	.6	SPA2957	102.18	.8
SPA967	30.60	.3	SPA1457	53.10	.4	SPA2082	70.68	.6	SPA2982	102.18	.8
SPA982	30.60	.3	SPA1482	53.10	.4	SPA2100	70.68	.6	SPA3000	102.18	.8
SPA987	30.60	.3	SPA1500	53.10	.4	SPA2120	70.68	.6			
			SPA1507	56.70	.4				SPA3032	104.40	.9
SPA1000	30.60	.3				SPA2132	73.38	.6	SPA3082	104.40	.9
SPA1007	32.88	.3	SPA1532	56.70	.4	SPA2182	73.38	.6	SPA3150	104.40	.9
SPA1032	32.88	.3	SPA1550	56.70	.4	SPA2200	73.38	.6	SPA3182	105.30	.9
SPA1042	32.88	.3	SPA1557	56.70	.4	SPA2207	73.38	.6	SPA3282	109.80	.9
SPA1060	32.88	.3	SPA1582	56.70	.5	SPA2230	73.38	.6			
SPA1082	35.58	.3	SPA1600	56.70	.5	SPA2232	73.38	.6	SPA3350	109.80	1.0
SPA1092	35.58	.3	SPA1607	60.30	.5	SPA2240	73.38	.6	SPA3382	116.58	1.0
									SPA3482	116.58	1.0
SPA1107	35.58	.3	SPA1632	60.30	.5	SPA2282	76.50	.7	SPA3550	116.58	1.0
SPA1120	35.58	.3	SPA1657	60.30	.5	SPA2300	76.50	.7	SPA3750	122.40	1.1
SPA1125	35.58	.3	SPA1682	60.30	.5	SPA2307	76.50	.7	SPA3930	130.08	1.2
SPA1132	35.58	.3	SPA1700	60.30	.5	SPA2330	76.50	.7	SPA4000	130.08	1.2
SPA1157	37.80	.3	SPA1707	62.10	.5	SPA2332	76.50	.7			
SPA1180	37.80	.3				SPA2360	76.50	.7	SPA4250	136.38	1.2
SPA1187	37.80	.3	SPA1732	62.10	.5				SPA4500	144.90	1.3
SPA1193	37.80	.3	SPA1750	62.10	.5	SPA2382	78.30	.7	SPA4865	156.00	1.4
			SPA1757	62.10	.5	SPA2432	78.30	.7	SPA5300	170.00	1.4
SPA1207	39.60	.3	SPA1782	62.10	.5	SPA2450	78.30	.7			
SPA1220	39.60	.4	SPA1800	62.10	.5	SPA2482	78.30	.7			
SPA1232	39.60	.4									

Add 18mm to pitch length for outside length.

UniMatch® SP series metric V-belts (cont)



SPB Section Metric V-Belts (16.3mm Top Width, 13mm Thick) ALSO AVAILABLE AS XPB TO XPB2500

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)	Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)	Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)	Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
SPB1250	\$62.58	.6	SPB2020	\$100.38	1.1	SPB2900	\$139.08	1.5	SPB4500	\$220.50	2.2
SPB1260	62.58	.6	SPB2060	102.36	1.1	SPB2990	139.08	1.5	SPB4560	220.50	2.3
SPB1320	64.80	.7	SPB2098	105.90	1.1	SPB3000	149.40	1.5	SPB4620	220.50	2.3
SPB1340	64.80	.7	SPB2120	105.90	1.1	SPB3070	152.88	1.6	SPB4750	232.68	2.3
SPB1400	69.78	.7	SPB2150	105.90	1.1	SPB3150	153.90	1.6	SPB4820	232.68	2.4
			SPB2180	105.90	1.1				SPB5000	245.28	2.5
			SPB2240	112.08	1.1				SPB5070	245.28	2.6
SPB1410	69.78	.7				SPB3170	153.90	1.6			
SPB1450	69.78	.8	SPB2280	112.08	1.1	SPB3250	157.78	1.6	SPB5300	259.68	2.7
SPB1500	74.70	.8	SPB2300	114.00	1.2	SPB3320	164.28	1.6	SPB5380	259.68	2.7
SPB1550	74.70	.8	SPB2350	116.00	1.2	SPB3340	164.28	1.6	SPB5600	274.50	2.8
SPB1590	74.70	.8	SPB2360	117.90	1.2	SPB3350	164.28	1.7	SPB5680	274.50	2.8
			SPB2391	117.90	1.2	SPB3412	173.70	1.7	SPB5990	293.40	2.9
			SPB2410	117.90	1.2	SPB3450	173.70	1.7			
SPB1600	78.78	.8									
SPB1650	81.24	.9	SPB2430	118.88	1.2	SPB3550	173.70	1.7	SPB6000	293.40	3.0
SPB1700	84.60	.9	SPB2500	124.68	1.2	SPB3650	179.38	1.8	SPB6300	310.50	3.1
SPB1750	86.40	.9	SPB2530	124.68	1.3	SPB3750	183.60	1.8	SPB6340	310.50	3.2
SPB1778	88.20	.9	SPB2580	127.14	1.3	SPB3800	183.60	1.9	SPB6700	328.50	3.4
SPB1800	88.20	.9	SPB2650	132.78	1.3	SPB3870	187.70	2.0	SPB7100	347.40	3.6
						SPB4000	195.30	2.0			
SPB1850	90.64	.9	SPB2680	132.78	1.4	SPB4060	195.30	2.0	SPB7500	368.10	3.7
SPB1900	94.98	.9	SPB2720	133.08	1.4	SPB4250	207.90	2.1	SPB7990	391.98	4.0
SPB1950	97.48	1.0	SPB2800	139.08	1.4	SPB4310	207.90	2.1	SPB8000	391.98	4.0
SPB2000	100.38	1.0	SPB2840	139.08	1.5	SPB4370	207.90	2.2	SPB10062	493.00	5.0

Add 22mm to pitch length for outside length. Additional sizes available to SPB13700.

SPC Section Metric V-Belts (22mm Top Width, 18mm Thick)

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)	Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)	Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)	Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
SPC1700	\$128.40	1.6	SPC3000	\$221.40	2.4	SPC4750	\$319.50	3.7	SPC7500	\$522.00	5.9
SPC1800	135.96	1.6	SPC3150	226.80	2.5	SPC5000	353.28	3.9	SPC8000	558.00	6.3
SPC1900	143.52	1.7	SPC3350	240.78	2.6	SPC5300	373.50	4.2	SPC8500	589.50	6.7
SPC2000	153.00	1.7	SPC3550	253.98	2.8	SPC5600	394.68	4.4	SPC9000	625.68	7.1
SPC2120	160.68	1.8				SPC6000	421.20	4.7	SPC9500	657.10	7.5
			SPC3750	267.78	2.9				SPC10000	688.50	7.9
SPC2240	169.20	1.8	SPC3775	267.78	3.0	SPC6300	441.48	4.9	SPC10600	729.00	8.3
SPC2360	178.20	1.9	SPC4000	286.68	3.1	SPC6500	454.74	5.0			
SPC2500	187.20	2.0	SPC4250	303.30	3.3	SPC6700	468.00	5.2	SPC11200	778.50	8.8
SPC2650	198.00	2.1	SPC4500	319.50	3.5	SPC7100	495.00	5.6	SPC11800	754.50	9.3
SPC2800	208.38	2.2	SPC4565	319.50	3.6	SPC7300	508.50	5.7	SPC12500	864.00	9.9

Add 30mm to pitch length for outside length. Additional sizes available to SPC13700.


UniMatch® deep wedge V-belts

Oil and heat-resistant. Static Dissipating.

A more narrow, deeper wedge shape with more efficient load carrying characteristics and higher power capability allows for smaller, more compact drives. These belts feature the UniMatch construction. This eliminates belt set matching with its multiple stocking and belt wastage problems.

These belts conform to RMA Engineering Standard IP-22.

Stock UniMatch deep wedge V-belts are listed below. In-between lengths and lengths over 600 inches are available on special order.



Deep wedge V-belts are identified by a number and letter specifying the belt section and a number giving the **outside length** in inches multiplied by 10. For example: **3V1250**.

3V Section Deep Wedge V-Belts (3/8-inch Top Width, 5/16-inch Thick)

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
3V250	\$15.60	.10
3V265	16.00	.10
3V280	16.40	.10
3V300	16.80	.10
3V315	17.60	.10
3V335	18.00	.20
3V355	18.80	.20
3V375	19.20	.20

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
3V400	\$20.40	.20
3V425	21.20	.20
3V450	22.00	.20
3V475	22.80	.20
3V500	23.20	.20
3V530	24.00	.20
3V560	24.80	.20
3V600	26.00	.20

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
3V630	\$26.80	.30
3V650	27.40	.30
3V670	28.00	.30
3V710	29.60	.30
3V730	30.40	.30
3V750	31.20	.30
3V800	33.20	.30
3V830	35.60	.35
3V850	35.60	.40
3V900	38.40	.40

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
3V950	\$40.40	.40
3V1000	42.80	.40
3V1060	45.20	.40
3V1120	49.20	.50
3V1180	52.40	.50
3V1250	56.00	.60
3V1320	59.20	.60
3V1400	62.80	.70

5V Section Deep Wedge V-Belts (5/8-inch Top Width, 17/32-inch Thick)

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
5V500	\$49.20	.60
5V530	51.20	.70
5V560	53.60	.70
5V600	58.00	.70
5V630	60.80	.70
5V670	64.80	.80
5V710	68.80	.80
5V750	72.80	.80
5V800	77.60	.90

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
5V850	\$83.60	.90
5V900	86.80	.90
5V950	93.20	.90
5V975	95.80	1.00
5V1000	98.40	1.10
5V1020	100.40	1.10
5V1060	104.40	1.10
5V1120	110.40	1.20
5V1180	116.40	1.30
5V1250	123.60	1.30
5V1320	130.40	1.40

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
5V1400	\$137.60	1.50
5V1500	148.00	1.60
5V1600	158.00	1.70
5V1630	161.20	1.80
5V1700	168.00	1.80
5V1710	169.04	1.84
5V1800	178.40	2.20
5V1900	188.80	2.20
5V2000	199.20	2.20
5V2120	211.60	2.40
5V2150	214.70	2.48
5V2240	224.00	2.70

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
5V2360	\$235.20	2.80
5V2500	249.20	3.00
5V2650	264.80	3.10
5V2800	279.20	3.30
5V3000	298.80	3.50
5V3150	313.60	3.80
5V3350	333.60	3.90
5V3550	353.60	4.00

8V Section Deep Wedge V-Belts (1-inch Top Width, 7/8-inch Thick)

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
8V1000	\$188.00	3.50
8V1060	199.20	3.70
8V1120	210.80	3.90
8V1180	222.40	4.20
8V1250	235.60	4.40
8V1320	248.80	4.70
8V1400	264.00	4.90
8V1500	283.20	5.20
8V1600	302.00	5.60
8V1650	313.00	5.75


Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
8V1700	\$324.00	5.90
8V1800	340.16	6.30
8V1900	361.20	6.70
8V2000	380.80	7.00
8V2120	404.40	7.50
8V2240	426.40	7.90
8V2300	437.40	8.10
8V2360	448.40	8.30

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
8V2500	\$474.80	8.80
8V2550	484.40	8.97
8V2650	503.60	9.30
8V2800	533.20	9.80
8V3000	571.20	10.50
8V3150	600.40	11.10
8V3300	629.50	11.63
8V3350	639.20	11.80
8V3550	677.20	12.50
8V3600	686.74	12.90

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
8V3750	\$716.00	13.30
8V4000	765.60	14.00
8V4250	815.20	14.90
8V4500	864.80	15.80
8V4750	914.40	16.40
8V5000	964.00	17.20
8V5600	1083.20	19.00

UniMatch[®] cogged raw edge deep wedge V-belts

Oil and heat-resistant.
Static dissipating.



A raw edge, cogged construction further increases the effective power transmission of deep wedge V-belts. These cogged deep wedge UniMatch V-belts need no belt set matching.

Stock raw edge, cogged deep wedge V-belts are listed below.

Cogged deep wedge V-belts are specified by the section number-letter with an "X" to indicated cogged construction. The number following is the belt's **outside length** in inches multiplied by 10. For example: **5VX900**.

3VX Section Cogged Deep Wedge V-Belts (3/8-inch Top Width, 5/16-inch Thick)

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
3VX250	\$15.60	.1
3VX265	16.00	.1
3VX280	16.40	.1
3VX290	16.60	.1
3VX300	16.80	.1
3VX315	17.60	.1
3VX335	18.00	.2
3VX355	18.80	.2
3VX375	19.20	.2

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
3VX390	\$20.00	.2
3VX400	20.40	.2
3VX425	21.20	.2
3VX450	22.00	.2
3VX475	22.80	.2
3VX500	23.20	.2
3VX520	23.70	.2
3VX530	24.00	.2
3VX560	24.80	.2

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
3VX600	\$26.00	.3
3VX630	26.80	.3
3VX650	27.40	.3
3VX670	28.00	.3
3VX710	29.60	.3
3VX750	31.20	.3
3VX800	33.20	.4
3VX850	35.60	.4
3VX900	38.40	.4

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
3VX950	\$40.40	.4
3VX1000	42.80	.4
3VX1060	45.20	.5
3VX1120	49.20	.5
3VX1180	52.40	.6
3VX1250	56.00	.6
3VX1320	59.20	.7
3VX1400	62.80	.7

5VX Section Cogged Deep Wedge V-Belts (5/8-inch Top Width, 17/32-inch Thick)

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
5VX470	\$49.20	.6
5VX500	49.20	.6
5VX530	51.20	.7
5VX560	53.60	.7
5VX570	53.10	.7
5VX600	58.00	.7
5VX630	60.80	.7
5VX650	62.80	.8
5VX660	63.80	.8
5VX670	64.80	.8

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
5VX680	\$65.80	.8
5VX710	68.80	.8
5VX730	70.80	.8
5VX750	72.80	.8
5VX780	75.70	.9
5VX800	77.60	.9
5VX850	83.60	.9
5VX900	86.80	1.0
5VX950	93.20	1.1
5VX960	94.20	1.1

Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
5VX1000	\$98.40	1.2
5VX1030	101.40	1.2
5VX1060	104.40	1.2
5VX1080	110.40	1.3
5VX1120	110.40	1.3
5VX1150	113.40	1.4
5VX1180	116.40	1.4
5VX1230	121.50	1.5
5VX1250	123.60	1.5


Ind. Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
5VX1320	\$130.40	1.6
5VX1400	137.60	1.7
5VX1500	148.00	1.8
5VX1600	158.00	1.9
5VX1700	168.00	2.0
5VX1800	178.40	2.1
5VX1900	188.80	2.3
5VX2000	*	2.4

* Price on Request

UniMatch® banded V-belts

Oil and heat-resistant.

Static dissipating.



UniMatch banded V-belts are available in classical multiple sections B, C and D and in deep wedge sections 3V, 5V and 8V. They feature the same premium constructions as the individual belt and are bonded together with a fabric-neoprene top band. These belts are often used on vertical shafts and where belt vibration and flopping must be minimized.

Stock banded V-belts are listed below. To obtain the total list price, multiply the list price per rib by the total number of ribs per band. In-between lengths of the B, C and D sections are available, as are lengths to 600 inches in the B and C sections on special order. Consult the main office. These belts conform to RMA Engineering Standard IP-20 and IP-22.

Banded multiple V-belts are specified by the letter "R" denoting banded construction, the belt section and the belt **inside length** in inches. The number of belts in a band is given separately; i.e., **RC90, 8 BANDS**.

Banded deep wedge V-belts are specified by the letter "R" denoting banded construction, the belt section and a number giving the **outside length** in inches multiplied by 10, followed by a dash and the number of bands required.

Classical V-Belts

RA Section Available on Request

B Section

Belt Size	\$ Can. List Price Per Rib	Approx. Wgt. Per Rib (lbs.)
RB38	\$21.66	.56
RB42	23.62	.56
RB46	25.52	.70
RB47	25.62	.70
RB48	25.72	.70
RB49	26.10	.70
RB50	26.50	.70
RB51	26.88	.70
RB52	27.16	.70
RB53	27.36	.72
RB55	27.84	.74
RB56	28.04	.75
RB57	28.22	.76
RB58	28.40	.77
RB59	28.60	.79
RB60	28.80	.82
RB61	29.18	.83
RB62	29.56	.84
RB63	29.96	.86
RB64	30.34	.87
RB65	30.72	.88
RB66	31.10	.89
RB67	31.40	.90
RB68	31.68	.92
RB70	32.54	.95
RB71	32.92	.97
RB72	33.50	.98
RB73	33.90	.98
RB75	34.56	1.00
RB77	35.52	1.02
RB78	36.00	1.04
RB79	36.48	1.06
RB80	36.96	1.08
RB81	37.44	1.10
RB82	38.40	1.12
RB83	38.68	1.15
RB84	39.02	1.16
RB85	39.36	1.18
RB88	40.00	1.21
RB90	41.28	1.22
RB91	41.92	1.23
RB92	42.56	1.25
RB93	43.20	1.26
RB95	44.16	1.29
RB96	44.64	1.30
RB97	45.12	1.32
RB99	46.00	1.35

B Section (cont)

Belt Size	\$ Can. List Price Per Rib	Approx. Wgt. Per Rib (lbs.)
RB100	\$46.08	1.36
RB101	46.40	1.37
RB102	46.72	1.38
RB103	47.04	1.39
RB104	47.52	1.41
RB105	48.00	1.43
RB108	49.72	1.47
RB109	49.72	1.50
RB110	50.42	1.51
RB111	51.14	1.53
RB112	51.84	1.54
RB113	52.12	1.56
RB114	52.40	1.58
RB115	52.70	1.60
RB116	53.00	1.61
RB118	53.60	1.64
RB120	54.72	1.68
RB124	56.64	1.75
RB126	57.60	1.76
RB128	58.56	1.78
RB130	60.60	1.80
RB133	61.44	1.81
RB136	62.60	1.84
RB138	63.48	1.90
RB139	63.78	1.90
RB141	64.40	1.92
RB144	66.24	1.95
RB148	68.08	2.00
RB150	69.00	2.05
RB154	70.50	2.10
RB158	72.00	2.14
RB160	74.00	2.18
RB162	74.88	2.20
RB168	76.98	2.28
RB173	78.72	2.35
RB180	82.56	2.44
RB184	86.88	2.50
RB185	86.88	2.54
RB187	86.88	2.62
RB188	86.88	2.67
RB190	86.88	2.75
RB195	89.28	2.65
RB198	90.62	2.69
RB201	91.96	2.73
RB210	96.00	2.85
RB218	99.20	3.04
RB225	102.00	3.20
RB240	108.48	3.26
RB255	115.68	3.46
RB270	122.88	3.67
RB300	136.32	4.08
RB310	141.70	4.21
RB315	144.38	4.28


C Section

Belt Size	\$ Can. List Price Per Rib	Approx. Wgt. Per Rib (lbs.)
RC60	\$51.84	1.44
RC65	56.04	1.57
RC68	58.56	1.65
RC71	61.44	1.68
RC72	62.16	1.71
RC75	64.32	1.80
RC78	64.72	1.83
RC80	65.00	1.85
RC81	70.08	1.92
RC83	71.04	1.98
RC85	72.00	2.04
RC87	74.60	2.09
RC88	75.66	2.11
RC90	77.76	2.16
RC96	82.56	2.30
RC100	86.40	2.40
RC103	88.70	2.47
RC105	90.24	2.52
RC109	93.68	2.60
RC112	96.00	2.68
RC115	98.52	2.76
RC120	102.72	2.88
RC124	107.20	2.99
RC126	109.44	3.04
RC128	109.44	3.07
RC130	110.98	3.12
RC136	115.58	3.26
RC138	117.40	3.31
RC144	122.88	3.45
RC146	124.52	3.50
RC151	128.64	3.62
RC152	129.46	3.64
RC153	130.28	3.67
RC158	134.40	3.79
RC160	135.82	3.84
RC162	137.24	3.88
RC173	146.88	4.15
RC180	153.60	4.32
RC185	157.76	4.44
RC188	160.26	4.51
RC190	161.92	4.56
RC195	166.08	4.68
RC204	174.18	4.90
RC210	179.52	5.04
RC225	190.36	5.40
RC240	201.60	4.76
RC255	215.86	6.12
RC270	227.52	6.48
RC285	240.10	6.84
RC300	252.48	7.20
RC315	264.96	7.56
RC330	277.44	7.92
RC345	289.92	8.28
RC360	302.40	8.64
RC390	328.32	9.36
RC420	354.24	10.80

D Section

Belt Size	\$ Can. List Price Per Rib	Approx. Wgt. Per Rib (lbs.)
RD112	\$180.00	4.7
RD120	190.08	5.0
RD128	202.56	5.3
RD138	218.38	5.8
RD144	227.52	6.0
RD158	249.60	6.6
RD162	257.28	6.8
RD173	272.64	7.2
RD180	283.20	7.5
RD195	307.20	7.9
RD210	331.20	8.7
RD225	349.92	9.4
RD230	357.44	9.6
RD240	372.48	10.0
RD255	395.52	10.6
RD270	419.52	11.2
RD285	442.56	11.8
RD300	465.60	12.5
RD315	489.12	13.1
RD330	512.64	13.7
RD345	535.68	14.4
RD360	558.72	14.9
RD390	606.72	16.2
RD420	654.72	17.5
RD480	750.72	20.0
RD540	846.72	22.5
RD600	942.72	25.0
RD660	1038.72	27.5

UniMatch® banded V-belts (cont)



Metric Sizes Available Upon Request (RSPZ, RSPA, RSPB, RSPC)

Deep-Wedge V-Belts

3V Section

Belt Size	\$ Can. List Price Per Rib	Approx. Wgt. Per Rib (lbs.)
R3V355	\$20.68	.2
R3V375	21.12	.2
R3V400	22.44	.2
R3V425	23.32	.2
R3V450	26.40	.2
R3V475	27.36	.2
R3V500	27.84	.2
R3V530	28.80	.2
R3V560	29.76	.2
R3V600	31.20	.2
R3V630	32.16	.3
R3V670	33.60	.3
R3V710	35.52	.3
R3V730	36.48	.3
R3V750	37.44	.3
R3V800	39.84	.3
R3V830	41.56	.4
R3V850	42.72	.4
R3V900	46.08	.4
R3V950	48.48	.4
R3V1000	51.36	.4
R3V1060	54.24	.5
R3V1120	59.04	.5
R3V1180	62.88	.5
R3V1250	67.20	.5
R3V1320	71.04	.6
R3V1400	75.36	.6

5V Section

Belt Size	\$ Can. List Price Per Rib	Approx. Wgt. Per Rib (lbs.)
R5V500	\$59.04	.6
R5V530	61.44	.6
R5V560	64.32	.7
R5V600	69.60	.7
R5V630	72.96	.7
R5V670	77.76	.8
R5V710	82.56	.8
R5V750	87.36	.8
R5V800	93.12	.9
R5V850	100.32	.9
R5V900	104.16	1.0
R5V950	111.84	1.1
R5V975	115.32	1.1
R5V1000	118.80	1.2
R5V1020	120.90	1.2
R5V1060	125.08	1.3
R5V1120	132.48	1.3
R5V1180	139.68	1.4
R5V1250	148.32	1.5
R5V1320	156.48	1.6
R5V1400	165.12	1.7
R5V1500	177.60	1.8
R5V1600	189.60	1.9
R5V1630	189.60	1.9
R5V1650	189.60	2.0
R5V1700	201.60	2.0
R5V1710	202.92	2.0
R5V1800	214.80	2.1
R5V1900	226.56	2.2
R5V2000	239.04	2.4

5V Section (cont)

Belt Size	\$ Can. List Price Per Rib	Approx. Wgt. Per Rib (lbs.)
R5V2120	\$253.92	2.5
R5V2150	256.96	2.6
R5V2240	268.80	2.7
R5V2360	282.24	2.8
R5V2500	299.04	3.0
R5V2650	317.76	3.2
R5V2800	335.04	3.3
R5V3000	358.56	3.6
R5V3150	376.32	3.8
R5V3350	400.32	4.0
R5V3550	424.32	4.3

8V Section (cont)

Belt Size	\$ Can. List Price Per Rib	Approx. Wgt. Per Rib (lbs.)
R8V1320	\$298.56	4.4
R8V1400	316.80	4.6
R8V1500	339.84	4.9
R8V1600	362.40	5.2
R8V1650	375.60	5.4
R8V1700	388.80	5.6
R8V1800	409.92	5.9
R8V1900	433.44	6.3
R8V2000	456.96	6.6
R8V2120	485.28	6.9
R8V2240	511.68	7.0
R8V2300	524.88	7.4
R8V2360	538.08	7.8
R8V2400	550.00	8.0
R8V2500	569.76	8.3
R8V2550	581.26	8.4
R8V2650	604.32	8.7
R8V2700	616.98	9.0
R8V2800	639.84	9.2
R8V3000	685.44	9.8
R8V3150	720.48	9.9
R8V3300	755.40	10.8
R8V3350	767.04	11.1
R8V3550	812.64	11.7
R8V3600	824.28	11.9
R8V3750	859.20	12.4
R8V4000	918.72	13.2
R8V4250	978.24	14.0
R8V4500	1037.76	14.8
R8V4750	1097.28	15.6
R8V5000	1156.80	16.5
R8V5600	1299.84	18.4

8V Section

Belt Size	\$ Can. List Price Per Rib	Approx. Wgt. Per Rib (lbs.)
R8V1000	\$225.60	3.3
R8V1060	239.04	3.5
R8V1120	252.96	3.7
R8V1180	266.88	3.9
R8V1250	282.72	4.1

It is a common practice for belt suppliers to fill orders for banded V-belts by supplying separate bands that add up to the total number of ribs requested. Jason always supplies a one-piece banded V-belt up to the maximum number for a given belt section.

Variable speed V-belts

American Standard Sizes.


For drive applications with a speed change requirement, Jason offers standard American variable speed belts in widths from 3/4-inch through 3-7/8-inches. Pitch lengths are available in lengths from 21.5 inches to 192 inches. These include all of the recommended RMA sections, plus many more covering a broad range of applications.

These belts conform to RMA Engineering Standard IP-25.

The standard RMA numbering system specifies the belt width in sixteenths of an inch, the pulley V-groove angle in degrees and the belt pitch length in tenths of an inch. For example:



32 (32/16) 2 inches Width	36V (36 degrees) Sheave Angle	369 (369X.1) 36.9 inches Pitch Length
---	---	---



American Variable Speed V-Belts

Belt Size	\$ Can. List Price	Approx. Wgt. (lbs.)	Belt Size	\$ Can. List Price	Approx. Wgt. (lbs.)	Belt Size	\$ Can. List Price	Approx. Wgt. (lbs.)	Belt Size	\$ Can. List Price	Approx. Wgt. (lbs.)
1228V255	\$50.04	.28	1622V307	\$66.48	.47	1822V512	\$133.32	.92	1922V648	\$118.90	1.20
1230V341	66.90	.37	1622V336	72.78	.54	1822V534	139.66	.95	1922V651	120.00	1.21
1230V348	68.30	.38	1622V455	98.58	.74	1822V537	140.54	.96	1922V652	120.00	1.21
1330V242	51.44	.29	1622V520	106.66	.84	1822V551	144.58	.98	1922V666	120.16	1.23
1422V215	45.74	.27	1626V218	56.00	.41	1822V568	147.24	1.05	1922V686	121.20	1.37
1422V235	50.00	.29	1626V262	60.52	.43	1822V590	150.72	1.14	1922V691	121.56	1.38
1422V240	50.64	.29	1626V290	62.86	.50	1822V629	157.00	1.29	1922V706	122.60	1.40
1422V256	54.00	.29	1626V293	63.12	.51	1822V647	161.50	1.33	1922V721	126.84	1.33
1422V270	52.64	.32	1626V304	64.04	.54	1826V250	85.08	.56	1922V726	126.08	1.34
1422V290	54.28	.35	1626V330	69.04	.58	1828V368	95.96	.84	1922V751	128.88	1.39
1422V300	55.68	.36	1626V338	71.74	.60	1832V338	90.36	.73	1922V756	129.44	1.40
1422V330	57.96	.39	1626V339	72.08	.61	1922V250	79.68	.47	1922V791	137.54	1.54
1422V340	59.60	.40	1626V380	78.32	.61	1922V256	81.68	.48	1922V806	141.00	1.60
1422V350	60.14	.42	1626V384	80.32	.62	1922V277	82.60	.52	1922V844	150.38	1.67
1422V360	60.68	.43	1626V395	85.00	.56	1922V282	83.64	.53	1922V846	150.88	1.68
1422V400	61.60	.47	1626V411	86.68	.58	1922V292	84.04	.55	1922V891	162.12	1.77
1422V420	64.64	.50	1626V428	89.80	.70	1922V298	84.72	.56	1922V966	176.44	1.92
1422V440	65.56	.52	1626V440	92.00	.78	1922V300	85.76	.57	1922V1006	188.60	1.99
1422V460	66.16	.55	1626V455	96.44	.79	1922V302	85.76	.57	1922V1026	194.46	2.03
1422V466	67.24	.56	1626V513	101.76	.80	1922V321	88.52	.60	1922V1146	229.64	2.27
1422V470	67.24	.57	1626V517	101.76	.80	1922V328	89.70	.61	1922V1260	263.92	2.41
1422V480	68.00	.57	1626V550	116.82	.86	1922V332	90.36	.62	1926V249	98.08	.48
1422V520	70.40	.61	1626V597	138.32	.94	1922V333	90.36	.62	1926V250	98.08	.48
1422V540	77.40	.64	1626V604	141.50	.95	1922V338	91.24	.63	1926V273	99.28	.53
1422V600	84.72	.72	1626V626	146.66	1.00	1922V363	92.92	.68	1926V275	99.28	.53
1422V660	92.32	.75	1626V653	153.00	1.07	1922V371	93.66	.69	1926V294	100.04	.56
1422V720	99.16	.80	1626V658	153.00	1.10	1922V375	94.04	.70	1926V324	101.24	.60
1422V780	107.08	.82	1626V661	153.00	1.11	1922V381	94.60	.71	1926V333	101.60	.61
1426V298	55.00	.34	1626V700	159.84	1.12	1922V386	97.04	.75	1926V367	103.64	.68
1426V299	55.36	.34	1628V210	54.00	.29	1922V403	98.84	.76	1926V376	104.08	.76
1426V328	60.56	.37	1628V315	64.96	.55	1922V408	99.00	.76	1926V380	104.28	.80
1426V362	66.82	.41	1628V815	168.08	1.42	1922V417	99.16	.78	1926V390	104.96	.90
1430V215	41.32	.27	1632V210	54.00	.31	1922V420	99.42	.78	1926V407	107.24	.95
1430V315	60.54	.40	1632V220	54.00	.32	1922V426	99.92	.79	1926V415	109.34	.98
1430V375	72.06	.47	1632V250	60.00	.35	1922V433	100.56	.81	1926V425	101.98	1.02
1430V450	86.48	.57	1632V338	81.12	.47	1922V443	101.28	.83	1926V427	112.50	1.03
1430V500	96.12	.63	1822V207	54.00	.42	1922V454	102.52	.85	1926V507	116.94	1.19
1522V270	66.50	.40	1822V290	73.32	.57	1922V460	103.72	.86	1926V542	118.88	1.26
1524V301	74.14	.45	1822V312	77.48	.59	1922V481	105.00	.89	1930V215	59.40	.50
1526V264	65.04	.39	1822V320	79.00	.60	1922V484	105.40	.90	1930V355	98.08	.83
1526V294	72.42	.44	1822V328	80.16	.61	1922V486	105.48	.90	1930V366	101.86	.86
1528V298	73.42	.44	1822V338	83.06	.63	1922V526	107.08	.98	1930V375	104.96	.88
1528V326	80.32	.48	1822V400	100.96	.73	1922V544	109.52	1.01	1930V400	109.20	.93
1528V360	88.70	.53	1822V411	104.14	.75	1922V554	110.50	1.06	1930V425	110.88	.99
1528V414	102.00	.74	1822V434	110.78	.79	1922V604	113.92	1.12	1930V431	113.00	1.00
1622V210	45.50	.34	1822V458	117.72	.83	1922V630	115.76	1.17	1930V450	114.00	1.05
1622V270	58.48	.43	1822V509	132.44	.91	1922V646	118.16	1.20	1930V475	115.80	1.10
1622V297	64.32	.45									

American Variable Speed V-Belts (cont)



Belt Size	\$ Can. List Price	Approx. Wgt. (lbs.)	Belt Size	\$ Can. List Price	Approx. Wgt. (lbs.)	Belt Size	\$ Can. List Price	Approx. Wgt. (lbs.)	Belt Size	\$ Can. List Price	Approx. Wgt. (lbs.)
1930V485	\$116.40	1.12	2322V396	\$130.80	1.17	2530V335	\$111.60	1.02	2926V465	\$157.20	1.87
1930V491	116.60	1.12	2322V397	130.80	1.17	2530V434	120.00	1.70	2926V471	159.24	1.88
1930V500	133.52	1.20	2322V421	132.16	1.24	2530V470	143.88	1.93	2926V477	160.16	1.90
1930V507	133.52	1.20	2322V426	132.68	1.26	2530V490	146.36	2.01	2926V486	160.60	1.93
1930V530	133.52	1.23	2322V434	133.52	1.28	2530V500	147.92	2.05	2926V491	164.40	1.95
1930V541	136.84	1.25	2322V441	134.16	1.30	2530V510	149.48	2.09	2926V492	164.40	1.95
1930V560	138.40	1.30	2322V461	134.60	1.36	2530V530	152.60	2.17	2926V513	167.30	2.04
1930V585	134.32	1.36	2322V481	136.60	1.42	2530V550	164.72	2.25	2926V521	168.36	2.07
1930V591	137.12	1.37	2322V486	137.10	1.44	2530V560	171.76	2.32	2926V534	169.40	2.12
1930V600	146.00	1.39	2322V521	140.60	1.53	2530V575	175.28	2.35	2926V546	170.36	2.17
1930V604	146.38	1.40	2322V541	143.00	1.59	2530V595	180.68	2.43	2926V551	171.10	2.19
1930V630	148.82	1.46	2322V601	149.52	1.76	2530V600	181.68	2.45	2926V570	173.86	2.26
1930V641	149.84	1.48	2322V604	150.00	1.77	2530V610	183.68	2.49	2926V574	174.44	2.28
1930V670	158.14	1.49	2322V621	153.16	1.82	2530V618	187.00	2.50	2926V586	177.64	2.32
1930V691	164.16	1.50	2322V661	157.28	1.94	2530V630	189.96	2.57	2926V591	178.18	2.34
1930V710	169.48	1.57	2322V667	158.00	1.95	2530V660	197.36	2.67	2926V598	178.92	2.37
1930V750	180.68	1.73	2322V681	160.44	2.01	2530V670	201.52	2.73	2926V606	179.76	2.40
1930V791	191.08	1.82	2322V701	163.48	2.05	2530V675	204.24	2.76	2926V610	181.34	2.42
1930V800	194.12	1.82	2322V721	165.32	2.11	2530V680	206.64	2.78	2926V613	182.52	2.43
1930V850	211.00	1.83	2322V801	171.52	2.34	2530V690	211.44	2.82	2926V616	182.52	2.44
1930V891	224.84	1.84	2322V826	176.88	2.42	2530V700	212.52	2.86	2926V636	184.32	2.52
1930V900	228.68	1.88	2322V846	179.60	2.47	2530V710	213.16	2.90	2926V646	185.84	2.56
1930V950	250.02	2.10	2322V886	184.04	2.47	2530V730	228.92	2.98	2926V666	190.28	2.64
1930V991	267.52	2.28	2322V921	188.76	2.71	2530V740	232.96	3.02	2926V686	193.16	2.72
1930V1000	324.00	2.53	2322V964	192.16	2.82	2530V750	248.44	3.06	2926V689	193.36	2.71
1930V1006	328.82	2.54	2322V984	195.16	2.88	2530V790	270.40	3.22	2926V706	194.52	2.80
1930V1091	316.76	2.51	2322V1001	197.72	2.94	2530V800	273.82	3.25	2926V709	195.26	2.81
1930V1120	340.06	2.58	2322V1061	204.88	3.12	2530V840	286.92	3.42	2926V726	199.40	2.87
1930V1191	397.12	2.74	2322V1271	238.48	3.68	2530V850	290.84	3.46	2926V730	199.86	2.89
1934V371	103.00	.88	2322V1721	322.92	4.98	2530V890	307.52	3.62	2926V750	202.16	2.97
2026V422	98.08	.84	2326V310	116.36	.79	2530V934	329.36	3.81	2926V776	205.16	3.07
2026V445	101.44	.89	2326V359	119.08	.92	2530V990	351.80	4.02	2926V786	209.72	3.11
2026V474	105.72	.96	2326V372	123.40	.95	2530V1090	401.04	4.42	2926V834	214.16	3.28
2026V607	152.94	1.15	2326V373	123.40	.96	2530V1095	405.54	4.44	2926V856	216.88	3.38
2026V645	166.50	1.20	2326V384	127.04	.99	2530V1187	487.44	4.83	2926V891	221.16	3.51
2028V315	101.60	.59	2326V396	131.00	1.02	2530V1190	488.52	4.84	2926V905	228.60	3.57
2028V447	104.96	.84	2330V273	87.44	.56	2530V1250	510.00	5.10	2926V906	228.60	3.57
2030V381	112.76	.93	2330V336	108.60	.69	2530V1290	552.68	5.23	2926V921	230.40	3.63
2032V624	140.80	1.80	2330V338	108.60	.69	2530V1490	713.00	6.08	2926V966	236.80	3.80
2032V672	151.64	1.94	2330V359	119.12	.73	2530V1690	818.72	6.89	2926V1006	240.92	3.98
2042V1035	249.90	2.74	2330V411	135.00	1.04	2626V369	163.36	1.25	2926V1026	254.00	4.05
2126V297	102.76	.57	2330V537	173.52	1.80	2626V388	182.20	1.27	2926V1046	256.42	4.13
2126V307	106.92	.59	2330V607	196.08	2.03	2630V345	137.64	1.09	2926V1086	261.28	4.28
2126V309	106.92	.59	2330V647	209.10	2.17	2630V395	157.58	1.25	2926V1106	267.20	4.36
2126V365	110.72	.88	2330V681	220.06	2.28	2636V332	134.92	1.17	2926V1146	280.32	4.52
2126V377	114.86	.95	2330V686	221.66	2.30	2822V778	271.32	3.03	2926V1276	312.10	4.99
2126V468	146.16	1.45	2330V698	225.54	2.34	2826V352	132.16	1.38	2930V348	156.00	1.32
2126V492	153.66	1.52	2330V899	290.50	3.01	2826V412	154.68	1.62	2930V420	160.20	1.59
2126V571	178.32	1.77	2332V273	106.26	.77	2826V452	167.32	1.80	2930V492	164.40	1.85
2126V650	203.00	2.01	2332V338	143.94	.95	2830V328	113.02	1.10	3028V386	165.20	1.60
2126V689	215.18	2.13	2332V373	158.84	1.05	2830V337	116.16	1.13	3030V357	152.38	1.49
2130V374	123.08	.75	2332V545	223.32	1.53	2830V363	121.36	1.02	3030V377	160.92	1.57
2226V276	98.08	.63	2422V570	166.80	2.24	2830V366	121.96	1.03	3030V387	165.20	1.59
2226V307	88.20	.70	2426V331	118.16	1.08	2830V367	122.16	1.03	3036V351	149.82	1.46
2230V266	82.28	.60	2426V343	122.44	1.13	2830V393	127.44	1.10	3222V434	254.44	1.96
2230V270	98.00	.56	2426V350	124.94	1.15	2830V396	127.96	1.10	3226V392	241.68	1.73
2230V273	98.08	.58	2428V345	123.16	1.13	2830V422	157.72	1.18	3226V395	244.40	1.79
2230V275	98.08	.62	2428V355	123.16	1.13	2830V428	158.16	1.19	3226V400	242.44	1.82
2230V276	98.08	.62	2428V707	199.40	2.11	2830V492	165.36	1.52	3226V432	254.44	1.96
2230V285	101.64	.63	2428V757	208.80	2.20	2830V567	173.80	1.91	3226V433	254.44	1.96
2230V326	114.00	.69	2428V806	218.00	2.31	2830V646	181.38	2.20	3226V434	254.44	1.96
2230V375	129.28	.75	2430V297	187.68	.80	2830V666	187.00	2.26	3226V439	258.56	1.98
2230V422	150.50	.87	2430V302	188.08	.82	2830V670	188.12	2.27	3226V450	260.32	2.00
2230V630	165.42	1.64	2430V319	189.44	.90	2836V300	154.20	1.16	3226V465	261.76	2.10
2230V890	184.04	2.59	2430V345	190.48	.93	2836V343	176.56	1.29	3226V505	264.48	2.28
2322V273	104.98	.88	2430V354	195.46	.95	2836V350	182.04	1.39	3226V514	268.76	2.40
2322V310	119.22	1.00	2430V379	209.26	1.01	2836V361	182.04	1.44	3226V545	271.92	2.46
2322V329	126.52	1.06	2430V445	245.70	1.18	2836V380	184.04	1.50	3226V585	277.28	2.64
2322V347	128.36	1.08	2436V331	135.80	.91	2922V779	205.16	3.07	3226V603	283.04	2.72
2322V364	128.84	1.10	2436V333	135.80	.91	2926V364	156.52	1.47	3226V643	283.52	2.81
2322V372	129.50	1.12	2526V302	186.00	.90	2926V366	156.52	1.47	3226V650	283.60	2.82
2322V373	129.50	1.12	2526V314	187.68	.95	2926V400	157.28	1.60	3226V663	283.96	2.98
2322V384	130.00	1.14	2530V300	109.36	.81	2926V426	158.64	1.70	3226V690	289.28	3.10
			2530V309	109.40	.84	2926V452	159.00	1.84	3226V723	295.80	3.24
			2528V370	204.30	.99	2926V456	154.16	1.86	3226V783	312.08	3.52

American Variable Speed V-Belts (cont)

Belt Size	\$ Can. List Price	Approx. Wgt. (lbs.)
3226V834	\$335.90	3.69
3226V843	336.88	3.78
3226V903	359.08	4.04
3226V963	384.32	4.32
3226V973	388.00	4.41
3226V1023	408.20	4.83
3226V1027	409.80	4.85
3226V1083	431.92	5.11
3230V419	264.64	1.98
3230V481	265.96	2.41
3230V528	270.00	3.02
3230V553	279.40	3.12
3230V560	279.40	3.15
3230V585	281.50	3.27
3230V600	283.40	3.30
3230V613	285.40	3.34
3230V621	287.62	3.41
3230V630	290.12	3.48
3230V644	294.00	3.60
3230V670	299.16	3.82
3230V690	303.80	3.94
3230V701	304.54	4.02
3230V710	308.44	3.80
3230V750	313.12	4.10
3230V771	314.50	4.34
3230V800	316.42	4.68
3230V821	317.80	4.92
3230V850	320.16	5.09
3230V871	328.06	5.22
3230V900	339.00	5.39
3230V1120	421.86	6.71
3230V1180	444.46	7.06
3230HV528	262.04	4.05
3230HV546	268.60	4.12
3230HV553	271.16	4.15
3230HV570	272.24	4.27
3230HV585	273.60	4.55
3230HV603	275.40	4.71
3230HV613	276.40	4.80
3230HV620	279.84	4.48
3230HV626	281.83	4.89
3230HV644	287.76	5.05
3230HV656	289.34	5.16
3230HV670	291.20	5.28
3230HV685	293.84	5.40
3230HV702	296.84	5.53
3230HV723	300.54	5.69
3230HV821	317.80	6.46
3230HV856	369.44	6.70
3230HV931	404.64	7.33
3230HV960	417.24	7.56
3230HV1060	460.70	8.35
3236V342	183.36	1.63
3236V369	194.68	1.71
3236V389	206.08	2.13
3236HV389	206.08	2.84
3236V432	227.10	2.19
3236V552	285.68	2.35
3236V557	286.36	2.37
3236V569	287.98	2.40
3236V584	290.00	2.45
3236V643	294.00	3.08
3236V664	303.62	3.14
3236V903	412.86	3.87
3326V478	276.04	2.08
3428V451	265.28	2.10
3430V424	265.28	1.96
3430V445	265.28	2.07
3430V450	265.28	2.10
3430V456	266.08	2.14
3430V476	268.74	2.25
3430V480	269.26	2.28
3430V484	269.80	2.30
3430V493	271.12	2.37
3430V510	273.60	2.49
3430V528	283.26	2.58

Belt Size	\$ Can. List Price	Approx. Wgt. (lbs.)
3432V450	\$265.32	2.16
3432V456	266.00	2.27
3432V480	269.80	2.26
3432V484	269.80	2.29
3432V510	272.78	2.41
3432V528	274.84	2.50
3432V534	277.96	2.53
3432V814	423.72	3.86
3626V556	354.66	3.07
3630V455	290.24	2.51
3636V479	297.48	2.77
3726V558	333.90	2.75
3826V459	332.50	2.71
3826V465	336.88	2.75
3830V501	367.56	3.25
3830V510	374.16	3.31
3830V515	375.60	3.34
3830V517	375.80	3.36
3830V580	391.16	3.76
3830V587	393.00	3.52
3836V418	252.92	2.18
3836V426	255.04	2.22
3836V465	257.56	2.50
3836V515	260.80	2.85
3836V580	265.00	3.31
3836V654	269.80	3.84
3836V734	294.28	4.31
3836V794	318.34	4.66
4030V538	359.56	3.83
4030V590	394.32	4.20
4030V970	648.28	6.91
4034V1000	610.64	7.17
4036V541	300.96	3.97
4036V574	459.52	4.02
4230V503	361.08	3.32
4230V526	377.60	3.47
4230V556	379.60	3.66
4230V605	397.12	4.11
4230V653	428.62	4.43
4234V998	623.24	7.14
4330V521	372.36	3.42
4330V750	536.20	4.92
4430V455	253.34	3.61
4430V510	286.36	4.05
4430V530	288.56	4.20
4430V548	292.80	4.34
4430V555	294.44	4.40
4430V560	302.24	4.44
4430V570	317.84	4.51
4430V576	321.04	4.58
4430V578	321.04	4.58
4430V600	339.80	4.75
4430V610	346.60	4.82
4430V615	349.90	4.86
4430V618	349.90	4.86
4430V630	359.76	4.98
4430V652	367.64	5.15
4430V660	370.52	5.21
4430V670	379.76	5.29
4430V690	387.64	5.44
4430V700	394.80	5.52
4430V710	400.00	5.60
4430V718	405.00	5.66
4430V730	410.64	5.76
4430V740	414.92	5.84
4430V750	418.92	5.91
4430V760	422.92	5.99
4430V767	424.20	6.02
4430V772	425.12	6.05
4430V780	429.96	6.11
4430V790	435.48	6.23
4430V799	473.76	6.30
4430V800	473.76	6.30
4430V850	470.04	6.69
4430V900	506.04	6.90

Belt Size	\$ Can. List Price	Approx. Wgt. (lbs.)
4430V910	\$507.04	7.16
4430V930	517.84	7.40
4430V950	529.00	7.52
4430V970	540.12	7.63
4430V1000	592.40	7.86
4430V1030	610.18	8.09
4430V1060	612.12	8.30
4430V1090	612.12	8.56
4430V1120	649.02	8.79
4430V1150	685.92	9.02
4430V1180	705.26	9.29
4430V1250	750.40	9.91
4430V1320	799.56	10.31
4430V1410	855.04	10.55
4430V1460	885.36	10.70
4430V1610	988.44	12.04
4430V1810	1088.00	13.40
4430V1917	1152.32	14.19
4436V329	181.60	2.49
4436V525	305.24	4.31
4436V551	311.64	4.30
4436V555	313.60	4.42
4436V561	316.52	4.60
4436V570	328.92	4.67
4436V576	337.20	4.72
4436V581	340.12	4.76
4436V646	452.32	5.03
4436V714	500.72	5.61
4626V596	534.60	5.26
4626V599	537.30	5.26
4626V659	591.12	5.79
4630V602	452.86	6.08
4630V650	488.96	6.57
4630V663	499.60	6.69
4630V668	499.60	6.75
4630V680	506.68	6.76
4630V683	508.44	6.77
4630V733	565.92	7.39
4630V1070	758.04	8.75
4632V612	542.10	6.32
4632V659	583.74	6.80
4632V680	602.34	6.98
4632V722	639.56	7.25
4636V612	482.12	7.20
4636V613	482.90	7.20
4830V602	424.32	5.57
4830V614	428.28	5.68
4830V653	441.20	6.04
4830V663	444.24	6.18
4830V683	450.34	6.30
4830V692	453.40	6.39
4830V699	456.72	6.46
4830V730	476.80	6.74
4830V750	490.64	6.92
4830V800	521.36	7.38
4830V850	552.08	7.83
4830V970	644.72	8.92
4830V1000	744.20	9.83
4830V1070	796.30	10.52
4836V588	423.56	5.34
4836V608	424.80	5.52
4836V618	430.72	5.54
4836V642	436.52	5.75
4836V655	442.72	5.85
4836V659	446.08	5.90
4836V670	450.36	5.99
4836V700	458.84	6.22
4836V710	458.84	6.35
4836V729	476.04	6.54
4836V750	486.04	6.75
4836V789	521.52	7.02
4836V800	523.48	7.16
4836V850	554.08	7.65
4836V900	595.80	8.05

Belt Size	\$ Can. List Price	Approx. Wgt. (lbs.)
4836V950	\$630.24	8.50
4836V1000	671.20	9.75
4836V1060	712.16	10.34
4836V1120	761.32	10.93
4836V1180	801.52	11.52
4836V1250	858.04	12.20
4932V722	822.96	8.00
5126V938	955.68	9.75
5130V732	868.44	8.44
5130V784	896.56	9.02
5130V787	898.20	9.05
5130V799	911.90	9.19
5228V930	925.32	11.04
5230V652	830.08	7.85
5230V662	833.58	7.94
5230V734	858.84	8.62
5230V737	858.84	8.62
5230V738	858.84	8.62
5230V867	912.04	10.16
5230V868	912.04	10.16
5230V928	950.00	10.59
5320V738	880.12	8.84
5428V959	1085.16	9.41
5430V783	886.00	8.90
5636V749	931.48	8.88
5636V750	931.48	8.88
5636V774	947.52	9.16
5636V845	985.56	10.04
5830V737	874.68	9.32
5830V756	897.22	9.94
5836V737	874.68	9.60
5836V787	934.02	10.25
6036V761	798.36	9.17
6036V849	891.72	10.25
6036V850	891.72	10.25
6136V751	865.84	9.75
6136V756	874.60	9.80
6236V694	785.58	9.33
6236V725	820.68	9.75
6236V762	828.76	10.25
6236V785	842.28	10.54
6236V792	849.80	10.63
6236V849	891.72	11.38
6236V905	943.28	12.13
6236V969	991.48	12.97
6236V1009	1023.88	13.50
6236V1321	1181.48	17.48



Metric sizes variable speed belts



ISO R1604 metric variable speed belts are identified as follows:

Pitch length (LW), Letter "W", Width at pitch
450 W 16

Dimensions are: 17mm Top width
6mm Thickness
460mm Outside length (LA)

Use following chart to identify ISO R1604 standard

Section:	W16	W20	W25	W31.5	W40	W50	W63	W80	W100
Top width:	17	21	26	33	42	52	65	83	104
Thickness:	6	7	8	10	13	16	20	25	32
Angle:	26	26	26	26	30	30	30	30	30

To obtain LA

Add this to LW: 10 11 12 16 21 25 30 40 50

LW = Pitch length, LA = Outside length

Jason has an extensive selection of metric variable speed belts. They are available in two standards ISO R1604 and European. The dimensions available are from 13mm to 70mm top widths and 450mm to 4000mm pitch lengths.

ISO Variable Speed V-Belts (R1604 Standards)

ISO std Belt No.	\$ Can. List Price	Approx. Weight (lbs.)	ISO std Belt No.	\$ Can. List Price	Approx. Weight (lbs.)	ISO std Belt No.	\$ Can. List Price	Approx. Weight (lbs.)	ISO std Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
450W16	\$57.32	.113	1060W20	\$93.36	.424	1160W40	\$178.30	1.63	1160W40	\$178.30	1.63
500W16	59.28	.125	1120W20	96.32	.448	1180W40	180.06	1.65	1180W40	180.06	1.65
560W16	61.94	.140	1150W20	97.74	.568	1210W40	182.72	1.69	1210W40	182.72	1.69
600W16	63.20	.148	1210W20	100.58	.484	1240W40	185.38	1.74	1240W40	185.38	1.74
630W16	66.34	.157	1250W20	102.48	.500	1250W40	186.26	1.75	1250W40	186.26	1.75
670W16	67.44	.167	1300W20	106.58	.520	1260W40	187.14	1.76	1260W40	187.14	1.76
			1325W20	108.62	.530	1310W40	191.54	1.83	1310W40	191.54	1.83
710W16	68.54	.178	1350W20	110.68	.540	1320W40	192.42	1.85	1320W40	192.42	1.85
730W16	70.00	.185	1375W20	112.72	.550	1400W40	199.46	1.96	1400W40	199.46	1.96
750W16	70.72	.189	1400W20	114.78	.560	1450W40	205.30	2.03	1450W40	205.30	2.03
800W16	72.52	.200	1425W20	116.82	.570	1460W40	206.46	2.04	1460W40	206.46	2.04
850W16	74.72	.210	1450W20	118.88	.580	1475W40	208.22	2.07	1475W40	208.22	2.07
900W16	76.92	.225	1475W20	120.92	.590	1500W40	211.14	2.10	1500W40	211.14	2.10
950W16	79.14	.237	1500W20	122.98	.600	1525W40	212.68	2.14	1525W40	212.68	2.14
			1525W20	125.02	.610	1550W40	214.24	2.17	1550W40	214.24	2.17
1000W16	81.34	.250	1550W20	127.08	.620	1560W40	214.84	2.18	1560W40	214.84	2.18
1060W16	85.34	.260	1575W20	129.12	.630	1575W40	215.78	2.21	1575W40	215.78	2.21
1100W16	86.72	.267	1600W20	131.18	.640	1600W40	217.32	2.24	1600W40	217.32	2.24
1175W16	89.50	.280				1660W40	222.72	2.32	1660W40	222.72	2.32
1180W16	89.50	.280	560W25	78.56	.296	1700W40	226.32	2.38	1700W40	226.32	2.38
1200W16	91.02	.285	630W25	84.48	.333	1800W40	234.94	2.52	1800W40	234.94	2.52
1250W16	94.80	.297	670W25	85.88	.354	2000W40	252.60	2.80	2000W40	252.60	2.80
1300W16	98.60	.309	695W25	86.76	.367	2240W40	273.74	3.14	2240W40	273.74	3.14
1375W16	104.30	.326	710W25	87.28	.375	2500W40	296.66	3.50	2500W40	296.66	3.50
1400W16	106.20	.332	720W25	87.84	.380				1250W50	244.92	2.64
1425W16	108.10	.338	740W25	88.96	.390	1320W50	253.02	2.74	1320W50	253.02	2.74
1450W16	110.00	.344	750W25	89.52	.396	1400W50	262.28	2.83	1400W50	262.28	2.83
1475W16	111.88	.350	790W25	91.78	.417	1480W50	271.44	2.99	1480W50	271.44	2.99
1500W16	113.78	.356	800W25	92.34	.422	1600W50	285.20	3.24	1600W50	285.20	3.24
1525W16	115.66	.362	820W25	93.44	.433	1680W50	294.54	3.40	1680W50	294.54	3.40
1550W16	117.56	.368	840W25	94.54	.443	1800W50	308.56	3.65	1800W50	308.56	3.65
1575W16	119.46	.374	850W25	95.10	.449	1880W50	317.92	3.81	1880W50	317.92	3.81
1600W16	121.36	.380	890W25	97.30	.470	2000W50	331.94	4.05	2000W50	331.94	4.05
			900W25	97.86	.475	2080W50	341.20	4.21	2080W50	341.20	4.21
560W20	69.00	.224	940W25	100.06	.496	2240W50	359.72	4.54	2240W50	359.72	4.54
580W20	69.94	.232	950W25	100.62	.502	2320W50	368.94	4.70	2320W50	368.94	4.70
630W20	72.28	.252	975W25	102.00	.515	2500W50	389.68	5.07	2500W50	389.68	5.07
640W20	72.78	.256	990W25	102.82	.523	2800W50	424.52	5.68	2800W50	424.52	5.68
670W20	74.28	.268	1000W25	103.38	.528	3150W50	465.06	6.39	3150W50	465.06	6.39
			1040W25	105.58	.549				1600W63	396.74	5.11
710W20	76.26	.284	1060W25	106.68	.560	1800W63	429.34	5.75	1800W63	429.34	5.75
730W20	77.24	.292	1100W25	108.86	.581	2000W63	461.54	6.38	2000W63	461.54	6.38
750W20	78.22	.300	1120W25	109.96	.592	2240W63	500.30	7.16	2240W63	500.30	7.16
800W20	80.66	.320	1160W25	112.20	.613	2500W63	542.20	7.99	2500W63	542.20	7.99
830W20	82.12	.332	1220W25	115.58	.644	2800W63	590.26	8.94	2800W63	590.26	8.94
850W20	83.10	.340	1250W25	117.26	.660	3150W63	647.10	10.06	3150W63	647.10	10.06
880W20	84.54	.352	1300W25	120.04	.686	3550W63	711.48	11.40	3550W63	711.48	11.40
900W20	85.52	.360	1320W25	121.16	.697	4000W63	784.20	12.77	4000W63	784.20	12.77
930W20	86.98	.372	1350W25	122.84	.713	1800W80	545.20	8.70	1800W80	545.20	8.70
950W20	87.96	.380	1375W25	124.22	.726	2240W80	732.62	10.70	2240W80	732.62	10.70
980W20	89.40	.392	1400W25	125.62	.739				2500W80	794.34	11.94
1000W20	90.38	.400				810W40	147.64	1.14	2800W80	865.30	13.37
						860W40	152.02	1.21	3150W80	947.74	15.05
						900W40	155.52	1.26	3550W80	1042.54	16.96
						910W40	156.38	1.28	4000W80	1148.30	19.12
						960W40	160.76	1.28	2800W100	1309.22	17.30
						990W40	163.38	1.39	3150W100	1434.84	19.50
						1010W40	165.14	1.42	3550W100	1578.10	22.10
						1030W40	166.90	1.45	4000W100	1739.02	24.70
						1060W40	169.52	1.49			
						1080W40	171.26	1.51			
						1100W40	173.02	1.54			
						1110W40	173.90	1.56			
						1120W40	174.76	1.57			

Metric sizes variable speed belts (cont)




European standard metric variable speed belts are identified as follows

Top Width x Thickness x Inside Length (LI)
22 x 8 x 500

Use the following chart to identify European Standard.

Outside Length (LA) minus following chart equals inside length

Top Width:	22	28	28	36	46	54	70
Thickness:	8	8	10	10	13	16	20
Angle:	26	26	26	30	30	30	30
Minus Chart:	50	50	63	63	82	101	126



*European Variable Speed V-Belts Metric Sizes 22 x 8mm

Inside Length (mm)	Pitch Length (mm)	\$ Can. List Price
485	520	\$73.42
500	540	73.42
525	560	74.42
550	590	75.98
560	600	77.14
565	600	77.14
575	610	77.14
600	640	78.72
610	650	79.18
625	660	79.86
630	670	80.14
650	690	81.28
675	710	82.42
700	740	83.98
725	760	85.14
729	764	85.42
750	790	86.58
775	810	87.98
800	840	89.28
830	870	90.82
850	890	91.86
880	920	93.50
900	940	94.58
950	990	97.00
972	1007	98.14
981	1016	98.60
1000	1040	99.58
1060	1100	103.00
1082	1117	104.10
1120	1160	106.00
1135	1170	106.80
1150	1190	107.58
1160	1200	108.10
1180	1220	109.14
1185	1220	109.38
1225	1260	111.28
1250	1290	112.84
1320	1360	116.58
1400	1440	120.72
1500	1540	126.14
1600	1640	131.14
1700	1740	136.42
1800	1840	141.72
1900	1940	147.00
2000	2040	152.28

28 x 8mm

Inside Length (mm)	Pitch Length (mm)	\$ Can. List Price
525	560	\$81.14
550	590	82.86
575	610	84.28
600	640	85.70
625	660	86.86
650	690	88.58
670	710	89.60
675	710	89.86
700	740	91.30
750	790	94.14
800	840	97.14
850	890	100.00
900	940	102.72
950	990	105.58
1000	1040	108.42
1060	1100	112.00
1120	1160	115.28
1180	1220	118.86
1250	1290	122.72
1320	1360	126.72
1350	1390	128.48
1400	1440	131.42
1450	1490	134.28
1500	1540	137.14
1600	1640	142.86
1700	1740	148.58
1800	1840	154.28
1900	1940	160.00
2000	2040	165.72
2120	2160	172.58
2240	2280	182.34
2500	2540	203.52

28 x 10mm


Inside Length (mm)	Pitch Length (mm)	\$ Can. List Price
750	800	\$103.86
800	950	106.86
850	900	110.14
900	950	113.28
950	1000	116.42
1000	1050	119.42
1060	1110	123.14
1120	1170	127.00
1180	1230	130.72
1250	1300	135.14
1320	1370	139.58
1400	1450	144.58
1500	1550	150.72
1600	1650	157.00
1700	1750	163.28
1800	1850	169.42
1900	1950	175.72
2000	2050	181.98

36 x 10mm

Inside Length (mm)	Pitch Length (mm)	\$ Can. List Price
600	650	\$106.28
625	670	107.58
650	700	109.72
675	720	111.14
700	750	113.28
725	770	114.58
750	800	116.86
800	850	121.48
850	900	123.72
900	950	127.14
950	1000	130.72
1000	1050	134.28
1060	1110	138.42
1120	1170	142.86
1180	1230	146.86
1250	1300	151.86
1320	1370	156.72
1400	1450	162.42
1500	1550	169.42
1600	1650	176.58
1700	1750	183.58
1800	1850	190.42
1900	1950	197.42
2000	2050	204.58
2120	2170	213.14
2240	2290	221.28

* European Variable Speed also available in the following sections
 13x5, 20x10, 30x10, 35x12, 37x10, 47x13, 50x14, 55x16.

Metric sizes variable speed belts (cont)



*European Variable Speed V-Belts Metric Sizes (cont.)

46 x 13mm

Inside Length (mm)	Pitch Length (mm)	\$ Can. List Price
795	855	\$160.04
845	905	164.86
870	930	167.06
895	955	169.48
945	1005	174.12
995	1055	178.74
1025	1085	181.64
1055	1115	184.26
1115	1175	189.96
1140	1200	192.44
1175	1235	195.52
1190	1250	197.06
1245	1305	202.12
1265	1325	204.08
1315	1375	208.70
1395	1455	216.24
1430	1490	219.32
1495	1555	225.26
1560	1620	231.42
1595	1655	234.52
1635	1695	238.48
1695	1755	244.20
1735	1795	247.74
1750	1610	248.06
1795	1855	253.46
1895	1955	262.70
1915	1975	264.48
2000	2060	272.42
2060	2120	278.14
2120	2180	283.88
2210	2270	292.26
2240	2300	294.92
2360	2420	306.38
2400	2460	309.88
2500	2560	319.14
2800	2860	347.38

54 x 16mm

Inside Length (mm)	Pitch Length (mm)	\$ Can. List Price
1180	1255	\$251.72
1250	1325	260.08
1320	1375	266.26
1400	1475	278.14
1500	1575	290.06
1600	1675	301.98
1800	1875	325.78
2000	2075	349.58
2240	2320	378.66

70 x 20mm

Inside Length (mm)	Pitch Length (mm)	\$ Can. List Price
1320	1415	\$389.22
1400	1495	402.92
1500	1595	420.08
1575	1635	432.74
1600	1695	436.86
1700	1795	454.02
1800	1895	471.22
1900	1995	488.42
2000	2090	504.28
2065	2160	516.62
2120	2210	525.00
2240	2330	545.74
2360	2450	566.00
2500	2590	589.80
2800	2890	641.40
3150	3240	700.88
3210	3300	711.48
3260	3350	719.86
3520	3610	764.36

ASYMETRICAL VARIABLE SPEED BELTS FOR SCHLAFHORST OPEN END SPINNING MACHINES


SIZE	\$ CAN. LIST PRICES
52x17x1800 PL	\$507.32
52x17x2120 PL	615.64
57x20x2120 PL	737.94
57x20x2400 PL	835.40
57x20x2560 PL	891.10

VARIABLE SPEED BELTS FOR EURODRIVE UNITS

UNIT	RATIO	PART	ORDER BELT	\$ CAN. LIST PRICES
VU1	4/1	00108855	25x8x680 LI	\$219.20
VU1	6/1 - 8/1	00108782	25x8x655 LI	218.66
VU2	4/1	00109088	32x10x820 LI	260.66
VU2	6/1 - 8/1	00109010	32x10x790 LI	254.76
VU3	4/1	00109282	40x13x1040 LI	409.86
VU3	6/1 - 8/1	00109223	40x13x1000 LI	373.24
VU4	4/1 - 6/1	00109401	52x16x1180 LI	581.66
VU5	4/1 - 6/1	00109630	70x19x1445 LI	1013.26
VU6	3/1	00122122	75x18x1980 LI	1156.70
VU6	4/1	00122144	75x23x1900 LI	1111.78

* European Variable Speed also available in the following sections
13x5, 20x10, 30x10, 35x12, 37x10, 47x13, 50x14, 55x16.

Multi-rib V-belts



Where a broad range of speed ratios (up to 40 to 1) is required, multi-rib V-belts are often recommended. Belt turnover is eliminated. Additionally, multi-rib V-belts offer greater flexibility than banded V-belts for smaller pulley diameters and more compact drives. Complete belt rib to pulley groove contact gives more power transmission in less space. Multi-rib V-belts are also available with a urethane construction on special order. For K section automotive and other sizes not listed, consult our main office.

These belts conform to RMA Engineering Standard IP-26.

Multi-rib V-belts are specified by the **effective length** in inches multiplied by 10 and the number of ribs. For example: **445J6**.

Special Constructions - Consult Jason for prices

- Additional Cover Rubber (Max. 1/8")
- Ground Top or Ribs (Max. 10" Width)
- Non-Marking

J Section Multi-Rib V-Belts (3/32-inch Rib Width, 5/32-inch Thick)

Size inch	mm	\$ Can. List Price Per Rib	Size inch	mm	\$ Can. List Price Per Rib	Size inch	mm	\$ Can. List Price Per Rib	Size inch	mm	\$ Can. List Price Per Rib
R80J	R203J	\$6.30	R280J	R711J	\$2.94	R460J	R1168J	\$3.80	R650J	R1651J	\$4.96
R90J	R229J	6.30	R285J	R723J	3.16	R470J	R1194J	4.24	R655J	R1663J	5.14
R95J	R241J	6.30	R290J	R737J	3.16	R480J	R1219J	4.24	R670J	R1702J	5.14
R100J	R254J	6.30	R300J	R762J	3.16	R490J	R1244J	4.24	R690J	R1752J	5.20
R110J	R279J	6.30	R320J	R813J	3.30	R500J	R1270J	4.30			
R120J	R305J	6.30	R330J	R838J	3.34	R505J	R1280J	4.32	R700J	R1778J	5.26
R130J	R330J	6.30	R340J	R864J	3.38	R510J	R1295J	4.32	R730J	R1854J	5.46
R140J	R356J	6.30	R350J	R889J	3.46	R520J	R1321J	4.32	R750J	R1910J	5.62
R150J	R381J	2.40	R360J	R914J	3.52	R530J	R1355J	4.46	R760J	R1930J	5.62
R160J	R406J	2.40	R380J	R965J	3.52	R540J	R1372J	4.46	R770J	R1956J	5.66
R170J	R432J	2.52							R775J	R1965J	5.70
R180J	R457J	2.52	R390J	R990J	3.60	R550J	R1397J	4.46	R780J	R1981J	5.70
R190J	R483J	2.60	R400J	R1016J	3.68	R560J	R1428J	4.68	R785J	R1995J	5.80
R200J	R508J	2.66	R415J	R1054J	3.72	R575J	R1461J	4.68	R795J	R2019J	5.80
R220J	R559J	2.72	R430J	R1092J	3.74	R580J	R1473J	4.68	R820J	R2083J	5.92
			R435J	R1105J	3.80	R610J	R1549J	4.82			
R230J	R584J	2.76							R870J	R2210J	6.18
R240J	R610J	2.80	R440J	R1123J	3.80	R625J	R1588J	4.94	R890J	R2261J	6.32
R260J	R660J	2.88	R445J	R1130J	3.80	R630J	R1600J	4.94	R900J	R2296J	6.40
R270J	R686J	2.92	R450J	R1150J	3.80	R640J	R1626J	4.96	R920J	R2337J	6.54
									R980J	R2489J	7.40

L Section Multi-Rib V-Belts (3/16-inch Rib Width, 3/8-inch Thick)

Size inch	mm	\$ Can. List Price Per Rib	Size inch	mm	\$ Can. List Price Per Rib	Size inch	mm	\$ Can. List Price Per Rib	Size inch	mm	\$ Can. List Price Per Rib
R375L	R954L	\$14.40	R565L	R1435L	\$15.40	R795L	R2020L	\$19.22	R1180L	R2997L	\$27.50
R390L	R991L	14.40	R580L	R1473L	15.64	R815L	R2070L	19.44	R1215L	R3086L	28.22
R410L	R1041L	14.40	R590L	R1499L	15.80	R825L	R2096L	19.80	R1230L	R3124L	28.86
R425L	R1075L	14.62	R615L	R1562L	16.20	R840L	R2134L	20.16	R1295L	R3289L	29.58
R460L	R1168L	14.62	R635L	R1613L	16.48	R865L	R2197L	20.52	R1310L	R3327L	30.02
R470L	R1194L	14.68	R650L	R1651L	16.76	R880L	R2235L	20.94	R1375L	R3492L	32.52
R480L	R1219L	14.74	R655L	R1664L	16.84	R915L	R2324L	21.60	R1455L	R3696L	35.78
R500L	R1270L	14.82	R675L	R1715L	17.06	R930L	R2362L	21.90	R1595L	R4051L	39.48
R510L	R1295L	14.88	R680L	R1727L	17.18	R975L	R2476L	22.60	R1650L	R4191L	40.96
R520L	R1321L	14.94	R695L	R1764L	17.48	R990L	R2515L	22.96	R1760L	R4470L	43.60
R525L	R1333L	14.98	R710L	R1803L	17.66	R1065L	R2705L	25.92	R1820L	R4622L	45.10
R530L	R1346L	15.04	R725L	R1841L	17.84	R1080L	R2743L	25.98	R1980L	R5029L	49.44
R540L	R1371L	15.12	R765L	R1943L	18.78	R1120L	R2845L	26.06	R2120L	R5385L	53.20
R550L	R1397L	15.26	R770L	R1956L	18.88	R1140L	R2895L	26.46	R2400L	R6096L	60.36
R560L	R1422L	15.32	R780L	R1981L	19.08	R1150L	R2921L	26.78			

M Section Multi-Rib V-Belts (3/8-inch Rib Width, 21/32-inch Thick)


Size inch	mm	\$ Can. List Price Per Rib	Size inch	mm	\$ Can. List Price Per Rib	Size inch	mm	\$ Can. List Price Per Rib	Size inch	mm	\$ Can. List Price Per Rib
R900M	R2286M	\$51.90	R1230M	R3124M	\$70.48	R1760M	R4470M	\$116.84	R3310M	R8408M	\$277.12
R940M	R2388M	53.78	R1310M	R3327M	74.58	R1830M	R4648M	127.94	R3610M	R9169M	290.22
R990M	R2515M	56.16	R1390M	R3531M	87.68	R1980M	R5029M	139.96	R3910M	R9931M	326.80
R1060M	R2693M	62.06	R1470M	R3734M	91.60	R2130M	R5410M	163.72	R4210M	R10693M	351.28
R1115M	R2832M	66.52	R1550M	R3937M	94.60	R2410M	R6121M	197.28	R4810M	R12217M	400.68
R1150M	R2921M	68.04	R1610M	R4089M	103.52	R2710M	R6883M	225.78	R5410M	R13741M	451.08
R1185M	R3010M	68.18	R1650M	R4191M	112.88	R3010M	R7646M	247.16	R6010M	R15266M	500.22
									R6600M	R16784M	625.28

Autotension® – Special construction multi-rib belts now available for OEM applications. No take-up or idlers required. Will work on fixed or center drives. Consult Jason Engineering for details.

Double multiple V-belts

Oil and heat-resistant.

Static dissipating.



Especially designed for serpentine and reversing drives, double V-belts transmit power from both sides of the belt. Polyester cords and cotton/polyester cover provide maximum strength and length stability with minimum stretch. These belts conform to RMA Engineering Standard IP-21.

Double V-belts are available in three standard RMA sections AA, BB and CC and in lengths to 540 inches. They are specified by belt section letters, **inside length** in inches.

AA Section Double Multiple V-Belts (1/2-inch Wide, 13/32-inch Thick)

Ind. Belt No.	\$ Can. List Price	Approx. Wgt. (lbs.)
AA46	\$19.00	.50
AA49	19.00	.50
AA51	19.00	.50
AA52	19.26	.50
AA55	20.00	.50
AA58	20.50	.50
AA60	21.00	.50

Ind. Belt No.	\$ Can. List Price	Approx. Wgt. (lbs.)
AA64	\$22.00	.60
AA67	22.76	.60
AA68	23.00	.60
AA71	23.90	.60
AA73	24.50	.60
AA75	25.00	.60
AA76	25.40	.60

Ind. Belt No.	\$ Can. List Price	Approx. Wgt. (lbs.)
AA80	\$ 27.00	.80
AA83	28.20	.80
AA85	29.00	.80
AA88	30.20	.80
AA90	31.00	.80
AA96	33.00	1.00
AA98	33.66	1.00

Ind. Belt No.	\$ Can. List Price	Approx. Wgt. (lbs.)
AA105	\$ 36.00	1.00
AA112	40.00	1.20
AA120	43.00	1.20
AA128	46.00	1.30

BB Section Double Multiple V-Belts (21/32-inch Wide, 17/32-inch Thick)

Ind. Belt No.	\$ Can. List Price	Approx. Wgt. (lbs.)
BB43	\$24.00	.64
BB45	24.00	.64
BB50	27.60	.70
BB51	28.00	.70
BB53	28.66	.80
BB54	29.00	.85
BB55	29.00	.90
BB60	30.00	1.00
BB62	30.80	1.00
BB66	32.26	1.00
BB68	33.00	1.00
BB71	34.46	1.00
BB73	35.48	1.00
BB74	36.00	1.00
BB75	36.24	1.00
BB76	36.48	1.00
BB81	37.60	1.10
BB85	41.00	1.10
BB87	42.00	1.10

Ind. Belt No.	\$ Can. List Price	Approx. Wgt. (lbs.)
BB90	\$43.00	1.10
BB92	45.00	1.20
BB93	45.00	1.20
BB94	46.00	1.20
BB96	46.50	1.20
BB97	47.00	1.20
BB100	47.76	1.30
BB103	48.50	1.30
BB105	50.00	1.30
BB107	51.20	1.30
BB108	52.10	1.30
BB111	53.00	1.30
BB112	54.00	1.40
BB114	54.96	1.40
BB116	55.52	1.50
BB118	57.00	1.50
BB120	57.00	1.50
BB122	58.00	1.50

Ind. Belt No.	\$ Can. List Price	Approx. Wgt. (lbs.)
BB124	\$59.00	1.50
BB128	61.00	1.60
BB130	62.20	1.70
BB133	65.00	1.75
BB135	65.00	1.80
BB136	65.00	1.80
BB140	69.00	1.80
BB144	69.00	1.80
BB148	70.68	1.80
BB155	73.60	2.00
BB158	75.00	2.00
BB159	75.46	2.00
BB161	76.40	2.00
BB162	76.80	2.10
BB168	80.76	2.10
BB170	80.60	2.10
BB172	81.60	2.10
BB173	82.00	2.10

Ind. Belt No.	\$ Can. List Price	Approx. Wgt. (lbs.)
BB175	\$86.00	2.10
BB180	86.00	2.20
BB182	86.80	2.30
BB185	88.20	2.30
BB187	89.20	2.40
BB190	91.86	2.40
BB195	93.00	2.40
BB200	95.34	2.50
BB210	100.00	2.60
BB217	102.96	2.70
BB228	107.60	2.90
BB240	113.00	2.90
BB255	120.52	3.10
BB270	128.00	3.30
BB278	131.80	3.70
BB300	142.00	3.70

CC Section Double Multiple V-Belts (7/8-inch Wide, 11/16-inch Thick)

Ind. Belt No.	\$ Can. List Price	Approx. Wgt. (lbs.)
CC75	*	1.7
CC81	\$73.04	1.8
CC85	75.00	1.9
CC90	81.00	2.0
CC96	86.00	2.2
CC105	94.00	2.4
CC110	98.28	2.5
CC112	100.00	2.5
CC118	105.26	2.6
CC119	106.16	2.6
CC120	107.00	2.7

Ind. Belt No.	\$ Can. List Price	Approx. Wgt. (lbs.)
CC128	\$114.00	2.9
CC136	120.66	3.1
CC140	124.00	3.1
CC144	128.00	3.2
CC148	131.40	3.3
CC153	135.70	3.4
CC154	136.60	3.4
CC155	137.40	3.4
CC156	138.30	3.5
CC158	140.00	3.5
CC162	143.00	3.8

Ind. Belt No.	\$ Can. List Price	Approx. Wgt. (lbs.)
CC173	\$ 153.00	3.8
CC174	153.00	3.8
CC178	157.70	3.9
CC180	160.00	4.0
CC195	173.00	4.6
CC210	187.00	4.7
CC225	198.50	4.9
CC234	204.76	5.1
CC240	210.00	5.2
CC250	219.00	5.4
CC270	237.00	5.9

Ind. Belt No.	\$ Can. List Price	Approx. Wgt. (lbs.)
CC300	\$263.00	6.5
CC315	276.00	6.9
CC330	289.00	7.2
CC360	315.00	7.8
CC390	341.60	8.5
CC420	368.00	9.1
CC440	390.00	9.4
CC480	430.00	10.1
CC780	748.00	14.9

Jason Type 400 flat belts

Oil-resistant, non-marking cover Static conductive.

Jason Type 400 flat belts are single-ply, endless woven belts built to the rigid standards necessary to meet the demands of modern high speed compact drives requiring flat belts. These belts are interchangeable with Gates Speed Flex, #400 Panther, Tilton Superspeed and Fenner Ultra Speed 400.


These high-performance flat belts have a single-ply of endless woven polyester cord bonded to an oil-resistant, non-marking, static conducting chloroprene (Neoprene) rubber covers.

Type 400 Flat Belt Nominal Dimensions

Thickness - 1.0mm (.039" ± .006")
 Widths - Up to 13" ± .012"
 Lengths * - 6 to 142" ± .070" or .4%

* Available in 1/2-inch increments from 8 to 62.5 inches, and in 1-inch increments from 63-142 inches.

Belts are specified by length in inches, the letter "M" and width in one-hundredths of an inch; i.e., **36.0M125**.



Endless Woven Flat Belts Type 400

Belt Width (in.)	3/4" & Under	1	1-1/4	1-1/2	1-3/4	2	2-1/4	2-1/2	2-3/4
\$ Can. List Price Per Inch Length	\$.436	\$.540	\$.636	\$.748	\$.852	\$.956	\$ 1.06	\$ 1.164	\$ 1.268

Belt Width (in.)	3	3-1/4	3-1/2	3-3/4	4	4-1/4	4-1/2	4-3/4	5
\$ Can. List Price Per Inch Length	\$ 1.384	\$ 1.476	\$ 1.58	\$ 1.684	\$ 1.788	\$ 1.904	\$ 1.996	\$ 2.112	\$ 2.204

Notes: For prices of intermediate widths not shown use price of next higher width shown above. Widths up to 13 inches are available.

Other Types*


Types High Load	Reinforcement	Min. Pulley ø mm	Thickness mm	Standard Length mm	Coating	Types Conveyor	Reinforcement	Min. Pulley ø mm	Thickness mm	Standard Length mm	Coating
T200	Polyester Fabric	18	1.1	200/4500	Neoprene	2TEN	Polyester Fabric	4	.6	200/1000	Neoprene
TPU150	Polyester Fabric	20	1.1	185/2250	Polyurethane	Nipless 80	Polyester Cord	8	1.0	200/1000	Neoprene/NBR
PU110	Polyester Fabric	12	1	200/4000	Polyurethane	PU/EL	No reinfor.	12	.7	150/1500	Polyurethane
PU120	Polyester Fabric	20	1.3	200/4000	Polyurethane	PU/ELF	No reinfor.	8	.9	200/2000	Polyurethane
V75L/L	Details available upon request					PU/SE	No reinfor.	10	.6	150/1500	Polyurethane
						PU/SEF	Cotton Cord	25	1.8	200/2000	Polyurethane/Cotton
Light Load						SIL 10	Polyester Fabric	12	1.0	200/2000	Silicon/Polyester
MF40	Polyester Fabric	4	.5	200/1000	Neoprene						
V75	Polyester Fabric	6	.5	150/2000	Neoprene						
TW80/C	Polyester Fabric	10	.6	150/2000	Neoprene/Cotton						
PU85	Polyester/Cotton Fabric	6	.8	200/4000	Polyurethane/Polyester						

Neoprene® registered trademark of Dupont. NBR= Acrylonitrile Butadiene Rubber *Available on special order / *Price on request.

Neoflex belts

Wide angle belts, Neoprene body.


More power in less space. The wide 60° angle provides more sidewall support under the tensile member for even load distribution and higher ratings. Allows for maximum speed ratios with smaller sheaves. Constructed of neoprene with transverse fabric plies for rigidity. Tensile member is polyester.



Belt No.	Effective Length (Inches)	\$ Can. List Price	Belt No.	Effective Length (Inches)	\$ Can. List Price	Belt No.	Effective Length (Inches)	\$ Can. List Price	Belt No.	Effective Length (Inches)	\$ Can. List Price
7MR600	23.62	\$31.60	7MR800	31.50	\$34.94	7MR1060	41.73	\$39.90	7MR1400	55.12	\$46.98
7MR615	24.21	31.60	7MR825	32.48	35.08	7MR1090	42.91	40.46	7MR1450	57.09	47.62
7MR630	24.80	31.60	7MR850	33.46	35.22	7MR1120	44.09	40.88	7MR1500	59.06	49.10
7MR650	25.59	31.82	7MR875	34.45	36.14	7MR1150	45.28	41.52			
7MR670	26.38	32.10	7MR900	35.43	36.78	7MR1180	46.46	41.88			
7MR690	27.17	32.60	7MR925	36.42	36.84	7MR1220	48.30	43.02			
7MR710	27.95	32.80	7MR950	37.40	37.34	7MR1250	49.21	43.66			
7MR730	28.74	33.24	7MR975	38.39	38.06	7MR1280	50.39	44.58			
7MR750	29.53	33.30	7MR1000	39.37	38.12	7MR1320	51.97	45.20			
7MR775	30.51	34.02	7MR1030	40.55	38.76	7MR1360	53.54	45.56			

MXV super duty belts

Tough aramid reinforcement.



These belts are ideal for lawn and garden applications. Excellent shock resistance. Special cover for belt release and engagement in clutching applications. Special oil and heat resistant neoprene rubber. Part number denotes width and **outside** length; i.e., **MXV4-300** is 1/2" wide and 30.0" outside.

MXV3 (3/8-inch Top Width x 7/32-inch Thick x 40° Angle)

Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
MXV3-200	\$18.88	.07
MXV3-210	18.88	.07
MXV3-220	18.88	.07
MXV3-230	18.88	.08
MXV3-240	18.88	.08
MXV3-250	19.84	.08
MXV3-260	19.84	.09

Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
MXV3-270	\$19.84	.09
MXV3-280	20.32	.10
MXV3-290	20.32	.10
MXV3-300	20.48	.10
MXV3-310	20.64	.11
MXV3-320	20.96	.11
MXV3-330	21.28	.11

Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
MXV3-340	\$21.60	.11
MXV3-350	22.08	.12
MXV3-360	22.40	.12
MXV3-370	22.88	.12
MXV3-380	23.48	.13
MXV3-390	23.84	.13
MXV3-400	26.56	.13

Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
MXV3-410	\$ 26.56	.14
MXV3-420	26.56	.14
MXV3-430	26.56	.14
MXV3-440	26.56	.14
MXV3-450	26.56	.14
MXV3-460	26.56	.15
MXV3-470	27.20	.15
MXV3-480	27.70	.16

MXV4 (1/2-inch Top Width x 5/16-inch Thick x 40° Angle)

Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
MXV4-200	\$19.84	.12
MXV4-210	19.84	.13
MXV4-220	19.84	.14
MXV4-230	19.84	.14
MXV4-240	19.84	.14
MXV4-250	19.84	.15
MXV4-260	20.16	.16
MXV4-270	20.48	.16
MXV4-280	20.80	.17
MXV4-290	21.12	.17
MXV4-295	21.28	.17
MXV4-300	21.44	.18
MXV4-305	21.60	.19
MXV4-310	21.76	.19
MXV4-320	22.08	.19
MXV4-330	22.40	.20
MXV4-340	22.88	.20
MXV4-350	23.20	.21
MXV4-355	23.44	.22
MXV4-360	23.68	.22
MXV4-370	24.00	.22
MXV4-380	24.48	.23
MXV4-390	25.12	.23
MXV4-400	25.60	.24

Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
MXV4-410	\$26.08	.25
MXV4-420	26.40	.25
MXV4-430	26.88	.26
MXV4-440	27.52	.26
MXV4-450	28.00	.27
MXV4-460	28.32	.28
MXV4-470	28.64	.28
MXV4-480	28.80	.29
MXV4-490	29.12	.29
MXV4-500	29.44	.30
MXV4-510	29.76	.31
MXV4-520	30.08	.31
MXV4-530	30.40	.32
MXV4-540	30.72	.33
MXV4-550	31.04	.33
MXV4-560	31.52	.34
MXV4-570	31.84	.34
MXV4-580	32.16	.35
MXV4-590	32.56	.36
MXV4-600	32.96	.36
MXV4-610	33.28	.37
MXV4-620	33.60	.37

Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
MXV4-630	\$34.08	.38
MXV4-640	34.40	.39
MXV4-650	34.88	.39
MXV4-660	35.20	.40
MXV4-670	35.52	.40
MXV4-680	36.00	.41
MXV4-690	36.48	.42
MXV4-700	36.80	.42
MXV4-710	37.60	.43
MXV4-720	38.40	.43
MXV4-730	38.72	.44
MXV4-740	38.88	.45
MXV4-750	39.20	.45
MXV4-760	39.52	.46
MXV4-770	40.00	.47
MXV4-780	40.64	.47
MXV4-790	41.28	.48
MXV4-800	41.92	.48
MXV4-810	42.56	.49
MXV4-820	43.20	.49
MXV4-830	43.84	.50
MXV4-840	44.48	.51

Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
MXV4-850	\$45.12	.51
MXV4-860	45.76	.52
MXV4-870	46.40	.52
MXV4-880	47.04	.53
MXV4-890	47.68	.54
MXV4-900	48.32	.54
MXV4-910	48.96	.55
MXV4-920	49.60	.55
MXV4-930	50.24	.56
MXV4-940	50.72	.57
MXV4-950	51.20	.57
MXV4-960	51.84	.58
MXV4-970	52.32	.58
MXV4-980	52.80	.59
MXV4-990	53.44	.59
MXV4-1000	54.64	.60
MXV4-1020	55.08	.60
MXV4-1030	55.40	.61
MXV4-1050	56.40	.62
MXV4-1070	58.46	.62
MXV4-1080	58.82	.63
MXV4-1180	64.04	.69
MXV4-1270	68.76	.75
MXV4-1380	74.52	.82

MXV5 (21/32-inch Top Width x 3/8-inch Thick x 40° Angle)

Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
MXV5-230	\$24.32	.24
MXV5-240	24.32	.25
MXV5-250	24.32	.25
MXV5-260	24.96	.26
MXV5-270	25.60	.28
MXV5-280	26.08	.28
MXV5-290	26.72	.29
MXV5-300	27.84	.30
MXV5-310	27.84	.31
MXV5-320	28.48	.31
MXV5-330	29.76	.32
MXV5-340	29.76	.33
MXV5-350	30.24	.34
MXV5-360	30.88	.35
MXV5-370	31.36	.36
MXV5-380	32.00	.37
MXV5-390	32.96	.39
MXV5-400	34.24	.39
MXV5-410	35.20	.40
MXV5-420	36.00	.41

Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
MXV5-430	\$36.80	.42
MXV5-440	37.60	.44
MXV5-450	38.40	.44
MXV5-460	39.20	.45
MXV5-470	40.00	.46
MXV5-480	40.80	.47
MXV5-490	41.60	.48
MXV5-500	42.24	.49
MXV5-510	42.88	.50
MXV5-520	43.52	.51
MXV5-530	44.16	.52
MXV5-540	44.80	.53
MXV5-550	45.28	.54
MXV5-560	45.60	.55
MXV5-570	46.08	.56
MXV5-580	46.40	.56
MXV5-590	46.72	.59
MXV5-600	47.04	.60
MXV5-610	47.84	.60
MXV5-620	47.84	.61

Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
MXV5-630	\$48.00	.62
MXV5-640	48.64	.63
MXV5-650	49.28	.65
MXV5-660	49.92	.65
MXV5-670	50.56	.65
MXV5-680	51.20	.67
MXV5-690	51.76	.67
MXV5-700	52.32	.69
MXV5-710	52.80	.70
MXV5-720	53.44	.71
MXV5-730	54.24	.71
MXV5-740	54.88	.73
MXV5-750	55.52	.74
MXV5-760	56.16	.75
MXV5-770	56.96	.75
MXV5-780	57.60	.76
MXV5-790	58.40	.78
MXV5-800	59.20	.78
MXV5-810	60.00	.80
MXV5-820	60.80	.81

Belt No.	\$ Can. List Price	Approx. Weight (lbs.)
MXV5-830	\$61.60	.82
MXV5-840	62.40	.83
MXV5-850	64.00	.84
MXV5-860	64.48	.85
MXV5-870	65.12	.86
MXV5-880	65.60	.87
MXV5-890	66.24	.88
MXV5-900	66.88	.89
MXV5-910	67.52	.90
MXV5-920	68.16	.91
MXV5-930	68.80	.92
MXV5-940	69.76	.93
MXV5-950	70.88	.94
MXV5-960	72.00	.94
MXV5-970	72.80	.95
MXV5-980	73.60	.97
MXV5-990	74.40	.97
MXV5-1000	75.20	.98
MXV5-1040	78.20	1.02
MXV5-1050	78.96	1.03
MXV5-1060	79.72	1.04
MXV5-1230	92.50	1.21

Belt tensioning instructions



Timing Belt

HTB, Standard and Metric timing belts should be installed to fit pulleys snugly, neither too tight nor too loose. The belt's positive grip eliminates the need for high initial tension. When a belt is installed with a snug but not overly tight fit, longer belt life, less bearing wear and more quiet operation will result. Overtight belts can cause early failure and should be avoided. With high torque a loose belt may "jump teeth" upon startup. If such occurs, the tension should be increased gradually until satisfactory operation is achieved.

To properly tension a timing belt, place belt on pulleys and adjust takeup until the belt teeth mesh securely with the pulley grooves. Measure belt span "t". Then tighten belt so that it deflects 1/64-inch for every inch of belt span when a force as specified in the table below is applied to the top of the belt. For belts wider than two inches, a metal or wooden strip 3/4 to 1-inch wide should be placed across the belt between it and the tester to prevent distortion.

The following range of deflection forces are normally adequate for drive installation. Actual installation tension required depends on peak loads, system rigidity, number of teeth in mesh, etc.

Timing Belt Tensioning Deflection Force Table


Belt Pitch	Belt Width	Deflection Force
HTB 8MM (8mm)	20mm	2 to 4 lbs
	30mm	3 to 6 lbs
	50mm	7 to 11 lbs
	85mm	11 to 19 lbs
HTB 14MM (14mm)	40mm	5 to 11 lbs
	55mm	8 to 17 lbs
	85mm	14 to 27 lbs
	115mm	20 to 40 lbs
	170mm	30 to 60 lbs
MXL (.080-in.)	1/8-inch	1 oz
	3/16-inch	1 - 1-1/2 oz
	1/4-inch	2 oz
	5/16-inch	2 - 2-1/2 oz
XL (1/5-in.)	1/4-inch	2-1/2 oz
	5/16-inch	3 oz
	3/8-inch	3-1/2 oz
L (3/8-in.)	1/2-inch	7 oz
	3/4-inch	11 oz
	1-inch	1 lb
H (1/2-in.)	3/4-inch	2 lbs
	1-inch	2-1/2 lbs
	1-1/2-inch	4 lbs
	2-inch	5-1/2 lbs
	3-inch	8-1/2 lbs
XH (7/8-in.)	2-inch	7-1/2 lbs
	3-inch	11-1/2 lbs
	4-inch	16-1/2 lbs
XXH (1-1/4-in.)	2-inch	9 lbs
	3-inch	14 lbs
	4-inch	20 lbs
	5-inch	26 lbs

Multi-Rib Belt Deflection Force Table

Belt Cross Section	Small Sheave Diameter range	Force "F" Lbs. Per rib
J	1.32-1.67	0.4
J	1.77-2.20	0.5
J	2.36-2.95	0.6
L	2.95-3.74	1.7
L	3.94-4.92	2.1
L	5.20-6.69	2.5
M	7.09-8.82	6.4
M	9.29-11.81	7.7
M	12.40-15.75	8.8

V-Belt & Multi-Rib Series

V-belt tensioning adjustment can be made using a tension meter or other type spring scale, using the following procedure. After seating the belts in the groove and adjusting center distance so as to take up slack in the belts, further increase the tension until only a slight bow on the slack side is apparent while the drive is operating under load. Stop the drive, and using the meter, measure the force necessary to depress one of the center belts 1/64-inch for every inch of belt span (see sketch below). For example, a deflection for a 50-inch belt span is 50/64ths, or 25/32-inch. The amount of force required to deflect the belt should compare with the deflection forces noted in the chart below. Also notice for V-belts the deflection forces vary from the initial "run-in" values which are greater (reflecting higher run-in tensioning) to the "normal" values for after the run-in period.



Measure the span length "t" as shown in the sketch above.

Standard V-Belt Tensioning Deflection Force Table

Belt Cross-Section	Smaller Pulley Diameter Range (in.)	Deflection Force	
		Run-in (lbs.)	Normal (lbs.)
A	3.0-3.6	3-3/8	2-1/4
	3.8-4.8	4-1/4	2-7/8
	5.0-7.0	5-1/8	3-3/8
AX	3.0-3.6	4-1/8	2-3/4
	3.8-4.8	5	3-1/4
	5.0-7.0	6	4
B	3.4-4.2	4	2-5/8
	4.4-5.2	6	4
	5.4-9.4	7-1/8	5-1/4
BX	3.4-4.2	5-1/4	3-1/2
	4.4-5.2	7-1/8	4-3/4
	5.4-9.4	9	6
C	7.0-9.0	11-1/4	7-1/2
	9.5-16.0	15-3/4	10-1/2
CX	7.0-9.0	13-1/2	9
	9.5-16.0	17-1/2	11-3/4
D	12.0-16.0	24-1/2	16-1/2
	18.0-22.0	33	22
E	21.6-27.0	48	32
3V	3.40-4.20	6	4
	4.20-10.6	7	5
3VX	2.20-3.65	7	5
	4.12-10.6	8	6
5V	7.10-10.9	16	8-12
	11.8-16.0	20	10-15
5VX	4.40-10.9	18	10-14
	11.8-16.0	22	12-18
8V	12.5-17.0	36	18-27
	18.0-22.4	40	20-30

Reference dimensions for Jason belts




Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8



















Figure 9

Belt Section (Pitch)	Figure	β (Angle)	bb (Width)	hb (Height)	ht
5M (5mm)	1	-	.114-in	.150-in	.082-in
8M (8mm)	1	-	.197-in	.236-in	.133-in
14M (14mm)	1	-	.346-in	.394-in	.237-in
MXL (.080-in.)	2	40°	0.45-in	.045-in	.020-in
XL (.200-in.)	2	50°	.101-in	.090-in	.050-in
L (.375-in.)	2	40°	.183-in	.140-in	.075-in
H (.500-in.)	2	40°	.241-in	.160-in	.090-in
XH (.875-in.)	2	40°	.495-in	.440-in	.250-in
XXH (1.25-in.)	2	40°	.750-in	.620-in	.375-in
T5 (5mm)	2	40°	1.88mm	2.2mm	1.2mm
T10 (10mm)	2	40°	3.5mm	4.5mm	2.5mm
DXL (.200-in.)	3	50°	.101-in	.120-in	.050-in
DL (.375-in.)	3	40°	.183-in	.180-in	.075-in
DH (.500-in.)	3	40°	.241-in	.231-in	.090-in
2L	4	40°	.25-in	.16-in	-
3L	4	40°	.38-in	.22-in	-
4L	4	40°	.50-in	.31-in	-
5L	4	40°	.66-in	.38-in	-
A, AX	4	40°	.50-in	.31-in	-
B, BX	4	40°	.66-in	.41-in	-
C, CX	4	40°	.88-in	.53-in	-
D	4	40°	1.25-in	.75-in	-
E	4	40°	1.50-in	1.00-in	-

Belt Section (Pitch)	Figure	β (Angle)	bb (Width)	hb (Height)	ht
SPZ	5	38°	9.7mm	8mm	-
SPA	5	38°	12.7mm	10mm	-
SPB	5	38°	16.3mm	13mm	-
SPC	5	38°	22.0mm	18mm	-
3V, VX	5	38°	.38-in	.31-in	-
5V, VX	5	38°	.62-in	.53-in	-
8V	5	38°	1.00-in	.88-in	-
RB	6	40°	.66-in	.50-in	-
RC	6	40°	.88-in	.66-in	-
RD	6	40°	1.25-in	.84-in	-
R3V	6	38°	.38-in	.38-in	-
R5V	6	38°	.62-in	.62-in	-
R8V	6	38°	1.00-in	1.00-in	-
1422V	7	22°	.38-in	.31-in	-
1922V	7	22°	1.19-in	.38-in	-
2322V	7	22°	1.44-in	.44-in	-
1926V	7	26°	1.19-in	.44-in	-
2926V	7	26°	1.81-in	.50-in	-
3226V	7	26°	2.00-in	.53-in	-
2530V	7	30°	1.06-in	.59-in	-
3230V	7	30°	2.00-in	.62-in	-
4430V	7	30°	2.75-in	.69-in	-
4036V	7	36°	2.50-in	.69-in	-
4436V	7	36°	2.75-in	.72-in	-
4836V	7	36°	3.00-in	.75-in	-
J	8	40°	.092-in	.16-in	-
L	8	40°	.185-in	.38-in	-
M	8	40°	.370-in	.66-in	-
AA	9	40°	.50-in	.41-in	-
BB	9	40°	.66-in	.53-in	-
CC	9	40°	.88-in	.69-in	-
DD	9	40°	1.25-in	1.00-in	-

EASY PITCH IDENTIFICATION STANDARD PITCHES

(Shown actual size)

Timing Belts	HTB [®] Belts
 MXL 0.08" mini-pitch	 3 mm pitch
 XL 1/5" pitch	 5mm pitch
 L 3/8" pitch	 8mm pitch
 H 1/2" pitch	 14 mm pitch
 XH 7/8" pitch	 20 mm pitch
 XXH 1 1/4" pitch	
Metric Timing Belts	
 T5 mm pitch	 AT5 mm pitch
 T10 mm pitch	 AT10 mm pitch

AFTER HOURS SERVICE

MONTREAL: Cell: 514-983-1994 Cell: 514-249-7613


TORONTO: Cell: 416-505-7825

EDMONTON: Cell: 780-909-1444




Jason Industrial Inc.


Fairfield, NJ • Chicago, IL • Dallas, TX • Los Angeles, CA • Tampa, FL • Portland, OR • Pineville, NC
 CANADA Montreal • Toronto • Edmonton • MEXICO Mexico City • BRAZIL Sao Paulo



Multi-Plus UniMatch
Z, A, B, C, D, E,




FHP
3L, 4L, 5L




Multiple Cog
AX, BX, CX




UniMatch Deep Wedge
3V, 5V, 8V




Cogged Raw Edge
3VX, 5VX




MXV
MXV3, MXV4, MXV5




UniMatch Banded
B,C,D,




Banded Deep Wedge
3V, 5V, 8V




Double Multi V
AA, BB, CC, DD




Variable Speed Belts
English & Metric




UniMatch SP Metric
SPZ, SPA, SPB, SPC




Multi Rib
J, K, L, M




Type 400
Flat Belts




HTB
3M, 5M, 8M, 14M



Rubber Timing Belts
MXL, XL, L, H, XH, XXH




Dual Timing Belts
DXL, DL, DH, D5M, D8M, D14M



Top Rubber Belts



Neoprene Open End
Standard & HTB



Urethane Open End
Metric & Standard




Urethane
Timing Belts


Your Jason Distributor:

info@jasonindustrial.ca


www.jasonindustrial.ca



Textile Industry
Specialty Belts



Neoflex Belts
7MR



Urethane VAR
Round, V, Special Profiles



Accu-Link
3L, A, B, C, D, CC



JASON POWER TRANSMISSION BELTS

Corporate Office Central Warehouse

Jason Industrial Inc.
340 Kaplan Drive, Fairfield, NJ 07004
973-227-4904
FAX 973-227-1651

Branch Offices and Warehouses

Jason Illinois, Inc.
258 Westgate Drive
POB 87288
Carol Stream, IL 60188
630-752-0600
FAX 630-752-0680

Jason Industrial Inc.
3234 Royalty Row, Irving, TX 75062
972-438-6992
FAX 972-721-9162

Jason Industrial Inc.
3724 East 26th Street
Los Angeles, CA 90023
323-265-8061
FAX 323-265-0813

Jason Industrial Inc.
1212 N. 39th St. STE 218
Tampa, FL 33605
813-241-4111
FAX 813-241-4212

Jason Do Brasil Ltda
Rua Santa Escolastica NR 120
Sorocaba
Sao Paulo, Brasil 18051-380
005515 2220007
FAX 005515 2227565

Jason Industrial, S. De R.L. De C.V.
Av. Ceylan No. 959 Bodega 36
Col. Industrial Vallejo C.P. 02300
Azcapotzalco, Mexico D.F.
005255873680/5873785/5877374
FAX: 005255873688

Jason Industrial Canada Ltd.

9135 Cote De Liesse
Dorval, Quebec H9P-2N9
514-631-6781
FAX 514-631-7408
E-MAIL info@jasonindustrial.ca

Jason Industrial Canada Ltd.

927 Matheson Blvd, East
Mississauga, Ontario L4W-2R7
905-602-4400
FAX 905-602-4406
E-MAIL info@jasonindustrial.ca

Jason Industrial Canada Ltd.

4242 99th St.
Edmonton, Alberta T6E-5B3
780-461-4400
FAX 780-461-1034
E-MAIL info@jasonindustrial.ca

www.jasonindustrial.ca



All recommendations for the use of the products described herein and all other data or information set forth in this publication, whether concerning such products or otherwise, are furnished without any guarantee, warranty representations or inducement of any kind whether express or implied, including but not limited to implied warranties of merchantability and fitness for a particular purpose. And Jason expressly disclaims liability under any theory, including without limitation, contract negligence, misrepresentation or breach of any obligation relating to the recommendation, data or information set forth herein. Readers and customers are encouraged to conduct their own test before using any product. Read its label and all related instructions. The information in this publication is not intended as permission or recommendations to practice a patented invention without permission of the patent owner.

